M-DRYL- diphenhydramine hydrochloride liquid Method Pharmaceuticals, LLC

M-Dryl

M-Dryl

Diphenhydramine Hydrochloride Oral Solution

Antihistamine

Cherry Flavor

RELIEVES

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat due to Allergies

DO NOT USE IF TAMPER EVIDENT SEAL

UNDER CAP IS BROKEN OR MISSING

Alcohol Free

Each 5 mL (1 teaspoonful) contains:

Diphenhydramine HCl 12.5 mg

Drug Facts

Active ingredient

(in each 5 mL = 1 tsp)

Diphenhydramine HCl 12.5 mg

Purpose

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours
- use an accurate measuring device to administer this Medication

children under 2 years do not	
use	do not use
children 2 to 5 years	ask a doctor
children 6 years to under 12	5 mL (1 tsp) to 10 mL (2 tsp); not more than 60 mL
years	(12 tsp) in 24 hours
adults and children 12 years and	10 mL (2 tsp) to 20 mL (4 tsp); not more than 120 mL
over	(24 tsp) in 24 hours

Other information

- each tsp contains: sodium 5 mg
- store at 15° to 30°C (59° to 86°F)

protect from freezing

Inactive ingredients

Cherry Flavor, Citric Acid Anhydrous, FD&C red No. 40, Glycerin, Masking Agent, Propylene Glycol, Purified water, Sodium Benzoate, Sodium Citrate, Sodium Saccharin, Sorbitol Solution.

Questions?

Serious side effects associated with use of this product may be reported to this number. Call 1-877-250-3427 Mon. - Fri. (8 a.m. to 5 p.m. CST).

PRINCIPAL DISPLAY PANEL

NDC 58657-528-04

M-Dryl

Diphenhydramine Hydrochloride

Oral Solution

Antihistamine

Cherry Flavor

4 fl. oz. (120 mL)



PRINCIPAL DISPLAY PANEL

NDC 58657-528-16

M-Dryl

Diphenhydramine Hydrochloride

Antihistamine

Cherry Flavor

16 fl. oz. (473 mL)

Drug Facts	Method	Drug Facts (continu	ied)
Active ingredient Purpose (in each 5 mL = 1 tsp)	Pharmaceuticals	children under 2 years children 2 to 5 years children 6 years to	do not use ask a doctor 5 mL (1 tsp) to 10 mL
Diphenhydramine HCI	NDC 58657-528-16	under 12 years	(2 tsp); not more than 60 mL (12 tsp) in 24 hours
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: sneezing	M-Dryl	adults and children 12 years and over	10 mL (2 tsp) to 20 mL (4 tsp); not more than 120 mL (24 tsp) in 24 hours
itchy, watery eyes itching of the nose or throat Warnings Do not use to make a child sleepy with any other product containing diphenhydramine, even	Diphenhydramine Hydrochloride Oral Solution	Other information each tsp contains: sodium 5 mg store at 15° to 30°C (59° to 86°F) protect from freezing	
one used on skin Ask a doctor before use if you have glaucoma strouble urinating due to an enlarged prostate gland		FD&C red No. 40 Glucerin	Cherry Flavor, Citric Acid Anhydrous, Masking Agent, Propylene Glycol, coate, Sodium Citrate, Sodium
 a breathing problem such as emphysema or chronic bronchitis Ask a doctor or pharmacist before use if you are taking 	Antihistamine	Questions? Commo Serious side effects associ be reported to this number	iated with use of this product may
sedatives or tranquilizers. When using this product marked drowsiness may occur avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness be careful when driving a motor vehicle or operating machinery excitability may occur, especially in children	Cherry Flavor RELIEVES • Sneezing • lichy, Watery Eyes • Runny Nose • Itchy Throat due to Allergies	Mon Fri. (8 a.m. to 5 p.r. Manufactured For: Method Pharmaceuticals Fort Worth, TX 76118	n. CST). Rev. 06/11
If pregnant or breast-feeding, ask a health professional before use.	DO NOT USE IF TAMPER EVIDENT SEAL UNDER CAP IS BROKEN OR MISSING		
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Alcohol Free	N	
Directions • take every 4 to 6 hours • use an accurate measuring device to administer this medication	Each 5 mL (1 teaspoonful) contains: Diphenhydramine HCI 12.5 mg 16 fl. oz. (473 mL)	3 58 Lot: Exp.:	657-52816 4

M-DRYL

diphenhydramine hydrochloride liquid

HUMAN OTC DRUG	ltem Code (Source)	NDC:586	557-528
ORAL				
Moiety				
dient Name		Basis of Stre	ength	Strength
		DIPHENHYDRAMINE HYDROCHLORIDE	Ē	12.5 mg in 5 mL
Ingredient Name			Str	rength
	ORAL Moiety dient Name DRIDE (UNII: TC2D6JAD40) .83M)	ORAL Moiety dient Name DRIDE (UNII: TC2D6JAD40) .83M)	ORAL ORAL Moiety dient Name DRIDE (UNII: TC2D6JAD40) 83M) Basis of Stree Hydrochloride	ORAL Moiety dient Name Basis of Strength DRIDE (UNII: TC2D6JAD40) DIPHENHYDRAMINE N33M) HYDROCHLORIDE

'	HYDROUS CITR	IC ACID (UNII:	XF417D3PSL)			
FD	&C RED NO. 40	(UNII: WZ B912	27XOA)			
GL	YCERIN (UNII: PC	C6A3C0OX)				
PR	OPYLENE GLYC	OL (UNII: 6DC9	Q167V3)			
w	ATER (UNII: 059Q	F0KO0R)				
sc	DIUM BENZOAT	E (UNII: OJ245	FE5EU)			
SC	DIUM CITRATE	(UNII: 1Q73Q2J	ULR)			
SA	CCHARIN SODIU	IM (UNII: SB8Z	UX40TY)			
SC	RBITOL (UNII: 50)6T60A25R)				
D -						
	oduct Chara	icteristics		C		
	lor			Score		
	аре			Size	_ •	
	avor		CHERRY	Imprint	Code	
Co	ntains					
Co	ntains					
	ackaging					
Pa		Pa	ackage Description		Marketing Start Date	Marketing End Date
Pa #	ackaging Item Code		ockage Description OTTLE; Type 0: Not a Con	mbination	-	-
Pa # 1	ackaging Item Code NDC:58657-528- 04	120 mL in 1 B Product			Date	
Pa # 1	Ackaging Item Code NDC:58657-528- 04 NDC:58657-528-	120 mL in 1 B Product 473 mL in 1 B	OTTLE; Type 0: Not a Con		Date 08/01/2019	-
Pa # 1 2	ackaging Item Code NDC:58657-528- 04 NDC:58657-528- 16	120 mL in 1 B Product 473 mL in 1 B Product	OTTLE; Type 0: Not a Col		Date 08/01/2019	-
Pa # 1 2	Ackaging Item Code NDC:58657-528- 04 NDC:58657-528-	120 mL in 1 B Product 473 mL in 1 B Product	OTTLE; Type 0: Not a Con OTTLE; Type 0: Not a Con	mbination	Date 08/01/2019	
Pa # 1 2	ackaging Item Code NDC:58657-528- 04 NDC:58657-528- 16	120 mL in 1 B Product 473 mL in 1 B Product	OTTLE; Type 0: Not a Col	mbination	Date 08/01/2019	
Pa # 1 2 M	ackaging Item Code NDC:58657-528- 04 NDC:58657-528- 16 arketing	120 mL in 1 B Product 473 mL in 1 B Product Informat Applica	OTTLE; Type 0: Not a Con OTTLE; Type 0: Not a Con CTTLE; Type 0: Not a Con Cition Number or Mon	mbination	Date 08/01/2019 08/01/2019 Marketing Start	Date Marketing End

Labeler - Method Pharmaceuticals, LLC (060216698)

Revised: 12/2023

Method Pharmaceuticals, LLC