GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Simethicone 125 mg

Purpose

Antigas

Uses

• for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant of breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours unless directed by a doctor

Other information

- store between 15-30°C (59-86°F)
- do not refrigerate
- protect from light, heat, and moisture

Inactive ingredients

D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide

^{*}contain one or more of these ingredients

Questions or comments?

Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare Gas-X® Extra Strength active ingredient**

Extra Strength

Gas Relief

Simethicone 125 mg, / Antigas

Gas Relief

Small, Easy to Swallow

Fast Relief Of

- Pressure
- Bloating
- Discomfort

SOFTGELS

**This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

MADE WITH PRIDE AND CARE FOR H-E-B®

SAN ANTONIO, TX 78204

Product Label



Active ingredien 'in each softgel

Drug Facts

Simethicone 125 mg.

ISES For the relief of pressure, bloating, and uliness commonly referred to as gas.

pregnant or breast-feeding, ask a health (eep out of reach of children. professional before use. Varnings

manufactured or distributed by GSK Consumer This product is not

glycerin, peppermint oil, purified water

sorbitan*, sorbitol*, titanium dioxide

contains one or more of these ingredients

Questions or comments? Call toll -877-753-3935 Monday-Friday 9AM-5PM ES

Inactive ingredients D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatir

gelatin

protect from light, heat, and moisture

do not refrigerate

store between 15-30°C (59-86°F)

Other information

Drug Facts (continued under Healthcare, distributor of Gas-X® Extra Strength

MADE WITH PRIDE AND CARE FOR H-E-B® AN ANTONIO, TX 78204



8586-180

PLD-A47J LB005412

Lot No.:

6161



needed after meals and at bedtime

do not exceed 4 softgels in 24 hours unless

directed by a doctor

Directions

adults: swallow with water 1 or 2 softgels as

Drug Facts (continued)

H-E-B Gas Relief

GAS RELIEF EXTRA STRENGTH

simethicone capsule, liquid filled

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37808-487

ORAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength **DIMETHICONE** (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10) **DIMETHICONE** 125 mg

Inactive Ingredients

9 • • • • • • • • • • • • • • • • • • •	
Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	

PEPPERMINT OIL (UNII: AV092KU4JH)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics				
Color	green	Score	no score	
Shape	OVAL	Size	9mm	
Flavor		Imprint Code	PO;SCU;L125	
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:37808- 487-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/31/2018	07/31/2025

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part347	07/31/2018	07/31/2025	

Labeler - H E B (007924756)

Revised: 2/2023 H E B