

**ACETAFLU COUGH AND CHEST CONGESTION- dextromethorphan
hbr, guaifenesin powder**

Advanced Pharmaceutical Services, Inc. Dba Affordable Quality Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACETAFLU COUGH & CHEST CONGESTION

Active Ingredients

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Purposes

- Cough suppressant
- Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use

- in a child under 12 years of age
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- a sodium-restricted diet

When using this product

- do not exceed recommended dosage

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

- ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

do not use more than directed
take every 4 hours. Do not take more than 6 packets in 24 hours.

Age	Dose
adults and children 12 years of age and over	one packet
children under 12 years of age	do not use

- dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- if using microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating.
- Do not overheat.

Other information

- each packet contains: potassium 12 mg, sodium 51 mg.
- store at controlled room temperature 20-25°C (68-77°F).

Inactive Ingredients.

acesulfame potassium, anhydrous citric acid, flavor, lactose, maltodextrin, mannitol, povidone K30, silicon dioxide, sodium bicarbonate, sodium chloride, sodium citrate, sucralose, sucrose

NDC 13411-852-06

AcetaFlu

COUGH & CHEST CONGESTION

Active Ingredients (In each packet) Purposes
 Dextromethorphan HBr 20 mg Cough Suppressant
 Guaifenesin 400 mg Expectorant

SEE WARNING ON OTHER SIDE

1 Single Dose

THIS PACKET DOES NOT CONTAIN FULL PRODUCT INFORMATION. SEE CARTON FOR COMPLETE LABELING INFORMATION. READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE. DO NOT DISCARD CARTON.

AcetaFlu

COUGH & CHEST CONGESTION

Warnings

- Do not use in a child under 12 years of age.
- Do not take more than 6 packets in 24 hours, which is the maximum daily amount
- Do not use more than directed.
- Do not use 3 or more alcoholic drinks every day while using this product

Nothing soothes you like **AcetaFlu**. Its fast, powerful hot liquid line provides soothing relief of cold, severe cold, and flu symptoms.

Distributed by:

Affordable Quality Pharmaceuticals
 Garden Grove • CA 92841 • USA

Batch No:

Mfg. date:

Exp. date:

AcetaFlu
 COUGH & CHEST
 CONGESTION



COUGH



CHEST
 CONGESTION



MUCUS

AcetaFlu

COUGH & CHEST CONGESTION

NDC 13411-852-06

Dextromethorphan HBr 20 mg
 Cough suppressant
 Guaifenesin 400 mg
 Expectorant

- Cough
- Chest Congestion
- Mucus

NON - DROWSY
 GLUTEN FREE

6 PACKETS



Caleus Leaf,
 Ginger & Kumquat

AcetaFlu
 COUGH & CHEST
 CONGESTION



COUGH



CHEST
 CONGESTION



MUCUS

Drug Facts

Active ingredients (in each packet)	Purposes
Dextromethorphan HBr 20 mg	Cough Suppressant
Guaifenesin 400 mg	Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen mucus from throat, and facilitates expectoration for more comfortable breathing

Warnings

Do not use

- in children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, Parkinson's or other diseases, or for 2 weeks after stopping the MAOI drug). If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with low red blood cell count
- a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- a swollen thyroid gland

When using this product

- do not exceed recommended dosage

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health care professional before use.
KEEP OUT OF REACH OF CHILDREN.
 In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not use more than directed
- take every 4 hours. Do not take more than 6 packets in 24 hours.

Age	Dose
adults and children 12 years of age and over	one packet
children ages 6 to 11 years of age	do not use

• dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
 • if using aluminum, add contents of one packet to 8 oz. of hot water, stir briefly before and after loading. Do not combine.

Other information

- each packet contains: potassium (2 mg), sodium (51 mg)
- store at controlled room temperature 20°-25° (68°-77°F)

Inactive ingredients

ascorbic acid, citric acid, dextrose, glycerin, hydroxypropyl methylcellulose, maltodextrin, potassium chloride, sodium bicarbonate, sodium citrate, sodium chloride, sucrose, xanthan gum

Question or comments?
 call 1-800-494-5560 (Mon - Fri 9AM - 5PM PST)

SINCE 1975
AQ BRANDSSM

Distributed by:
 Affordable Quality Pharmaceuticals
 Garden Grove • CA 92841 • USA

Batch No:
 Mfg. date:
 Exp. date:



31 13411 85206 0

ACETAFLU COUGH AND CHEST CONGESTION

dextromethorphan hbr, guaifenesin powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13411-852
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 5 g
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MANNITOL (UNII: 3OWL53L36A)	
POVIDONE K30 (UNII: U725QWY32X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13411-852-06	6 in 1 BOX	08/31/2020	
1		5 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:13411-852-12	12 in 1 BOX	08/31/2020	
2		5 g in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:13411-852-20	20 in 1 BOX	08/31/2020	
3		5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/31/2020	

Labeler - Advanced Pharmaceutical Services, Inc. Dba Affordable Quality Pharmaceuticals (187498279)

Establishment

Name	Address	ID/FEI	Business Operations
S.P.M CORPORATION		555279715	manufacture(13411-852)

Revised: 8/2020

Advanced Pharmaceutical Services, Inc. Dba Affordable Quality Pharmaceuticals