

CHILDRENS WAL-DRYL ALLERGY- diphenhydramine hcl tablet, chewable
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-585

Active ingredient (in each chewable tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- find right dose on chart below
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Age (yr)	Dose (chewable tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

Other information

- avoid high humidity
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

Questions or comments?

1-800-426-9391

Principal Display Panel**Walgreens**

Compare to Children's Benadryl®
Chewables active ingredient††

NDC 0363-0585-44

children's
ALLERGY
Wal-Dryl®

DIPHENHYDRAMINE HCl, 12.5 mg /
ANTIHISTAMINE

CHEWABLE
4-6 HOUR DOSE

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

18 CHEWABLE

TABLETS

**6
YEARS
& OLDER**

GRAPE
FLAVOR

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT
USE IF PACKAGE IS OPENED
OR IF BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY
SIGNS OF TAMPERING**

□Walgreens Pharmacist Survey
††This product is not manufactured or
distributed by Johnson & Johnson
Corporation, owner of the registered
trademark Children's Benadryl® Chewables.

50844 REV0317A58544

DISTRIBUTED BY:
WALGREEN CO.
200 WILMOT RD.,
DEERFIELD, IL 60015
**100% SATISFACTION
GUARANTEED**

walgreens.com
©2017 Walgreen Co.



Compare to Children's Benadryl®
Chewables active ingredient![†]

NDC 0363-0585-44

children's
ALLERGY
Wal-Dryl®
DIPHENHYDRAMINE HCl, 12.5 mg /
ANTI-HISTAMINE

CHEWABLE
4-6 HOUR DOSE

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

GRAPE FLAVOR

18 CHEWABLE TABLETS

6 YEARS & OLDER

ACTUAL SIZE

PHARMACIST
Walgreens
RECOMMENDED

Health expertise
you rely on,
quality you trust.

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

<p>Drug Facts</p> <p>Active ingredient (In each chewable tablet) Diphenhydramine HCl 12.5 mg.....Antihistamine</p> <p>Purpose Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat</p> <p>Warnings Do not use ■ with any other product containing diphenhydramine, even one used on skin ■ to make a child sleepy</p> <p>Ask a doctor before use if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ difficulty in urination due to enlargement of the prostate gland</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</p> <p>When using this product ■ marked drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ avoid alcoholic beverages ■ excitability may occur, especially in children</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p>	<p>Drug Facts (continued)</p> <p>Directions ■ and right dose on chart below</p> <ul style="list-style-type: none"> take every 4 to 6 hours, or as directed by a doctor do not take more than 6 times in 24 hours <p>Age (yr) Dose (chewable tablets)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>children under 2 years</td> <td>do not use</td> </tr> <tr> <td>children 2 to 5 years</td> <td>do not use unless directed by a doctor</td> </tr> <tr> <td>children 6 to 11 years</td> <td>1 to 2 chewable tablets</td> </tr> <tr> <td>adults and children 12 years and over</td> <td>2 to 4 chewable tablets (25 mg to 50 mg)</td> </tr> </table> <p>Other information ■ avoid tight headwear</p> <p>TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN</p> <p>store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number</p> <p>Inactive ingredients D&C red #7 aluminum lake, D&C red #30 aluminum lake, levorates hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucrose, sucrose</p>	children under 2 years	do not use	children 2 to 5 years	do not use unless directed by a doctor	children 6 to 11 years	1 to 2 chewable tablets	adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)
children under 2 years	do not use								
children 2 to 5 years	do not use unless directed by a doctor								
children 6 to 11 years	1 to 2 chewable tablets								
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)								

†Walgreens Pharmacist Survey
†This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl® Chewables.

50844 REV0317A58544

ORG0617-F2
REV0318

no print / no varnish area
lot no. & exp. date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

B-2201-585-44-H
REV0317A58544

Walgreens 44-585

CHILDRENS WAL-DRYL ALLERGY

diphenhydramine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0585
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTRATES (UNII: G263MI44RU)	

FD&C BLUE NO. 1--ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	

Product Characteristics			
Color	PURPLE	Score	no score
Shape	ROUND	Size	12mm
Flavor	GRAPE	Imprint Code	44;585
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0585-44	3 in 1 CARTON	03/20/2009	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	03/20/2009	

Labeler - Walgreen Company (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(0363-0585)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(0363-0585)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(0363-0585)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(0363-0585)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(0363-0585)

Revised: 6/2019

Walgreen Company