

HONGO KILLER- tolnaftate cream
Efficient Laboratories Inc

Hongo Killer®

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

proven clinically effective in the treatment of most:

- athlete's foot (tinea pedis)
- ringworm (tinea corporis)
- effectively soothes and relieves:
 - itching
 - burning
 - cracking
- helps prevent most athlete's foot with daily use

Warnings

For external use only.

Do not use on children under 2 years of age unless directed by a doctor

For Diaper Rash

When using this product

When using this product avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or, contact a Poison Control Center right away: 800-222-1222.

Directions

- clean the affected area and dry thoroughly

- apply a thin layer over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes. Wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists, consult a doctor
- to prevent athlete's foot, wash the feet, and dry thoroughly. Apply a thin layer over the affected area twice daily (morning and/or night)
- this product is not effective on scalp or nails

Other information

- store at 15° to 30°C (59° to 86°F)
- **Tamper Evident:** DO NOT USE IF SEAL ON TUBE IS BROKEN OR MISSING.

Inactive ingredients

ceteth-20, cetyl alcohol, chlorocresol, mineral oil, monobasic sodium phosphate, petrolatum, propylene glycol, purified water, stearyl alcohol


Questions or comments?

Please call 305-805-3456

(M-F 9:00 am-5:00 pm EST www.efficientlabs.com)

**Distributed by Efficient Laboratories, Inc.,
Miami, FL 33166 USA**

PRINCIPAL DISPLAY PANEL -



| | |
|--|--|
| <p>Indicaciones: Para el tratamiento de la dermatomycosis de la planta del pie (pie de atleta) causada por hongos que producen picazón, quemazón, descamación y grietas.</p> <p>Contraindicaciones: No aplicar en heridas, quemaduras, o en áreas con sensibilidad aumentada.</p> <p>Precauciones: Evitar el uso prolongado. Si persiste el síntoma, consultar al médico.</p> <p>Advertencias: Mantener alejado de los niños. Evitar el contacto con los ojos.</p> <p>Forma farmacéutica: Crema.</p> <p>Presentación: Tubo de 28g (1.0oz).</p> <p>Fecha de caducidad: Verificar en el envase.</p> <p>Registro sanitario: Verificar en el envase.</p> | <p>Indicaciones: For the treatment of tinea pedis (athlete's foot) caused by fungi that produce itching, burning, scaling, and cracks.</p> <p>Contraindications: Do not apply to wounds, burns, or areas of increased sensitivity.</p> <p>Precautions: Avoid prolonged use. If the symptom persists, consult a doctor.</p> <p>Warnings: Keep away from children. Avoid contact with eyes.</p> <p>Formulation: Cream.</p> <p>Presentation: Tube of 28g (1.0oz).</p> <p>Expiration date: Check on the package.</p> <p>Sanitary registration: Check on the package.</p> |
|--|--|



| | | |
|--|--|---|
| | PL33000B_V04 | Hongo Killer Antifungal 0.5oz |
| | Contact Info P.O. Box 221, 11085 Airport Road Olive Branch, MS 38654-0221 Phone: 662-874-1370 Fax: 662-890-9872 | Dieline Specs Size: 4 1/2" W x 1" D x 3 3/8" H Material: .016 SBS Side Shown: OUTSIDE |

Final Date:
07/23/2024

Rule Legend
Cut: _____
Fold Lines: - - - - -

Cyan Magenta Yellow Black
Pantone 185 C Pantone 354 C Pantone 0000 C Pantone 0000 C
Linked Support File(s): Embedded

Notes: Artwork layered within Illustrator file. All text is outlined and linked files are provided.

HONGO KILLER

tolnaftate cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:58593-286 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|--------------|
| TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) | TOLNAFTATE | 10 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| STEARYL ALCOHOL (UNII: 2KR89I4H1Y) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW) | |
| CETETH-20 (UNII: I835H2IHHX) | |
| CHLOROCRESOL (UNII: 36W53O7109) | |
| MINERAL OIL (UNII: T5L8T28FGP) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:58593-286-05 | 1 in 1 CARTON | 01/01/2000 | |
| 1 | | 14 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:58593-286-10 | 1 g in 1 PACKET; Type 0: Not a Combination Product | 01/01/2000 | |
| 3 | NDC:58593-286-01 | 1 in 1 CARTON | 01/01/2000 | |
| 3 | | 28 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:58593-286-22 | 28 g in 1 TUBE; Type 1: Convenience Kit of Co-Package | 01/01/2010 | 08/30/2018 |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M005 | 01/01/2000 | |

Labeler - Efficient Laboratories Inc (969044932)

Registrant - Efficient Laboratories Inc (969044932)

Revised: 10/2024

Efficient Laboratories Inc