

GESTEIRA- acetaminophen liquid
Menper Distributors, Inc.

Gesteira

Active ingredient (in each tbsp. 15 mL)

Acetaminophen 675 mg

Purpose

Pain Reliever/ Fever Reducer

Uses

- For the temporary relief of minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reaction. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor if you have liver disease

Ask a doctor or a pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain get worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222 Quick medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

Age	Dose
adults and children 12 years and over	<ul style="list-style-type: none">• take 1 tablespoonful (15 mL) every 6 hours as needed• do not take more than 4 tablespoonfuls in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Inactive ingredients citric acid, ethyl alcohol (0.16%), FD&C red #40, flavor, glycerin, methylparaben, propylene glycol, propylparaben, sodium citrate, sodium saccharin, sucralose, sucrose, water

Questions? call **1-800-560-5223** M-F 9 AM to 4 PM Eastern.

REGULADOR ACETAMINOPHEN

GESTEIRA®

FOR THE TEMPORARY RELIEF OF MENSTRUAL PAINS

Alcohol 0.1575%

4 FL. OZ. (120mL)

Distributed by:
Menper Distributors, Inc.
6500 N.W. 35th Avenue, Miami, FL 33147
www.menperdistributors.com

<p>Drug Facts (continued)</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical even if you do not notice any signs or symptoms.</p> <p>Directions Adults and children 12 years and over: One tablespoonful every 4-6 hours as needed; do not take more than 4 tablespoonfuls in 24 hours. Children under 12 years of age: Consult a doctor. Do not use this adult extra strength product in children under 12 years of age. This will provide more than the recommended dose (overdose) of Acetaminophen and could cause serious health problems.</p> <p>Other information Store at controlled room temperature: 15°-30°C (59°-86°F). Tamper-Evident Feature: Do not use if cello-band over cap is torn, broken or missing.</p> <p>Inactive ingredients citric acid, ethyl alcohol, FD&C yellow #6, flavor, glycerin, methylparaben, propylene glycol, propylparaben, purified water.</p> <p>Questions? call 1-800-560-5223 M-F 9 AM to 4 PM Eastern.</p>	<p>Drug Facts</p> <p>Active ingredient (in each tbsp. 15 mL) Acetaminophen 675 mg Purpose Pain Reliever/Fever Reducer</p> <p>Uses ■ For the temporary relief of minor aches and pains associated with headache, muscular ache, backache, minor arthritis pain, the common cold, toothache, menstrual cramps and for the reduction of fever</p> <p>Warnings ■ Do not exceed recommended dosage. Taking more than the recommended dose (overdose) may not provide more relief and could cause serious health problems.</p> <p>Do not use ■ with any other product containing acetaminophen ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor</p> <p>Ask a doctor before use if ■ symptoms do not improve ■ new symptoms occur ■ pain or fever persists or gets worse ■ redness or swelling is present</p> <p>Alcohol Warning: If you consume 3 or more alcoholic drinks everyday, ask your doctor whether you should take acetaminophen or other pain relievers/fever reducers. Acetaminophen may cause liver damage. Acetaminophen should not be taken with moderate amounts of alcohol. ▶</p>
--	---

GESTEIRA

acetaminophen liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-052
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	675 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ALCOHOL (UNII: 3K9958V90M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C00X)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	FRUIT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-052-04	1 in 1 CARTON	02/21/2012	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/21/2012	

Labeler - Menper Distributors, Inc. (101947166)

Registrant - Menper Distributors, Inc. (101947166)

Establishment

Name	Address	ID/FEI	Business Operations
Rnv LLC		118917568	manufacture(53145-052)

Revised: 7/2025

Menper Distributors, Inc.