

**MOISTURE RESTORE DAY PROTECTIVE MATTEFYING BROAD SPECTRUM SPF15 COMBINATION TO OILY- octinoxate, octisalate, and titanium dioxide lotion**  
**NSE Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Moisture Restore Day Protective Mattefying Lotion Broad Spectrum SPF15 Combination to Oily**

*Drug Facts*

**Active Ingredients**

Octinoxate (7.5%), Octisalate (3.0%), Titanium Dioxide (2.8%)

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn. Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warning**

- **For external use only.**
- **Do not use** on damaged or broken skin
- **Stop use and ask a doctor if** rash occurs
- **When using this product,** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Using fingertips, apply generously to clean face and neck in an upward, outward motion. Use every morning before makeup application.
- **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. -2p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor.

### **Inactive Ingredients**

Water (Aqua), Butylene Glycol, Polymethyl Methacrylate, Polysorbate 40, Microcrystalline Cellulose, Corn Starch Modified, Sorbitan Oleate, Glycerin, Potassium Cetyl Phosphate, Dunaliella Salina Extract, Sodium Hyaluronate, Biosaccharide Gum-1, Glyceryl Stearate, PEG-100 Stearate, Silica, Cyclopentasiloxane, Cetyl Alcohol, Dimethicone, Hydrogenated Polydecene, Cyclohexasiloxane, PEG/PPG-18/18 Dimethicone, Xanthan Gum, Cellulose Gum, Disodium EDTA, Phytic Acid, Aminomethyl Propanol, Fragrance (Parfum), Phenoxyethanol, Chlorphenesin, Benzoic Acid.

### **Other Information**

- Protect this product from excessive heat and direct sun.

### **Questions?**

1-888-742-7626

### **PRINCIPAL DISPLAY PANEL - 50 ml Bottle Carton**

NU SKIN®

moisture restore  
day

protective  
mattefying lotion  
broad spectrum  
SPF 15

combination to  
oily skin

50 ml e (1.7 fl. oz.)

**Drug Facts**  
(continued)

Glyceryl Stearate, PEG-100 Stearate, Silica, Cyclopentasiloxane, Cetyl Alcohol, Dimethicone, Hydrogenated Polydecene, Cyclohexasiloxane, PEG/PPG-18/18 Dimethicone, Xanthan Gum, Cellulose Gum, Disodium EDTA, Phytic Acid, Aminomethyl Propanol, Fragrance (Parfum), Phenoxyethanol, Chlorphenesin, Benzoic Acid.

**Other Information:**

■ Protect this product from excessive heat and direct sun.

**Questions?**  
1-888-742-7626

SAFETY-ALLERGY-  
DERMATOLOGIST TESTED

THIS MOISTURIZER IS AN ADVANCED FORMULA THAT PROTECTS AGAINST UVA AND UVB DAMAGE, WHILE THE MATTEFYING COMPLEX REDUCES THE APPEARANCE OF PORES AND ABSORBS OILS FOR A LIGHT, SHINE-RESISTANT FINISH.



NU SKIN®

moisture restore  
day  
protective  
mattefying lotion  
broad spectrum  
SPF 15  
  
combination to  
oily skin

50 ml e (1.7 fl. oz.)

SOLD EXCLUSIVELY BY  
NU SKIN ENTERPRISES  
AUTHORIZED DISTRIBUTORS  
MFD. IN THE U.S.A. EXCLUSIVELY  
FOR NSE PRODUCTS, INC., PROVO,  
UT 84601  
©2014 NSE PRODUCTS, INC.  
NUSKIN.COM  
01102727 94502509/5

**Drug Facts**

**Active Ingredients:** Octinoxate (7.5%), Octisalate (3.0%), Titanium Dioxide (2.8%)

**Purpose:** Sunscreen

**Uses:**

■ Helps prevent sunburn. Higher SPF gives more sunburn protection  
■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warning:**

■ **For external use only.**  
■ **Do not use** on damaged or broken skin  
■ **Stop use and ask a doctor** if rash occurs  
■ **When using this product,** keep out of eyes. Rinse with water to remove. ■ **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

■ Using fingertips, apply generously to clean face and neck in an upward, outward motion. Use every morning before makeup application.  
■ **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: ■ **Limit time in the sun,** especially from 10 a.m. -2p.m. ■ **Wear long-sleeved shirts, pants, hats, and sunglasses.** ■ **Apply liberally 15 minutes before sun exposure**  
■ Use a water resistant sunscreen if swimming or sweating ■ **Reapply at least every 2 hours**  
■ **Children under 6 months: Ask a doctor.**

**Inactive Ingredients:**

Water (Aqua), Butylene Glycol, Polymethyl Methacrylate, Polysorbate 40, Microcrystalline Cellulose, Corn Starch Modified, Sorbitan Oleate, Glycerin, Potassium Cetyl Phosphate, Dunaliella Salina Extract, Sodium Hyaluronate, Biosaccharide Gum-1, ▼

# SPECTRUM SPF15 COMBINATION TO OILY

octinoxate, octisalate, and titanium dioxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62839-0272
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	30 mg in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	28 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>Water</b> (UNII: 059QF0K00R)	
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	
<b>Polysorbate 40</b> (UNII: ST111B5A2X)	
<b>Microcrystalline Cellulose</b> (UNII: OP1R32D61U)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Sorbitan Monooleate</b> (UNII: 06XEA2VD56)	
<b>Potassium Cetyl Phosphate</b> (UNII: 03KCY6P7UT)	
<b>Dunaliella Salina</b> (UNII: F4O1DKI9A6)	
<b>Hyaluronate Sodium</b> (UNII: YSE9PPT4TH)	
<b>Biosaccharide Gum-1</b> (UNII: BB4PU4V09H)	
<b>Glyceryl Monostearate</b> (UNII: 230OU9XXE4)	
<b>PEG-100 Stearate</b> (UNII: YD01N1999R)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>Cyclomethicone 5</b> (UNII: 0THT5PCI0R)	
<b>Cetyl Alcohol</b> (UNII: 936JST6JCN)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>HYDROGENATED POLYDECENE TYPE I</b> (UNII: U333RI6EB7)	
<b>Cyclomethicone 6</b> (UNII: XHK3U310BA)	
<b>Xanthan Gum</b> (UNII: TTV12P4NEE)	
<b>Carboxymethylcellulose Sodium, Unspecified</b> (UNII: K679OBS311)	
<b>Edetate Disodium</b> (UNII: 7FLD91C86K)	
<b>Fytic Acid</b> (UNII: 7IGF0S7R8I)	
<b>Aminomethylpropanol</b> (UNII: LU49E6626Q)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Chlorphenesin</b> (UNII: I670DAL4SZ)	
<b>Benzoic Acid</b> (UNII: 8SKN0B0MIM)	
<b>Methylparaben</b> (UNII: A218C7HI9T)	
<b>Propylparaben</b> (UNII: Z8IX2SC1OH)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-0272-7	1 in 1 CARTON	06/10/2001	
1		50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	06/10/2001	

**Labeler** - NSE Products, Inc. (803486393)

Revised: 1/2022

NSE Products, Inc.