

SHOPKO TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment
Shopko Stores Operating Co., LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Shopko®
Triple Antibiotic plus Pain Relief

Drug Facts

<i>Active ingredients (each gram contains)</i>	<i>Purpose</i>
Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

Uses

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- Children under 2 years of age: ask a doctor

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Questions?

Call **1-866-923-4914**

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

SHOPKO®

NDC 37012-027-02

Maximum Strength

Triple Antibiotic Ointment+Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

First Aid Antibiotic / Pain Relieving Ointment

NET WT 1 OZ (28.4 g)

SHOPKO®



Compare to the Active Ingredients in Neosporin® + Pain Relief*

Maximum Strength Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate
Polymyxin B Sulfate • Pramoxine Hydrochloride

First Aid Antibiotic / Pain Relieving Ointment

Helps Prevent Infection in Minor Cuts, Scrapes, & Burns
Plus Maximum Strength Pain Relief

LPK-7502-1
03/14-1
M597

SHOPKO®

NDC 3 701 2-027-02

Maximum Strength

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

First Aid Antibiotic / Pain Relieving Ointment

NET WT 1 OZ (28.4 g)

SHOPKO®
Maximum Strength
Triple Antibiotic Ointment
+ Pain Relief
Bacitracin Zinc • Neomycin Sulfate
Polymyxin B Sulfate • Pramoxine Hydrochloride
First Aid Antibiotic
Pain Relieving Ointment

T51



Drug Facts (continued)
Other Information
• To open unscrew cap, pull tab to remove foil seal
• store at 20° to 25°C (68° to 77°F)
• see carton or tube clamp for lot number and expiration date
Inactive ingredient white petrolatum
Questions? Call 1-866-923-4914

NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

Manufactured for Shopko
by Tro-P Pharmaceuticals Inc.
Brampton, Ontario, Canada L6T 1G1
1-800-923-4914
c/o H.S. Shopko Stores
Operating Co., LLC
Made in Canada

By Return Or Exchange



This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief

Drug Facts
Active ingredients (each gram contains)
Bacitracin zinc 500 units.....First aid antibiotic
Neomycin sulfate 3.5 mg.....First aid antibiotic
Polymyxin B sulfate 10,000 units.....First aid antibiotic
Pramoxine hydrochloride 10 mg.....External analgesic
Uses first aid to help prevent infection and for the temporary relief of pain or discomfort in minor cuts • scrapes • burns
Warnings
For external use only.
Do not use • In the eyes • over large areas of the body
• If you are allergic to any of the ingredients
Ask a doctor before use if you have
• deep or puncture wounds • animal bites • serious burns
Stop use and ask a doctor if
• condition persists or gets worse
• you need to use longer than 1 week
• symptoms persist for more than 1 week, or clear up and occur again within a few days
• a rash or other allergic reaction develops
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• Adults and children 2 years of age and older:
• clean the affected area and dry thoroughly
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage
• Children under 2 years of age: ask a doctor

SHOPKO®



SHOPKO TRIPLE ANTIBIOTIC PLUS PAIN RELIEF
bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37012-027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [iU] in 1 g
Neomycin sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
Polymyxin B sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
Pramoxine hydrochloride (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37012-027-01	1 in 1 CARTON		
1		14.2 g in 1 TUBE		
2	NDC:37012-027-02	1 in 1 CARTON		
2		28.4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	03/31/2012	

Labeler - Shopko Stores Operating Co., LLC (023252638)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(37012-027)