

**SHOPKO TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment**  
**Shopko Stores Operating Co., LLC**

-----  
**Shopko**®  
**Triple Antibiotic plus Pain Relief**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days

- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Adults and children 2 years of age and older:
  - clean the affected area and dry thoroughly
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
  - may be covered with a sterile bandage
- Children under 2 years of age: ask a doctor

### **Other information**

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

### **Inactive ingredient**

white petrolatum

### **Questions?**

Call **1-866-923-4914**

### **PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

SHOPKO®

### **NDC 37012-027-02**

Maximum Strength

### **Triple Antibiotic Ointment+Pain Relief**

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

### **First Aid Antibiotic / Pain Relieving Ointment**

NET WT **1OZ** (28.4 g)

SHOPKO®



Compare to the Active Ingredients in Neosporin® + Pain Relief\*

# Maximum Strength Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate  
Polymyxin B Sulfate • Pramoxine Hydrochloride

First Aid Antibiotic / Pain Relieving Ointment

Helps Prevent Infection in Minor Cuts, Scrapes, & Burns  
Plus Maximum Strength Pain Relief

LPK-7502-1  
03/14-1  
M597

SHOPKO®

NDC 3 701 2-027-02

Maximum Strength

## Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

First Aid Antibiotic / Pain Relieving Ointment

NET WT 1 OZ (28.4 g)

SHOPKO®  
Maximum Strength  
Triple Antibiotic Ointment  
+ Pain Relief  
Bacitracin Zinc • Neomycin Sulfate  
Polymyxin B Sulfate • Pramoxine Hydrochloride  
First Aid Antibiotic  
Pain Relieving Ointment

T51



**Drug Facts** (continued)  
**Other Information**  
• To open unscrew cap, pull tab to remove foil seal  
• store at 20° to 25°C (68° to 77°F)  
• see carton or tube clamp for lot number and expiration date  
**Inactive ingredient** white petrolatum  
**Questions?** Call 1-866-923-4914

NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

Manufactured for Shopko  
By Troo Pharmaceuticals Inc.  
Brampton, Ontario, Canada L6T 1G1  
1-800-923-4914  
600 H. Shopko, Street  
Operating Co., LLC  
Made in Canada

By Refund Or Exchange



\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief

**Drug Facts**  
**Active ingredients (each gram contains)**  
Bacitracin zinc 500 units.....First aid antibiotic  
Neomycin sulfate 3.5 mg.....First aid antibiotic  
Polymyxin B sulfate 10,000 units.....First aid antibiotic  
Pramoxine hydrochloride 10 mg.....External analgesic  
**Uses** first aid to help prevent infection and for the temporary relief of pain or discomfort in minor cuts • scrapes • burns  
**Warnings** For external use only.  
Do not use • In the eyes • over large areas of the body  
• If you are allergic to any of the ingredients  
Ask a doctor before use if you have deep or puncture wounds • animal bites • serious burns  
Stop use and ask a doctor if • condition persists or gets worse  
• you need to use longer than 1 week  
• symptoms persist for more than 1 week, or clear up and occur again within a few days  
• a rash or other allergic reaction develops  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions** Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
• Children under 2 years of age: ask a doctor

SHOPKO®



## SHOPKO TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information				
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37012-027	
<b>Route of Administration</b>	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g		
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g		
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [iU] in 1 g		
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g		
Inactive Ingredients				
Ingredient Name	Strength			
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37012-027-01	1 in 1 CARTON	11/30/2020	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:37012-027-02	1 in 1 CARTON	11/30/2020	
2		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M004	03/31/2012		

**Labeler** - Shopko Stores Operating Co., LLC (023252638)

## Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(37012-027)