

PAIN RELIEVER- acetaminophen tablet, film coated
L.N.K. International, Inc.

Quality Plus 44-745

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

For the temporary relief of minor aches and pains associated with

- headache
- toothache
- minor arthritis pain
- muscular aches
- the common cold
- menstrual cramps

For the reduction of fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- symptoms do not improve
- new symptoms occur
- pain or fever persists or gets worse
- redness or swelling is present

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**

Adults and children 12 years and over:	Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours.
	Do not give this adult strength product to children under

Children under 12 years:	12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.
---------------------------------	--

Other information

- store at room temperature 59°-86° F (15°-30° C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide*

*may contain

Questions or comments?

1-800-426-9391

Principal display panel

QUALITY
PLUS

NDC 50844-270-24

†Compare to active ingredient in Extra Strength Tylenol®

EXTRA STRENGTH
PAIN RELIEVER

Acetaminophen 500 mg

PAIN RELIEVER/FEVER REDUCER

CONTAINS NO ASPIRIN

60 Packets
of 2 Tablets each
500 mg each

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED
OR IF PACKET IS TORN, BROKEN OR SHOWS ANY SIGNS
OF TAMPERING**

†This product is not manufactured or distributed by Johnson & Johnson Corporation,
owner of the registered trademark Extra Strength Tylenol®.

50844 ORG

Distributed by

LNK INTERNATIONAL, INC.

60 Arkay Drive Hauppauge, NY 11788 USA



PAIN RELIEVER			
acetaminophen tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50844-270
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name			Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)			ACETAMINOPHEN	500 mg
Inactive Ingredients				
Ingredient Name				Strength
STARCH, CORN (UNII: O8232NY3SJ)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE (UNII: FZ989GH94E)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	12mm	
Flavor		Imprint Code	AZ;235	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-270-24	60 in 1 CARTON	11/14/2019	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		11/14/2019	

Labeler - L.N.K. International, Inc. (038154464)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(50844-270)

Revised: 12/2023

L.N.K. International, Inc.