

ASPERCREME LIDOCAINE NO-MESS BERGAMOT ORANGE- lidocaine hydrochloride liquid
Chattem, Inc.

Aspercreme with Lidocaine No-Mess Bergamot Orange

ASPERCREME LIDOCAINE WITH BERGAMOT NO-MESS

Drug Facts

Active ingredient

Lidocaine HCl 4%

Purpose

Topical anesthetic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contact with the eyes and mucous membranes
- do not bandage or apply local heat (such as heating pads) or a medicated patch to the area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens
- redness is present

■ irritation develops

■ symptoms persist for more than 7 days or clear up and occur again within a few days

Flammable ■ Keep away from fire or flame

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

■ apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period

children 12 years or younger: ask a doctor

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat. (15%), aloe barbadensis leaf juice, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, citrus aurantium bergamia (bergamot) fruit oil, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, isohexadecane, methylparaben, polysorbate 60, steareth-2, steareth-21, water

Child-resistant packaging. Close cap tightly after use.

Keep carton as it contains important information.

Principal Display Panel

MAX STRENGTH

Aspercreme

WITH 4% LIDOCAINE

infused with ESSENTIAL OIL

2.5 fl oz (73 mL)



ASPERCREME LIDOCAINE NO-MESS BERGAMOT ORANGE

lidocaine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0590
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
ALCOHOL (UNII: 3K9958V90M)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	
BERGAMOT OIL (UNII: 39W1PKE3JI)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0590-0	1 in 1 CARTON	01/20/2020	
1		73 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/20/2020	

Labeler - Chattem, Inc. (003336013)

Revised: 10/2023

Chattem, Inc.