

SALICYLIC ACID- liquid wart remover liquid
AmerisourceBergen Drug Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

GNP Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by the location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly

- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20° to 30°C (68° to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

GOOD NEIGHBOR PHARMACY

MAXIMUM STRENGTH

Liquid Wart Remover

salicylic acid

Removes Common & Plantar Warts

Includes:

- Convenient applicator

Safe and Effective

0.31FL OZ (9 mL)



Liquid Wart Remover

salicylic acid

Removes Common & Plantar Warts

10-NG210-35

Liquid Wart Remover

salicylic acid

Removes Common & Plantar Warts

Liquid Wart Remover

salicylic acid

Removes Common & Plantar Warts

0.31 FL OZ (9 mL)

MAXIMUM STRENGTH



NO
VARNISH
AREA



ABC# 10164020



Distributed By: Antaresourcebergan
1300 Morns Drive, Chesterbrook, PA 19087
Question or concern? Visit us at www.mygp.com
Made in USA

This product is not manufactured or distributed by Medtech Products Inc., Irvington, NY 10533 owner of the registered trademark Compound W®.

Questions? Call 1-866-964-0939

Inactive ingredients ethyl ether, nitrocellulose, castor oil, ethanol,

Other information store between 20° to 30°C (68° to 86°F)

needed until wart is removed for up to 12 weeks

Directions ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ apply small amount of wart remover with applicator to sufficiently cover each wart ■ let dry and repeat this procedure once or twice daily as needed

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if discomfort persists.

When using this product

■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

■ on mucous membranes ■ on irritated, infected or reddened skin

■ on moles, birthmarks and warts with hair growing from them

■ on genital warts and warts on the face

■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

Do not use

■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

■ keep bottle tightly and store at room temperature away from heat

Fammable

For external use only.

Warnings

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Active ingredient Salicylic acid 17% w/w

Purpose Wart remover

Drug Facts

DO NOT USE IF NECKBAND IS BROKEN

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-362
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-362-29	9 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	07/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358F	07/01/2016	

Labeler - AmerisourceBergen Drug Corporation (007914906)

Revised: 12/2019

AmerisourceBergen Drug Corporation