

LUXSAN X- low-drip sanitizing iodine barrier teat dip liquid
GEA Farm Technologies, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

LuxSan X

CONTENTS:

Active Ingredient: 1% iodine

Inactive Ingredients: 99%

Net Content: 55 U.S. GAL (208L)

KEEP OUT OF REACH OF CHILDREN

WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling.

RESPONSE

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present as easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.

ADDITIONAL INFORMATION ON SAFETY DATA SHEET (SDS)

FOR ASSISTANCE WITH MEDICAL EMERGENCY (24 hours a day, 7 days a week), CALL 1-877-741-1032

LuxSan X is a Trademark of GEA Farm Technologies, Inc. Made in U.S.A.

INDICATIONS: Iodine barrier teat dip that prevents and controls contagious mastitis, reducing the spread of microorganisms. Additionally, the exclusive combination of 6 emollients protects and keeps the teat skin soft, flexible, and healthy.

DIRECTIONS FOR USE: Use at full strength. Do not dilute.

POST-DIPPING: Immediately after milking, dip each teat with LuxSan X. Allow teats to air dry. Do not wipe. At the end of lactation, apply this product daily for one week after the last milking. In addition, begin application of this product about one week prior to calving. If a common teat dip cup is used for application, a fresh solution should always be used at each milking. The teat dip cup should be emptied, cleaned and rinsed with potable water after each milking session or when cup becomes contaminated during milking. Do not pour remaining solution from dip cup back into original container.

STORAGE INSTRUCTIONS:

Store at temperature below 30°C and protected from light. Keep containers closed to prevent contamination of this product.

NPE FREE

7751-0041-305

GEA Farm Technologies, Inc. 1385 N. Weber Road Romeoville, IL 60446 U.S.A. 1-800-323-1667 GEA.com

7751-0092-314 (Rev. 03-25)

LuxSan X®

Low-Drip Sanitizing Iodine Barrier Teat Dip



LuxSan® X

Low-Drip Sanitizing Iodine Barrier Teat Dip

Sellador sanitario de barrera de bajo goteo a base de yodo para pezones

GEA Farm Technologies, Inc. | 1385 N. Weber Road | Romeoville, IL 60446 U.S.A. | 1-800-323-1667 | GEA.com

**KEEP OUT OF REACH
OF CHILDREN
WARNING**

LuxSan X is a Trademark of GEA Farm Technologies, Inc. Made in U.S.A.

Contents:

Active Ingredient: 1% iodine
Inactive Ingredients: 99%

INDICATIONS: Iodine barrier teat dip that prevents and controls contagious mastitis, reducing the spread of microorganisms. Additionally, the exclusive combination of 6 emollients protects and keeps the teat skin soft, flexible, and healthy.

DIRECTIONS FOR USE: Use at full strength. Do not dilute.
POST-DIPPING: Immediately after milking, dip each teat with LuxSan X. Allow teats to air dry. Do not wipe. At the end of lactation, apply this product daily for one week after the last milking. In addition, begin application of this product about one week prior to calving. If a common teat dip cup is used for application, a fresh solution should always be used at each milking. The teat dip cup should be emptied, cleaned and rinsed with potable water after each milking session or when cup becomes contaminated during milking. Do not pour remaining solution from dip cup back into original container.

STORAGE INSTRUCTIONS: Store at temperature below 30°C and protected from light. Keep containers closed to prevent contamination of this product.

NPE FREE

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling.

RESPONSE:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.

ADDITIONAL INFORMATION ON SAFETY DATA SHEET (SDS)

FOR ASSISTANCE WITH MEDICAL EMERGENCY
(24 hours a day, 7 days a week), CALL 1-877-741-1032

NET CONTENT: 55 US GAL (208L)

7751-0092-314 (Rev. 03-25)

**MANTÉNGASE FUERA DEL ALCANCE
DE LOS NIÑOS
ATENCIÓN**

LuxSan X es una marca registrada de GEA Farm Technologies, Inc. Fabricado en EE.UU.

Contenido:

Ingrediente activo: 1% de yodo
Ingredientes inactivos: 99%

INDICACIONES: Sellador de barrera a base de yodo que previene y controla la mastitis contagiosa, reduciendo la propagación de microorganismos. Adicionalmente, la combinación exclusiva de 6 emolientes protege y mantiene la piel del pezón suave, flexible y sana.

Se aplica en los pezones de bovinos después del ordeño.

INSTRUCCIONES PARA EL USO: Uselo concentrado. No lo diluya.

POST-BELLADO: Inmediatamente después del ordeño, sumerja cada pezón con LuxSan X. Deje secar los pezones al aire. No los seque con toalla. Al final de la lactancia, aplique este producto diariamente hasta una semana después del último ordeño. También, comience la aplicación de este producto aproximadamente una semana antes del parto. Si se utiliza una copa común para la aplicación del sellador de pezones, siempre se debe usar una solución fresca en cada ordeño. La copa para sellar pezones debe ser vaciada, lavada y enjuagada con agua potable después de cada sesión de ordeño o cuando se contamine durante el ordeño. No vierta la solución restante de la copa de vuelta al envase original.

ALMACENAMIENTO: Almacenar a temperatura inferior a 30°C y protegido de la luz. Mantenga los envases cerrados para prevenir la contaminación de este producto.

LIBRE DE NONIL FENOL ETOXILADO

INDICACIÓN DE PELIGRO: Provoca irritación ocular.

CONSEJOS DE PRUDENCIA:

PREVENCIÓN: Lavarse las manos cuidadosamente después de la manipulación.

INTERVENCIÓN:

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste: consultar a un médico.

INFORMACIÓN ADICIONAL EN LA FICHA DE DATOS DE SEGURIDAD (FDS)

PARA ASISTENCIA MÉDICA DE EMERGENCIA
(cualquier día y hora), LLAME AL 1-877-741-1032

7751-0041-305

12345678R00
24-2024
24-2024



LUXSAN X

low-drip sanitizing iodine barrier teat dip liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51070-4032
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
------------------------	--------------------------	-----------------

Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	1 g in 100 g
---	--------	--------------

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	
POVIDONE K30 (UNII: U725QWY32X)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ALLANTOIN (UNII: 344S277G0Z)	
BRONOPOL (UNII: 6PU1E16C9W)	

Product Characteristics

Color	brown (dark brown)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51070-4032-3	56700 g in 1 DRUM		
2	NDC:51070-4032-2	18900 g in 1 JUG		
3	NDC:51070-4032-5	208000 g in 1 DRUM		
4	NDC:51070-4032-6	945000 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/01/2004	

Labeler - GEA Farm Technologies, Inc. (018037309)

Registrant - GEA Farm Technologies, Inc (018037309)

Establishment

Name	Address	ID/FEI	Business Operations
GEA Farm Technologies, Inc.		018037309	api manufacture, manufacture

