

TRIODINE 7- triple source iodine tincture solution
Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

TRIODINE-7®

Triple Source Iodine Tincture

Antiseptic/Disinfectant



FOR ANIMAL USE ONLY
Keep Out of Reach of Children

NET CONTENTS:

16 fl oz (473 mL)

1 Quart (32 fl oz) (960 mL)

1 Gallon (128 fl oz) (3.785 L)

INDICATIONS:

For use on cattle, sheep, horses, dogs and swine for topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE:

If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triodine-7® with a swab.

CAUTION:

Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

STORAGE:

Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use.

PROTECT FROM LIGHT.

ACTIVE INGREDIENTS:

7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide.
Provides 2.4% Titratable Iodine*.

INACTIVE INGREDIENTS:

Water, Isopropyl Alcohol and Propylene Glycol.

WARNING:

Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**CALL A PHYSICIAN OR POISON CONTROL CENTER. WARNING! FLAMMABLE!
KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN
NOT IN USE.
Not For Human Use.**

*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.



Triodine-7 is a registered trademark of First Priority, Inc.

Manufactured for:

Aspen Veterinary Resources[®], Ltd.

Liberty, MO 64068, USA

www.aspenveterinaryresources.com

A281FP 2/22

A279FP 2/22

A280FP 2/22

16 fl oz (473 mL)

INDICATIONS: For use on cattle, sheep, horses, dogs and swine for topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE: If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triiodine-7® with a swab.

CAUTION: Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

STORAGE: Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use.

PROTECT FROM LIGHT.

Manufactured for: Aspen Veterinary Resources®, Ltd.
Liberty, MO 64068, USA
www.aspenveterinaryresources.com

Triiodine-7 is a registered trademark of First Priority, Inc.

A281FP 2/22

Lot No. Exp. Date

No Varnish

NDC 46066-326-16

aspen
VETERINARY RESOURCES, LTD.

TRIODINE-7®

Triple Source Iodine Tincture

Antiseptic/Disinfectant



FOR ANIMAL USE ONLY
Keep Out of Reach of Children

NET CONTENTS:
16 fl oz
(473 mL)

ACTIVE INGREDIENTS: 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine*.

INACTIVE INGREDIENTS: Water, Isopropyl Alcohol and Propylene Glycol.

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

CALL A PHYSICIAN OR POISON CONTROL CENTER.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Not For Human Use.

*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.

TAKE TIME  OBSERVE LABEL DIRECTIONS



32 fl oz (960 mL)

INDICATIONS: For use on cattle, sheep, horses, dogs and swine for topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE: If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triiodine-7® with a swab.

CAUTION: Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

STORAGE: Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use.

PROTECT FROM LIGHT.

Manufactured for: Aspen Veterinary Resources®, Ltd.
Liberty, MO 64068, USA
www.aspenveterinaryresources.com

Triiodine-7 is a registered trademark of First Priority, Inc.

A280FP 2/22

Lot No. Exp. Date

No Varnish

NDC 46066-326-32

aspen
VETERINARY RESOURCES, LTD.

TRIODINE-7®

Triple Source Iodine Tincture

Antiseptic/Disinfectant



FOR ANIMAL USE ONLY
Keep Out of Reach of Children

NET CONTENTS:
1 Quart (32 fl oz)
(960 mL)

ACTIVE INGREDIENTS: 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine*.

INACTIVE INGREDIENTS: Water, Isopropyl Alcohol and Propylene Glycol.

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

CALL A PHYSICIAN OR POISON CONTROL CENTER.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Not For Human Use.

*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.

TAKE TIME  OBSERVE LABEL DIRECTIONS



One Gallon (3.785 L)

INDICATIONS: For use on cattle, sheep, horses, dogs and swine for topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE: If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triiodine-7[®] with a swab.

CAUTION: Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

STORAGE: Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use.

PROTECT FROM LIGHT.

Manufactured for: Aspen Veterinary Resources[®], Ltd. Liberty, MO 64068, USA
www.aspenveterinaryresources.com

Triiodine-7 is a registered trademark of First Priority, Inc.
A279FP 2/22

Lot No. Exp. Date

No Varnish

NDC 46066-326-01

aspen
VETERINARY RESOURCES, LTD.

TRIIODINE-7[®]
Triple Source Iodine Tincture

Antiseptic/Disinfectant



FOR ANIMAL USE ONLY
Keep Out of Reach of Children

NET CONTENTS:
1 Gallon (128 fl oz)
(3.785 L)

ACTIVE INGREDIENTS: 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine^{*}.

INACTIVE INGREDIENTS: Water, Isopropyl Alcohol and Propylene Glycol.

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.


CALL A PHYSICIAN OR POISON CONTROL CENTER.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Not For Human Use.

^{*}Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.

TAKE TIME  OBSERVE LABEL DIRECTIONS



0 99355 00211 1

TRIIODINE 7

triple source iodine tincture solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-326
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2.1 mg in 1 mL
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	3.0 mg in 1 mL
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	2.0 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-326-16	12 in 1 CASE		
1		473 mL in 1 BOTTLE, SPRAY		
2	NDC:46066-326-32	16 in 1 CASE		
2		960 mL in 1 BOTTLE		
3	NDC:46066-326-01	4 in 1 CASE		
3		3785 mL in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved drug other		07/15/2016	
--------------------------	--	------------	--

Labeler - Aspen Veterinary (627265361)

Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label

Revised: 8/2023

Aspen Veterinary