

## **TOPCARE BACITRACIN ZINC- bacitracin zinc ointment**

**Topco Associates LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**TopCare®**

**Bacitracin Zinc**

***Drug Facts***

### **Active ingredient (each gram contains)**

Bacitracin Zinc 500 units

### **Purpose**

First aid antibiotic

### **Uses**

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

### **Warnings**

**For external use only**

#### **Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

#### **Ask a doctor before use**

- on deep or puncture wounds, animal bites, or serious burns

#### **Stop use and ask a doctor if**

- condition persists or gets worse
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Other information**

- To open: unscrew cap, pull tab to remove foil seal
- Store at 20° - 25°C (68° - 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

mineral oil, white petrolatum

**Questions?**

Call **1-888-423-0139**

DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE,  
IL 60007

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

**TopCare**<sup>®</sup>  
health<sup>™</sup>

**Antibiotic Ointment**

**BACITRACIN ZINC**

**First Aid Antibiotic Ointment**

•OUR PHARMACISTS  
RECOMMEND•

NDC 36800-089-02

**NET WT 1 OZ (28.4 g)**

# First Aid Antibiotic Ointment

Helps Prevent Infection  
in Minor Cuts, Scrapes & Burns

LPK-4823-7  
1118-7  
19



## Antibiotic Ointment

**BACITRACIN ZINC**  
First Aid Antibiotic Ointment



NET WT 1 OZ (28.4 g)

Antibiotic Ointment  
BACITRACIN ZINC

TS1



Scan here for more information



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT

DISTRIBUTED BY  
TOPCO ASSOCIATES, LLC  
ELK GROVE VILLAGE,  
IL 60007  
©TOPCO TARA0718  
QUESTIONS?  
1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com  
MADE IN CANADA

<b>Drug Facts</b>
<b>Active Ingredient (each gram contains)</b> Bacitracin Zinc 500 units First aid antibiotic
<b>Purpose</b> First aid antibiotic
<b>Uses</b> first aid to help prevent infection in • minor cuts • scrapes • burns
<b>Warnings</b> For external use only Do not use • in the eyes • over large areas of the body • if you are allergic to any of the ingredients Ask a doctor before use • on deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if • condition persists or gets worse • a rash or other allergic reaction develops
<b>Directions</b> • clean the affected area and dry thoroughly • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
<b>Other Information</b> • To open: unscrew cap, pull tab to remove foil seal • Store at 20° - 25°C (68° - 77°F) • see carton or tube crimp for lot number and expiration date
<b>Inactive ingredients</b> mineral oil, white petrolatum
<b>Questions?</b> Call 1-888-423-0139

Antibiotic Ointment



**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-089
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [iU] in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
mineral oil (UNII: T5L8T28FGP)	
petrolatum (UNII: 4T6H12BN9U)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:36800-089-02	1 in 1 CARTON	05/11/2006	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part333B	05/11/2006	

**Labeler** - Topco Associates LLC (006935977)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(36800-089)