

**LESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN
BROAD SPECTRUM SPF 20 04N MOYEN/MEDIUM- titanium dioxide emulsion
Guerlain**

**L'ESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN
BROAD SPECTRUM SPF 20 04N MOYEN/MEDIUM**

Drug Facts

Active ingredients

Titanium dioxide 1.76%

Purpose

sunscreen

Uses

- Helps prevent sunburn

Warnings

- **For external use only.**

Do not use

- on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.
- protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Inactive ingredients

AQUA (WATER) ● C9-12 ALKANE ● GLYCERIN ● PROPANEDIOL ● POLYGLYCERYL-6 POLYRICINOLEATE ● SILICA ● C15-19 ALKANE ● VP /EICOSENE COPOLYMER ● DICAPRYLYL CARBONATE ● POLYGLYCERYL-2 ISOSTEARATE ● COCO-CAPRYLATE/CAPRATE ● DISTEARDIMONIUM HECTORITE ● SORBITAN SESQUIISOSTEARATE ● PARFUM (FRAGRANCE) ● CAESALPINIA SPINOSA FRUIT EXTRACT ● ALPHA-GLUCAN OLIGOSACCHARIDE ● SODIUM MYRISTOYL GLUTAMATE ● STEARIC ACID ● SODIUM CITRATE ● XANTHAN GUM ● ALUMINA ● POLYHYDROXYSTEARIC ACID ● CELLULOSE ● POTASSIUM SORBATE ● KAPPAPHYCUS ALVAREZII EXTRACT ● POLYMNIA SONCHIFOLIA ROOT JUICE ● CITRIC ACID ● BUTYLENE GLYCOL ● ALUMINUM HYDROXIDE ● MALTODEXTRIN ● LACTOBACILLUS ● TOCOPHEROL ● THEOBROMA CACAO (COCOA) SEED EXTRACT ● [MAY CONTAIN : CI 77491, CI 77492, CI 77499 (IRON OXIDES) ● CI 77891 (TITANIUM DIOXIDE) ● CI 77947 (ZINC OXIDE)]

Other information

- Protect this product from excessive heat and direct sun.

Question or comments?

In USA: 19 East, 57th Street, New York, NY 10022 855 454 6242 Monday through Friday 9am to 5pm EST.

L'ESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 04N MOYEN/MEDIUM, 15mL (49817-2038-3)

Active Ingredients:

TITANIUM DIOXIDE 1.76 %

Shake well before use. Apply to face, then use a brush, a sponge or your fingertips to blend in.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

In USA: 19 East, 57th Street, New York, NY 10022

FREE SAMPLE

Manufactured for GUERLAIN

68, CHAMPS-ELYSEES 75008 PARIS

MADE IN FRANCE

GUERLAIN.COM

Active Ingredients:

TITANIUM DIOXIDE 1.76 %

Shake well before use. Apply to face, then use a brush, a sponge or your fingertips to blend in.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

In USA: 19 East, 57th Street, New York, NY 10022

FREE SAMPLE

Manufactured for GUERLAIN

68, CHAMPS-ELYSEES 75008 PARIS


MADE IN FRANCE

GUERLAIN.COM

**L'ESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN
BROAD SPECTRUM SPF 20 04N MOYEN/MEDIUM, 30mL (49817-2038-1)**

L'ESSENTIEL

NATURAL GLOW FOUNDATION 16H WEAR
WITH SUNSCREEN BROAD SPECTRUM SPF 20
Available in 30 shades.



00C
00N
00W
01C
01N
01W
02C
02N
02W
03C
03N
03W

01C
01N
01W
02C
02N
02W
03C
03N
03W

035C
035N
035W
04C
04N
04W
045C
045N
045W
05C
05N
05W
055C
055N
055W
06C
06N
06W

045C
045N
045W
05C
05N
05W
055C
055N
055W
06C
06N
06W



GUERLAIN

L'ESSENTIEL
THE NEW FOUNDATION

97% NATURALLY-DERIVED INGREDIENTS*
& 16H-WEAR NATURAL GLOW**



Buildable coverage (light to medium). Hydration & Protection (UVA/UVB, pollution).
Clinically tested, the bare skin is more beautiful day after day.
Available in 30 shades.

NOT FOR SALE. FOR AESTHETIC PURPOSES ONLY. QUANTITY NOT SUFFICIENT FOR SUNSCREEN PROTECTION.
*Calculation based on the international ISO standard 14128 Parts 1 and 2. The remaining 3% contribute to optimizing the formula's integrity over time and its seasonal texture.
**Instrumental test conducted by an independent laboratory on 20 women.

STEP 1: PREPARE

With Abeille Royale Youth Watery Oil to make the skin appear instantly smoother, hydrated and plumper.



Directions: Apply two to three drops of the oil to the face and neck.

FREE SAMPLE
MANUFACTURED FOR GUERLAIN • 69, CHAMISEL VERTS • 75008 PARIS • MADE IN FRANCE • GUERLAIN.COM

STEP 2: UNIFY

With L'Essentiel Foundation for a flawless and healthy-looking complexion, with a natural glow finish.

Drug Facts	Purpose
<p>Active ingredients</p> <p>TITANIUM DIOXIDE 1.76 %</p>	Sunscreen
<p>Uses</p> <p>Helps prevent sunburn</p>	
<p>Warnings</p> <p>For external use only. Do not use on damaged or broken skin. When using this product, look out for eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p>Directions</p> <p>For sunscreen use: Apply liberally 15 minutes before sun exposure. Reapply at least every two hours. Use a water resistant sunscreen if swimming or sweating. Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 2 p.m. / Wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months: Ask a doctor.</p>	
<p>Inactive ingredients</p> <p>ACRYLAMIDE • C15-18 ALKANE • GLYCERIN • PROPANEDIOL • POLYGLYCERYL 4 POLYGLYCOLATE • SILICA • C18-18 ALKANE • VITAMIN E • VITAMIN B5 • VITAMIN B6 • VITAMIN B12 • VITAMIN C • VITAMIN D • VITAMIN K • VITAMIN P • VITAMIN Q • VITAMIN R • VITAMIN S • VITAMIN T • VITAMIN U • VITAMIN V • VITAMIN W • VITAMIN X • VITAMIN Y • VITAMIN Z • VITAMIN AA • VITAMIN AB • VITAMIN AC • VITAMIN AD • VITAMIN AE • VITAMIN AF • VITAMIN AG • VITAMIN AH • VITAMIN AI • VITAMIN AJ • VITAMIN AK • VITAMIN AL • VITAMIN AM • VITAMIN AN • VITAMIN AO • VITAMIN AP • VITAMIN AQ • VITAMIN AR • VITAMIN AS • VITAMIN AT • VITAMIN AU • VITAMIN AV • VITAMIN AW • VITAMIN AX • VITAMIN AY • VITAMIN AZ • VITAMIN BA • VITAMIN BB • VITAMIN BC • VITAMIN BD • VITAMIN BE • VITAMIN BF • VITAMIN BG • VITAMIN BH • VITAMIN BI • VITAMIN BJ • VITAMIN BK • VITAMIN BL • VITAMIN BM • VITAMIN BN • VITAMIN BO • VITAMIN BP • VITAMIN BQ • VITAMIN BR • VITAMIN BS • VITAMIN BT • VITAMIN BU • VITAMIN BV • VITAMIN BW • VITAMIN BX • VITAMIN BY • VITAMIN BZ • VITAMIN CA • VITAMIN CB • VITAMIN CC • VITAMIN CD • VITAMIN CE • VITAMIN CF • VITAMIN CG • VITAMIN CH • VITAMIN CI • VITAMIN CJ • VITAMIN CK • VITAMIN CL • VITAMIN CM • VITAMIN CN • VITAMIN CO • VITAMIN CP • VITAMIN CQ • VITAMIN CR • VITAMIN CS • VITAMIN CT • VITAMIN CU • VITAMIN CV • VITAMIN CW • VITAMIN CX • VITAMIN CY • VITAMIN CZ • VITAMIN DA • VITAMIN DB • VITAMIN DC • VITAMIN DD • VITAMIN DE • VITAMIN DF • VITAMIN DG • VITAMIN DH • VITAMIN DI • VITAMIN DJ • VITAMIN DK • VITAMIN DL • VITAMIN DM • VITAMIN DN • VITAMIN DO • VITAMIN DP • VITAMIN DQ • VITAMIN DR • VITAMIN DS • VITAMIN DT • VITAMIN DU • VITAMIN DV • VITAMIN DW • VITAMIN DX • VITAMIN DY • VITAMIN DZ • VITAMIN EA • VITAMIN EB • VITAMIN EC • VITAMIN ED • VITAMIN EE • VITAMIN EF • VITAMIN EG • VITAMIN EH • VITAMIN EI • VITAMIN EJ • VITAMIN EK • VITAMIN EL • VITAMIN EM • VITAMIN EN • VITAMIN EO • VITAMIN EP • VITAMIN EQ • VITAMIN ER • VITAMIN ES • VITAMIN ET • VITAMIN EU • VITAMIN EV • VITAMIN EW • VITAMIN EX • VITAMIN EY • VITAMIN EZ • VITAMIN FA • VITAMIN FB • VITAMIN FC • VITAMIN FD • VITAMIN FE • VITAMIN FF • VITAMIN FG • VITAMIN FH • VITAMIN FI • VITAMIN FJ • VITAMIN FK • VITAMIN FL • VITAMIN FM • VITAMIN FN • VITAMIN FO • VITAMIN FP • VITAMIN FQ • VITAMIN FR • VITAMIN FS • VITAMIN FT • VITAMIN FU • VITAMIN FV • VITAMIN FW • VITAMIN FX • VITAMIN FY • VITAMIN FZ • VITAMIN GA • VITAMIN GB • VITAMIN GC • VITAMIN GD • VITAMIN GE • VITAMIN GF • VITAMIN GG • VITAMIN GH • VITAMIN GI • VITAMIN GJ • VITAMIN GK • VITAMIN GL • VITAMIN GM • VITAMIN GN • VITAMIN GO • VITAMIN GP • VITAMIN GQ • VITAMIN GR • VITAMIN GS • VITAMIN GT • VITAMIN GU • VITAMIN GV • VITAMIN GW • VITAMIN GX • VITAMIN GY • VITAMIN GZ • VITAMIN HA • VITAMIN HB • VITAMIN HC • VITAMIN HD • VITAMIN HE • VITAMIN HF • VITAMIN HG • VITAMIN HH • VITAMIN HI • VITAMIN HJ • VITAMIN HK • VITAMIN HL • VITAMIN HM • VITAMIN HN • VITAMIN HO • VITAMIN HP • VITAMIN HQ • VITAMIN HR • VITAMIN HS • VITAMIN HT • VITAMIN HU • VITAMIN HV • VITAMIN HW • VITAMIN HX • VITAMIN HY • VITAMIN HZ • VITAMIN IA • VITAMIN IB • VITAMIN IC • VITAMIN ID • VITAMIN IE • VITAMIN IF • VITAMIN IG • VITAMIN IH • VITAMIN II • VITAMIN IJ • VITAMIN IK • VITAMIN IL • VITAMIN IM • VITAMIN IN • VITAMIN IO • VITAMIN IP • VITAMIN IQ • VITAMIN IR • VITAMIN IS • VITAMIN IT • VITAMIN IU • VITAMIN IV • VITAMIN IW • VITAMIN IX • VITAMIN IY • VITAMIN IZ • VITAMIN JA • VITAMIN JB • VITAMIN JC • VITAMIN JD • VITAMIN JE • VITAMIN JF • VITAMIN JG • VITAMIN JH • VITAMIN JI • VITAMIN JJ • VITAMIN JK • VITAMIN JL • VITAMIN JM • VITAMIN JN • VITAMIN JO • VITAMIN JP • VITAMIN JQ • VITAMIN JR • VITAMIN JS • VITAMIN JT • VITAMIN JU • VITAMIN JV • VITAMIN JW • VITAMIN JX • VITAMIN JY • VITAMIN JZ • VITAMIN KA • VITAMIN KB • VITAMIN KC • VITAMIN KD • VITAMIN KE • VITAMIN KF • VITAMIN KG • VITAMIN KH • VITAMIN KI • VITAMIN KJ • VITAMIN KL • VITAMIN KM • VITAMIN KN • VITAMIN KO • VITAMIN KP • VITAMIN KQ • VITAMIN KR • VITAMIN KS • VITAMIN KT • VITAMIN KU • VITAMIN KV • VITAMIN KW • VITAMIN KX • VITAMIN KY • VITAMIN KZ • VITAMIN LA • VITAMIN LB • VITAMIN LC • VITAMIN LD • VITAMIN LE • VITAMIN LF • VITAMIN LG • VITAMIN LH • VITAMIN LI • VITAMIN LJ • VITAMIN LK • VITAMIN LL • VITAMIN LM • VITAMIN LN • VITAMIN LO • VITAMIN LP • VITAMIN LQ • VITAMIN LR • VITAMIN LS • VITAMIN LT • VITAMIN LU • VITAMIN LV • VITAMIN LW • VITAMIN LX • VITAMIN LY • VITAMIN LZ • VITAMIN MA • VITAMIN MB • VITAMIN MC • VITAMIN MD • VITAMIN ME • VITAMIN MF • VITAMIN MG • VITAMIN MH • VITAMIN MI • VITAMIN MJ • VITAMIN MK • VITAMIN ML • VITAMIN MN • VITAMIN MO • VITAMIN MP • VITAMIN MQ • VITAMIN MR • VITAMIN MS • VITAMIN MT • VITAMIN MU • VITAMIN MV • VITAMIN MW • VITAMIN MX • VITAMIN MY • VITAMIN MZ • VITAMIN NA • VITAMIN NB • VITAMIN NC • VITAMIN ND • VITAMIN NE • VITAMIN NF • VITAMIN NG • VITAMIN NH • VITAMIN NI • VITAMIN NJ • VITAMIN NK • VITAMIN NL • VITAMIN NM • VITAMIN NO • VITAMIN NP • VITAMIN NQ • VITAMIN NR • VITAMIN NS • VITAMIN NT • VITAMIN NU • VITAMIN NV • VITAMIN NW • VITAMIN NX • VITAMIN NY • VITAMIN NZ • VITAMIN OA • VITAMIN OB • VITAMIN OC • VITAMIN OD • VITAMIN OE • VITAMIN OF • VITAMIN OG • VITAMIN OH • VITAMIN OI • VITAMIN OJ • VITAMIN OK • VITAMIN OL • VITAMIN OM • VITAMIN ON • VITAMIN OO • VITAMIN OP • VITAMIN OQ • VITAMIN OR • VITAMIN OS • VITAMIN OT • VITAMIN OU • VITAMIN OV • VITAMIN OW • VITAMIN OX • VITAMIN OY • VITAMIN OZ • VITAMIN PA • VITAMIN PB • VITAMIN PC • VITAMIN PD • VITAMIN PE • VITAMIN PF • VITAMIN PG • VITAMIN PH • VITAMIN PI • VITAMIN PJ • VITAMIN PK • VITAMIN PL • VITAMIN PM • VITAMIN PN • VITAMIN PO • VITAMIN PP • VITAMIN PQ • VITAMIN PR • VITAMIN PS • VITAMIN PT • VITAMIN PU • VITAMIN PV • VITAMIN PW • VITAMIN PX • VITAMIN PY • VITAMIN PZ • VITAMIN QA • VITAMIN QB • VITAMIN QC • VITAMIN QD • VITAMIN QE • VITAMIN QF • VITAMIN QG • VITAMIN QH • VITAMIN QI • VITAMIN QJ • VITAMIN QK • VITAMIN QL • VITAMIN QM • VITAMIN QN • VITAMIN QO • VITAMIN QP • VITAMIN QQ • VITAMIN QR • VITAMIN QS • VITAMIN QT • VITAMIN QU • VITAMIN QV • VITAMIN QW • VITAMIN QX • VITAMIN QY • VITAMIN QZ • VITAMIN RA • VITAMIN RB • VITAMIN RC • VITAMIN RD • VITAMIN RE • VITAMIN RF • VITAMIN RG • VITAMIN RH • VITAMIN RI • VITAMIN RJ • VITAMIN RK • VITAMIN RL • VITAMIN RM • VITAMIN RN • VITAMIN RO • VITAMIN RP • VITAMIN RQ • VITAMIN RR • VITAMIN RS • VITAMIN RT • VITAMIN RU • VITAMIN RV • VITAMIN RW • VITAMIN RX • VITAMIN RY • VITAMIN RZ • VITAMIN SA • VITAMIN SB • VITAMIN SC • VITAMIN SD • VITAMIN SE • VITAMIN SF • VITAMIN SG • VITAMIN SH • VITAMIN SI • VITAMIN SJ • VITAMIN SK • VITAMIN SL • VITAMIN SM • VITAMIN SN • VITAMIN SO • VITAMIN SP • VITAMIN SQ • VITAMIN SR • VITAMIN SS • VITAMIN ST • VITAMIN SU • VITAMIN SV • VITAMIN SW • VITAMIN SX • VITAMIN SY • VITAMIN SZ • VITAMIN TA • VITAMIN TB • VITAMIN TC • VITAMIN TD • VITAMIN TE • VITAMIN TF • VITAMIN TG • VITAMIN TH • VITAMIN TI • VITAMIN TJ • VITAMIN TK • VITAMIN TL • VITAMIN TM • VITAMIN TN • VITAMIN TO • VITAMIN TP • VITAMIN TQ • VITAMIN TR • VITAMIN TS • VITAMIN TU • VITAMIN TV • VITAMIN TW • VITAMIN TX • VITAMIN TY • VITAMIN TZ • VITAMIN UA • VITAMIN UB • VITAMIN UC • VITAMIN UD • VITAMIN UE • VITAMIN UF • VITAMIN UG • VITAMIN UH • VITAMIN UI • VITAMIN UJ • VITAMIN UK • VITAMIN UL • VITAMIN UM • VITAMIN UN • VITAMIN UO • VITAMIN UP • VITAMIN UQ • VITAMIN UR • VITAMIN US • VITAMIN UT • VITAMIN UV • VITAMIN UW • VITAMIN UX • VITAMIN UY • VITAMIN UZ • VITAMIN VA • VITAMIN VB • VITAMIN VC • VITAMIN VD • VITAMIN VE • VITAMIN VF • VITAMIN VG • VITAMIN VH • VITAMIN VI • VITAMIN VJ • VITAMIN VK • VITAMIN VL • VITAMIN VM • VITAMIN VN • VITAMIN VO • VITAMIN VP • VITAMIN VQ • VITAMIN VR • VITAMIN VS • VITAMIN VT • VITAMIN VU • VITAMIN VV • VITAMIN VW • VITAMIN VX • VITAMIN VY • VITAMIN VZ • VITAMIN WA • VITAMIN WB • VITAMIN WC • VITAMIN WD • VITAMIN WE • VITAMIN WF • VITAMIN WG • VITAMIN WH • VITAMIN WI • VITAMIN WJ • VITAMIN WK • VITAMIN WL • VITAMIN WM • VITAMIN WN • VITAMIN WO • VITAMIN WP • VITAMIN WQ • VITAMIN WR • VITAMIN WS • VITAMIN WT • VITAMIN WU • VITAMIN WV • VITAMIN WW • VITAMIN WX • VITAMIN WY • VITAMIN WZ • VITAMIN XA • VITAMIN XB • VITAMIN XC • VITAMIN XD • VITAMIN XE • VITAMIN XF • VITAMIN XG • VITAMIN XH • VITAMIN XI • VITAMIN XJ • VITAMIN XK • VITAMIN XL • VITAMIN XM • VITAMIN XN • VITAMIN XO • VITAMIN XP • VITAMIN XQ • VITAMIN XR • VITAMIN XS • VITAMIN XT • VITAMIN XU • VITAMIN XV • VITAMIN XW • VITAMIN XX • VITAMIN XY • VITAMIN XZ • VITAMIN YA • VITAMIN YB • VITAMIN YC • VITAMIN YD • VITAMIN YE • VITAMIN YF • VITAMIN YG • VITAMIN YH • VITAMIN YI • VITAMIN YJ • VITAMIN YK • VITAMIN YL • VITAMIN YM • VITAMIN YN • VITAMIN YO • VITAMIN YP • VITAMIN YQ • VITAMIN YR • VITAMIN YS • VITAMIN YT • VITAMIN YU • VITAMIN YV • VITAMIN YW • VITAMIN YX • VITAMIN YY • VITAMIN YZ • VITAMIN ZA • VITAMIN ZB • VITAMIN ZC • VITAMIN ZD • VITAMIN ZE • VITAMIN ZF • VITAMIN ZG • VITAMIN ZH • VITAMIN ZI • VITAMIN ZJ • VITAMIN ZK • VITAMIN ZL • VITAMIN ZM • VITAMIN ZN • VITAMIN ZO • VITAMIN ZP • VITAMIN ZQ • VITAMIN ZR • VITAMIN ZS • VITAMIN ZT • VITAMIN ZU • VITAMIN ZV • VITAMIN ZW • VITAMIN ZX • VITAMIN ZY • VITAMIN ZZ</p>	
<p>Other information</p> <p>Protect this product from excessive heat and direct sunlight.</p>	
<p>Question or comments?</p> <p>In USA: 19 East 57th Street, New York, NY 10022 855-454-6242, Monday through Friday 9am to 5pm EST.</p>	

Directions: Apply two to three drops of foundation, depending on the desired level of coverage. Then, dab onto the face. Pat and blend the foundation from the center of the face outwards, until the result is even.

04N MOYEN / MEDIUM

L'ESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 04N MOYEN/MEDIUM, 0.5mL (49817-2038-6)



GUERLAIN
L'ESSENTIEL
 NATURAL GLOW
 FOUNDATION
 16H WEAR
 WITH SUNSCREEN
 BROAD SPECTRUM SPF 20
 HYDRATES & PROTECTS
 (UVA/UVB, POLLUTION)
 NOT FOR SALE. FOR
 AESTHETIC PURPOSES
 ONLY. QUANTITY NOT
 SUFFICIENT FOR
 SUNSCREEN PROTECTION

SHADE :
**04N MOYEN /
 MEDIUM**

0,5 mL 0,01 FL. OZ.

LESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 04N MOYEN/MEDIUM

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49817-2038
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	17.6 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
C15-19 ALKANE (UNII: CI87N1IM01)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
POLYGLYCERYL-2 MONOISOSTEARATE (UNII: 7B80E71MQC)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
.ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)	
SODIUM MYRISTOYL GLUTAMATE (UNII: AYU7QD893W)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
TOCOPHEROL (UNII: R0ZB2556P8)	
COCOA (UNII: D9108TZ9KG)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49817-2038-3	1 in 1 BOX	03/09/2019	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49817-2038-1	1 in 1 BOX	03/09/2019	
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:49817-2038-6	1 in 1 BOX	03/09/2019	
3		0.5 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/09/2019	

