

EXTRA LIGHT TINTED RADIANCE MOISTURIZER BROAD SPECTRUM SPF 32- zinc oxide and titanium dioxide cream

Allure Labs Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active Ingredients:

Zinc Oxide - 6.0%

Titanium Dioxide - 4.5%

Purpose:

Sunscreen

Uses:

- Helps prevent sunburn.
- If used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

Warning:

- For external use only.

Do not use:

- On damaged or broken skin.

When using this products:

- Keep out of eyes.
- Rinse with water to remove.

Stop use and ask a doctor:

- If rash occurs.

Keep out of reach of children:

- If swallowed, get medical help or contact a Poison Control Center right away.

For Sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: ask a doctor.
- **Sun protection measures.** Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long sleeve shirts, pants, hats and sunglasses.

Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Dimethicone Polyglyceryl-3, Polydimethylsiloxyethyl Dimethicone, Dimethicone/PEG -10/15 Crosspolymer, Stearic Acid, Aluminum Hydroxide, Sodium Chloride, Glycerin, Magnolia officinallis Bark Extract, Ectoin, Caprylyl Glycol, Teprenone, Sodium Hyaluronate, Vitis Vinifera, (Grape) seed extract, Tetrahexyldecyl

Ascorbate, Ergothioneine, Tocopheryl Acetate, Tocopherol, Maltodextrin, Lecithin, Ethylhexyl Palmitate Caprylyc/Capric Triglyceride, PEG/PPG-18/18 Dimethicone, Polyglycerin-3 Crosspolymer, Hexyl Laurate, Cyclohexasiloxane, Triethoxysilylethyl Polydimethylsiloxylethyl Hexyl Dimethicone, Dimethicone/Venyl Dimethicone Crosspolymer, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Silica Dimethyl Sylilate, Triethoxycaprylylsilane, Phenoxyethanol, Ethylhexylglycerin, Butylene Glycol, Hexylene Glycol Fragrance, Mica, Silaca, May contains: Iron Oxide.

Dist. By.

EVER LLC

Sausalito, CA 94965

ORDER OF BEAUTY

STEP 1 2 3 4 AM

This multi-tasking formula with chemical-free SPF, hyaluronic microspheres and LSR10™ minimizes the look of fine lines, hydrates, protects and color corrects. Optical diffusers provide instant luminosity.

APPLICATION: Using 1-2 pumps, gently blend in a circular motion onto face, neck, and décolleté daily.

CLINICAL GRADE
DERMATOLOGIST
TESTED

EVERSKIN.COM



LSR10™
BIOACTIVE
COMPLEX

LSR10™ is our patent-pending complex of three powerful molecules scientifically formulated to help reduce inflammation, fight free radicals and protect against environmental stress factors to help reduce the top ten visible signs of aging and keep skin looking youthful, vibrant and healthy.

EVER
CONSCIOUS

Free of parabens, sulfates, phthalates, propylene glycol, synthetic fragrances and colors, chemical sunscreens, and hydroquinone.

We never ever test our products on animals.



Dist. by EVER LLC
Sausalito, CA 94965
Made in USA.

EVER



EVER



DAYLIGHT
TINTED RADIANCE
MOISTURIZER
BROAD SPECTRUM
SPF 32

LSR10™
BIOACTIVE
COMPLEX

30 ml / 1 fl. oz.

Drug Facts

Active ingredients
Titanium dioxide 4.5%
Zinc oxide 0.5%
Propose
Sunscreen
Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months, ask a doctor • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses.

Inactive ingredients

Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Dimethicone, Polyglycerol-3, Polydimethylsilyloxy Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Stearic Acid, Aluminum Hydroxide, Sodium Chloride, Glycerin, Magnolia Officinale Bark Extract, Ecbin, Dipropyl Glycol, Tapenone, Sodium Hyaluronate, Vitis Vinifera (Grape) Seed Extract, Isthaxanthin, Tocopherol, Erythrin, Tocopheryl Acetate, Tocopherol, Malzoderm, Lecithin, Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, PEG/PPG-18/18 Dimethicone, Polyglycerol-3 Crosspolymer, Hexyl Laurate, Cyclohexasiloxane, N-ethylhexyl Polymethylsilyloxyethyl Hexyl Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyglyceryl-4 isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Silica Dimethyl Silylate, N-ethylhexylacrylate, Phenoxyethanol, Ethylhexylglycerin, Butylene Glycol, Hexylene Glycol, Fragrance, Mica, Silica. May Contain: Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).

Other information Protect this product from excessive heat and direct sun.

Questions or comments? Call toll free: 1-877-263-1825.

EXTRA LIGHT TINTED RADIANCE MOISTURIZER BROAD SPECTRUM SPF 32

zinc oxide and titanium dioxide cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62742-4088 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 60 mg in 1 mL |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 45 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0K00R) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PC10R) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| MAGNOLIA OFFICINALIS BARK (UNII: 5M609NV974) | |
| ECTOINE (UNII: 7GXZ3858RY) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| TEPRENONE (UNII: S8S8451A4O) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| VITIS VINIFERA SEED (UNII: C34U15ICXA) | |
| TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ) | |
| ERGOTHIONEINE (UNII: BDZ3DQM98W) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV) | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |

| | |
|--|--|
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| HEXYLENE GLYCOL (UNII: KEH0A3F75J) | |
| MICA (UNII: V8A1AW0880) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62742-4088-2 | 1 in 1 CARTON | 05/24/2017 | |
| 1 | NDC:62742-4088-1 | 30 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 05/24/2017 | |

Labeler - Allure Labs Inc. (926831603)

Revised: 5/2017

Allure Labs Inc.