

**ALLERGY RELIEF D12- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED**

CVS Pharmacy, Inc. Allergy Relief D12 Drug Facts

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
 - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease

- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets *USP Dissolution Test 2*

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

call **1-800-719-9260**

Package/Label Principal Display Panel

CVS™

12 HR RELIEF

actual size

Original Prescription Strength

ALLERGY RELIEF D12

Allergy + Sinus

Cetirizine Hydrochloride & Pseudoephedrine Hydrochloride

Extended-Release Tablets, 5 mg/120 mg

Antihistamine / Nasal Decongestant

Compare to Zyrtec-D® active ingredients

24 EXTENDED-RELEASE TABLETS

Nasal congestion + Sinus pressure

Itchy & watery eyes, Runny nose, Itchy nose or throat, Sneezing

Indoor & Outdoor Allergies

14762 17 C4

Drug Facts (continued)

Other information ■ store between 20° to 25°C (68° to 77°F)

■ do not use if blister unit is broken or torn

■ see side panel for lot number and expiration date

■ meets USP Dissolution Test 2

Inactive ingredients colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments? call 1-800-719-9260



Drug Facts

Warnings

Do not use ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine, ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Asks a doctor before use if you have

■ heart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ liver or kidney disease. Your doctor should determine if you need a different dose.

Directions

adults and children ■ do not break or chew tablet; swallow tablet whole

adults and children ■ take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.

ask a doctor ■ adults 65 years and over

ask a doctor ■ children under 12 years of age

ask a doctor ■ consumers with liver or kidney disease

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Stop use and ask a doctor if

■ you get nervous, dizzy, or sleepless

■ symptoms do not improve within 7 days or are accompanied by fever

■ an allergic reaction to this product occurs. Seek medical help right away.

When using this product

■ do not use more than directed

■ avoid alcoholic drinks

■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness

■ be careful when driving a motor vehicle or operating machinery

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ runny nose ■ sneezing ■ nasal congestion ■ itching of the nose or throat ■ swelling of nasal passages ■ temporarily relieves sinus congestion and pressure ■ temporarily restores free breathing through the nose

Purpose

Antihistamine
Nasal decongestant

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg.....Antihistamine
Pseudoephedrine HCl 120 mg.....Nasal decongestant

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

do not use more than directed

avoid alcoholic drinks

drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness

be careful when driving a motor vehicle or operating machinery

an allergic reaction to this product occurs. Seek medical help right away.

you get nervous, dizzy, or sleepless

symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

if breast-feeding: not recommended

if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®. Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895 CVS.com 1-800-SHOP CVS V-35662

100% money back guarantee. CVS.com/returnpolicy

how2recycle.info

PAPER MULCHABLE BOX TRAY

CVS

Original Prescription Strength

ALLERGY RELIEF D12

24 EXTENDED-RELEASE TABLETS



actual size

Original Prescription Strength

ALLERGY RELIEF D12

Allergy + Sinus

Cetirizine Hydrochloride & Pseudoephedrine Hydrochloride

Extended-Release Tablets, **5 mg / 120 mg**

Antihistamine / Nasal Decongestant

Compare to Zyrtec-D® active ingredients*

24 EXTENDED-RELEASE TABLETS

Nasal congestion + Sinus pressure
Itchy & watery eyes, Runny nose,
Itchy nose or throat, Sneezing

Indoor & Outdoor Allergies

NDC 51316-607-62

ALLERGY RELIEF D12

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-607
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L147
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-607-62	24 in 1 CARTON	12/10/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:51316-607-53	12 in 1 CARTON	02/20/2026	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	12/10/2025	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Revised: 2/2026

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED