

**MINOXIDIL (FOR MEN)- minoxidil aerosol, foam**  
**SCIENTIFIC HAIR RESEARCH, LLC**

-----  
**Minoxidil**  
**(for Men)**

***Drug Facts***

**Active ingredient**

Minoxidil 5% w/w (without propellant)

**Purpose**

Hair regrowth treatment for men

**Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**

**For external use only.**

**For use by men only.**

**Extremely Flammable:**Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have**heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

- it takes time to regrow hair. Results may occur at 2 months with twice a day dosage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

**Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed leaflet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

**Inactive ingredients**

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

**Questions?**

- Call **1-866-923-4914**

Distributed by: BosleyMD

## **PRINCIPAL DISPLAY PANEL - 60 G Can Package**



Lot #  
Expiration Date:

149  
5214585-0724-02

### Drug Facts

**Active Ingredient** Minoxidil 5%w/w (without propellant) **Purpose** Hair regrowth treatment for men

**Use**  
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**  
For external use only.  
For use by men only.  
**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**  
• you are a woman  
• your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.  
• you have no family history of hair loss  
• your hair loss is sudden and/or patchy  
• you do not know the reason for your hair loss  
• you are under 18 years of age. Do not use on babies and children.  
• your scalp is red, inflamed, infected, irritated, or painful  
• you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

**When using this product**  
• do not apply on other parts of the body  
• avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.  
• some people have experienced changes in hair color and/or texture  
• it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.  
• the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**  
• chest pain, rapid heartbeat, faintness, or dizziness occurs  
• sudden, unexplained weight gain occurs  
• your hands or feet swell  
• scalp irritation or redness occurs  
• unwanted facial hair growth occurs  
• you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**  
• apply half a capful 2 times a day to the scalp in the hair loss area  
• massage into scalp with fingers, then wash hands well  
• see enclosed leaflet for complete directions on how to use  
• using more or more often will not improve results  
• continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

**Other Information**  
• hair growth has been shown in a clinical study of men (mostly white) aged 18-49

### Drug Facts (continued)


years who used it for 4 months  
• see hair loss pictures on side of this carton  
• before use, read all information on carton and enclosed leaflet  
• keep the carton. It contains Important information.  
• store at controlled room temperature 20° to 25°C (68° to 77°F)  
• contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

**Inactive Ingredients**  
butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polyorbate 60, propane, purified water, stearyl alcohol

**Questions?**  
• Call 1-800-BOSLEY1 (1-800-267-5391)

Minoxidil Topical Aerosol, 5% (For Men) is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline.

Minoxidil Topical Aerosol, 5% (For Men) has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Aerosol, 5% (For Men) may not work.

NDC 69113-128-01

**BOSLEY MD**

**Minoxidil**  
Topical Aerosol,  
5% (For Men)

**HAIR REGROWTH TREATMENT**

NDC 69113-128-01

**BOSLEY MD**

**Minoxidil**  
Topical Aerosol,  
5% (For Men)

**HAIR REGROWTH TREATMENT**



Easy-to-Use  
Foam for Men  
Not For Use By Women  
Revitalizes  
Hair Follicles



not actual size

#1 DERMATOLOGIST  
RECOMMENDED  
ACTIVE INGREDIENT†


One Month Supply  
One 60 g (2.11 oz) Can

### THIS PACKAGE CONTAINS

• One 60 g (2.11 oz) can of Minoxidil Topical Aerosol, 5% (For Men) (one month supply)

### USING THE PRODUCT

- To open: Match arrow on can ring with arrow on cap. Pull off cap.
- Within the hair thinning area, part the hair into one or more rows to maximize scalp exposure.
- The foam may begin to melt right away on contact with your warm skin. If your fingers are warm, rinse them in cold water first. (Be sure to dry them thoroughly before handling the foam.)
- Hold the can straight upside down and press nozzle to dispense the topical foam product onto your fingers. The total amount of foam applied should not exceed half a capful.
- Using your fingers, spread the foam over the hair loss area and gently massage into scalp and then wash your hands well.
- After each use, close the container to make child resistant by snapping the cap back on to the can.



Made in Israel  
Distributed by: BosleyMD  
800.BOSLEY1 bosleymd.com  
© 2024 Bosley, Inc. All rights reserved.  
Manufactured for: Scientific Hair Research LLC,  
Los Angeles, CA 90045  
† In the U.S.  
Source: Alpha ImpactRx



BP-S6F0035N



**NOT FOR USE BY WOMEN**

NDC 69113-128-01

MINOXIDIL TOPICAL  
AEROSOL, 5%  
(FOR MEN)

## MINOXIDIL (FOR MEN)

minoxidil aerosol, foam

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69113-128
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
BUTANE (UNII: 6LV4FOR43R)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPANE (UNII: T75W9911L6)	
WATER (UNII: 059QF0KO0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

### Product Characteristics

<b>Color</b>	white (white to off-white foam)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69113-128-01	1 in 1 PACKAGE	12/23/2020	
1		60 g in 1 CAN; Type 0: Not a Combination Product		

NDC:69113-128

2	NDC:69113-128-03	3 in 1 PACKAGE	12/23/2020	
2		60 g in 1 CAN; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA209074		12/23/2020	

**Labeler** - SCIENTIFIC HAIR RESEARCH, LLC (961897647)

### Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	manufacture(69113-128)

Revised: 7/2024

SCIENTIFIC HAIR RESEARCH, LLC