

MEDPRIDE FIRST AID- bacitracin zinc neomycin sulfate polymyxin b sulfate ointment
Shield Line LLC

Medpride Triple Antibiotic

Active ingredients
(in each gram)

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg (Equivalent to 3.5 mg Neomycin)

Polymyxin B sulfate 5000 units

Purpose

First Aid Antibiotic First Aid Antibiotic First Aid Antibiotic

Uses

■ first aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns

Warnings

For external use only

Do not use

■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor

Ask a physician before use in case of

■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and consult a doctor if

■ the condition persists or gets worse ■ a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered

with a sterile bandage

Other Information

■ store at room temperature 15-30C (59-86F) ■ avoid excessive heat and humidity

Inactive ingredients

white petrolatum

Package Label


Triple Antibiotic Ointment
FIRST AID ANTIBIOTIC
Net Wt. 1 oz (28.3g)
Reorder No. MPR-30255

Triple Antibiotic Ointment
FIRST AID ANTIBIOTIC
Net Wt. 1 oz (28.3g)
Reorder No. MPR-30255

Drug Facts

Active Ingredients	Purpose
Bacitracin Zinc, 400 units Neomycin Sulfate 5 mg Polymyxin B Sulfate 5000 units	First Aid Antibiotic
Warnings	For external use only
Do not use if you are allergic to any of the ingredients or over large areas of the body for more than 1 week, unless directed by a physician.	Do not use in the eyes, on the face, or on large areas of the body for more than 1 week, unless directed by a physician.
Directions	Other information
clean the affected area, apply a small amount of this product (the size of a dime) to the sore 3 times daily. The sore should be covered with a sterile bandage.	store at room temperature 15-30°C (59-86°F). avoid excessive heat and humidity.
Inactive Ingredients	Manufactured For
white petrolatum	Shield Line LLC, Hackensack, NJ 07601 Made in India

Reorder No: MPR-30255
3 15 24 1 013 02 55 11 8



MEDPRIDE FIRST AID

bacitracin zinc neomycin sulfate polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52410-3025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52410-	0.5 g in 1 PACKET; Type 0: Not a Combination	05/17/2013	

1	3025-2	Product	05/17/2013	
2	NDC:52410-3025-3	0.9 g in 1 PACKET; Type 0: Not a Combination Product	05/17/2013	
3	NDC:52410-3025-4	14 g in 1 TUBE; Type 0: Not a Combination Product	05/17/2013	
4	NDC:52410-3025-5	28.3 g in 1 TUBE; Type 0: Not a Combination Product	05/17/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	05/17/2013	

Labeler - Shield Line LLC (078518916)

Revised: 2/2024

Shield Line LLC