

MEDPRIDE FIRST AID- bacitracin zinc neomycin sulfate polymyxin b sulfate ointment
Shield Line LLC

Medpride Triple Antibiotic

Active ingredients
(in each gram)

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg (Equivalent to 3.5 mg Neomycin)

Polymyxin B sulfate 5000 units

Purpose

First Aid Antibiotic First Aid Antibiotic First Aid Antibiotic

Uses

■ first aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns

Warnings

For external use only

Do not use

■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor

Ask a physician before use in case of

■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and consult a doctor if

■ the condition persists or gets worse ■ a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered

with a sterile bandage

Other Information

■ store at room temperature 15-30C (59-86F) ■ avoid excessive heat and humidity

Inactive ingredients

white petrolatum

Package Label

Triple Antibiotic Ointment
FIRST AID ANTIBIOTIC
Net Wt. 1 oz (28.3g)
Reorder No. MPR-30255

Triple Antibiotic Ointment
FIRST AID ANTIBIOTIC
Net Wt. 1 oz (28.3g)
Reorder No. MPR-30255

Drug Facts

Active Ingredients	Purpose
Bacitracin Zinc, 400 units Neomycin Sulfate 5 mg Polymyxin B Sulfate 5000 units	First Aid Antibiotic

Uses ■ first aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns

Warnings For external use only

Do not use ■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week, unless directed by a physician

Ask a physician before use in case of ■ deep or puncture wounds ■ animal bites ■ serious burns.

Stop use and ask a doctor if ■ the condition persists or gets worse ■ a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions


■ clean the affected area ■ apply a small amount of this product (the size of a dime) to the surface of the injury ■ repeat 3 to 4 times daily ■ may be covered with a sterile bandage

Other information ■ store at room temperature 15-30°C (59-86°F) ■ avoid excessive heat and humidity

Inactive Ingredients
white petrolatum

Reorder No: MPR-30255
Manufactured For
Shield Line LLC,
Hackensack, NJ 07601
Made in India

3 15 24 1 013 02 55 118



MEDPRIDE FIRST AID

bacitracin zinc neomycin sulfate polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52410-3025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52410-	0.5 g in 1 PACKET; Type 0: Not a Combination	05/17/2013	

1	3025-2	Product	05/17/2013	
2	NDC:52410-3025-3	0.9 g in 1 PACKET; Type 0: Not a Combination Product	05/17/2013	
3	NDC:52410-3025-4	14 g in 1 TUBE; Type 0: Not a Combination Product	05/17/2013	
4	NDC:52410-3025-5	28.3 g in 1 TUBE; Type 0: Not a Combination Product	05/17/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	05/17/2013	

Labeler - Shield Line LLC (078518916)

Registrant - Shield Line LLC (078518916)

Revised: 8/2025

Shield Line LLC