

NARS PURE RADIANT TINTED MOISTURIZER CUZCO- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER ST. MORITZ- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GROENLAND- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER ALASKA- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER FINLAND- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER TERRE NEUVE- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GOTLAND- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER NORWICH- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER MYKONOS- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER SYDNEY- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER AUCKLAND- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER MARRAKESH- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER SANTIAGO- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER HAVANA- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GUERNSEY- octinoxate, titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GRANADA- octinoxate, titanium dioxide cream
NARS Cosmetics

NARS PURE RADIANT TINTED MOISTURIZER

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Octinoxate 6.74%	Sunscreen
Titanium Dioxide 6.66%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • PROPANEDIOL • DIETHYLHEXYL SUCCINATE • NYLON-12 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DISTEARDIMONIUM HECTORITE • SORBITAN SESQUIISOSTEARATE • POLYMETHYLSILSESQUIOXANE • TRISODIUM EDTA • ASCORBYL GLUCOSIDE • POLYSILICONE-2 • ALTEROMONAS FERMENT EXTRACT • BHT • SODIUM METABISULFITE • CURCUMA LONGA (TURMERIC) ROOT EXTRACT • STEARIC ACID • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • FRAGRANCE • TOCOPHEROL • VIBRIO ALGINOLYTICUS FERMENT FILTRATE • SEA SALT • PHENOXYETHANOL • [MAY CONTAIN: TITANIUM DIOXIDE • IRON OXIDES] •

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

- Call toll free 1-888-788-NARS

PRINCIPLE DISPLAY PANEL - 50 mL Tube Cuzco

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% } Sunscreen
Titanium Dioxide 6,66% }

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS

PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE. SYNTHETIC-FRAGRANCE-FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube St. Moritz

NARS

PURE RADIANT

TINTED MOISTURIZER

PRINCIPLE DISPLAY PANEL - 50 mL Tube St. Moritz

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM
 SPF 30 SUNSCREEN
 NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients	Purpose
Octinoxate 6,74%	Sunscreen
Titanium Dioxide 6.66%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

PRE-BREAK 120°-130°

NARS

FOLD #2

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

PRINCIPLE DISPLAY PANEL - 50 mL Tube Greenland

NARS
 PURE RADIANT
 TINTED MOISTURIZER
 BROAD SPECTRUM
 SPF 30 SUNSCREEN
 NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6.74% }
Titanium Dioxide 6.66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN.

THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube Alaska

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS

PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube Finland

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRE-BREAK 120°-130°

FOLD #2

PRINCIPLE DISPLAY PANEL - 50 mL Tube Terre Neuve

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Distearidimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC-FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube Gotland

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube Norwich

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6.74% }
Titanium Dioxide 6.66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Distearidimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube Mykonos

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients Purpose

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

• Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM



PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED. DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

FOLD #2

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

PRINCIPLE DISPLAY PANEL - 50 mL Tube Sydney

Drug Facts

Active ingredients **Purpose**

Octinoxate 6.74% } Sunscreen
Titanium Dioxide 6.66% }

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Distearidimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS

PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

NARS
 PURE RADIANT
 TINTED MOISTURIZER
 BROAD SPECTRUM
 SPF 30 SUNSCREEN
 NET WT. 1.9 Oz. 50 mL

PRINCIPLE DISPLAY PANEL - 50 mL Tube Auckland

NARS
 PURE RADIANT
 TINTED MOISTURIZER
 BROAD SPECTRUM
 SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients	Purpose
Octinoxate 6.74%	Sunscreen
Titanium Dioxide 6.66%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnxyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxyl Phenyl Trimethicone · Distearidimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN.

THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE. SYNTHETIC-FRAGRANCE-FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

PRINCIPLE DISPLAY PANEL - 50 mL Tube Marrakesh

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

PRINCIPLE DISPLAY PANEL - 50 mL Tube Santiago

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Distearidimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PRINCIPLE DISPLAY PANEL - 50 mL Tube Havana

NARS
PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN
NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6.74% }
Titanium Dioxide 6.66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Distearidimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube Guernsey

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6.74% }
Titanium Dioxide 6.66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Disteardimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS

PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN. THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PRINCIPLE DISPLAY PANEL - 50 mL Tube Granada

NARS

PURE RADIANT

TINTED MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

NET WT. 1.9 Oz. 50 mL

Drug Facts

Active ingredients **Purpose**

Octinoxate 6,74% }
Titanium Dioxide 6,66% } Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Glycerin · Propanediol · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Distearidimonium Hectorite · Sorbitan Sesquiossearate · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Alteromonas Ferment Extract · BHT · Sodium Metabisulfite · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Fragrance · Tocopherol · Vibrio Alginolyticus Ferment Filtrate · Sea Salt · Phenoxyethanol · [May Contain: Titanium Dioxide · Iron Oxides] ·

Other information

- Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PRE-BREAK 120°-130°

FOLD #2

PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN.

THIS LIGHTWEIGHT TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

PARABEN-FREE, SYNTHETIC-FRAGRANCE-FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

NARS PURE RADIANT TINTED MOISTURIZER CUZCO			
octinoxate, titanium dioxide cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-177
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL	
Inactive Ingredients			

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-177-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER ST. MORITZ

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-178
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-178-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GROENLAND

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-179
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	

PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
TRISODIUM EDTA (UNII: 420IP921MB)
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)
ALTEROMONAS MACLEODII (UNII: BPX036043D)
BHT (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
TOCOPHEROL (UNII: R0ZB2556P8)
SEA SALT (UNII: 87GE52P74G)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-179-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER ALASKA

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-180
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:13734-180-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER FINLAND

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-181
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	

TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-181-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER TERRE NEUVE

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-182
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-182-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GOTLAND

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-183
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-183-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER NORWICH

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-184
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	

DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)
NYLON-12 (UNII: 446U8J075B)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
TRISODIUM EDTA (UNII: 420IP921MB)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
ALTEROMONAS MACLEODII (UNII: BPX036043D)
BHT (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
TOCOPHEROL (UNII: R0ZB2556P8)
SEA SALT (UNII: 87GE52P74G)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-184-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER MYKONOS

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-185
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-185-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER SYDNEY

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-186
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	

TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-186-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER AUCKLAND

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-187
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE -	OCTINOXATE	4.044 g

UNII:4Y5P7MUD51)	UCYINOXATE	in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-187-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER MARRAKESH

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-188
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
TOCOPHEROL (UNII: R0ZB2556P8)	

SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-188-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER SANTIAGO

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-189
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
PROPANEDIOL (UNII: 5965N8W85T)
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)
NYLON-12 (UNII: 446U8J075B)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
TRISODIUM EDTA (UNII: 420IP921MB)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
ALTEROMONAS MACLEODII (UNII: BPX036043D)
BHT (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
TOCOPHEROL (UNII: R0ZB2556P8)
SEA SALT (UNII: 87GE52P74G)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-189-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER HAVANA

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-190
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-190-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	04/01/2021		

NARS PURE RADIANT TINTED MOISTURIZER GUERNSEY			
octinoxate, titanium dioxide cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-191
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0K00R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPANEDIOL (UNII: 5965N8W85T)			
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)			
NYLON-12 (UNII: 446U8J075B)			
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)			
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
TRISODIUM EDTA (UNII: 420IP921MB)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
ALTEROMONAS MACLEODII (UNII: BPX036043D)
BHT (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
TOCOPHEROL (UNII: R0ZB2556P8)
SEA SALT (UNII: 87GE52P74G)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-191-60	1 in 1 BOX	12/17/2025	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GRANADA

octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-192
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.044 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.996 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
TRISODIUM EDTA (UNII: 420IP921MB)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ALTEROMONAS MACLEODII (UNII: BPX036043D)	
BHT (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SEA SALT (UNII: 87GE52P74G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-192-60	1 in 1 BOX	12/17/2025	

1	50 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

Labeler - NARS Cosmetics (837363571)

Establishment			
Name	Address	ID/FEI	Business Operations
Shiseido America In.		782677132	manufacture(13734-177, 13734-178, 13734-178, 13734-179, 13734-180, 13734-181, 13734-182, 13734-183, 13734-184, 13734-185, 13734-186, 13734-187, 13734-188, 13734-189, 13734-190, 13734-191, 13734-192) , analysis(13734-177, 13734-178, 13734-179, 13734-180, 13734-181, 13734-182, 13734-183, 13734-184, 13734-185, 13734-186, 13734-187, 13734-188, 13734-189, 13734-190, 13734-191, 13734-192)

Revised: 12/2025

NARS Cosmetics