#### STOOL SOFTENER SYRUP- docusate sodium syrup AMERISOURCEBERGEN DRUG CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **GNP DOCUSATE SYRUP**

#### Active ingredient (in each 15 mL tables poonful)

Docusate Sodium 60 mg

### Purpose

Stool Softener Laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

### Warnings

**Do not use** for more than one week unless directed by a doctor

#### Ask a doctor before use if you

- have abdominal pain, nausea, or vomiting
- are taking mineral oil
- have noticed a sudden change in bowel habits that lasts more than 14 days
- have a sodium-restricted diet

#### Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement within 3 days. These could be signs of a serious condition.
- a skin rash occurs
- you experience throat irritation

#### If pregnant or breast feeding, ask a health professional before use.

**Keep out of reach of children**. In case of overdose, get medical help or contact a poison control Center right away.

#### Directions

- follow dosing directions below or take as directed by doctor
- must be given in a 6 to 8 oz glass of milk or fruit juice to prevent throat irritation
- may be taken as a single daily dose or in divided doses
- take maximum daily dose until first bowel movement, then reduce dose according to individual response
- shake well before using

Adults and children 12 years and over	1 to 3 tablespoonfuls (15 to 45 mL)
Children under 12 years of age	ask a doctor

#### Other information

- Each 15 mL tables poonful contains: sodium 51 mg
- Store at room temperature 15°- 30° C (59°-86° F)
- protect from excessive heat
- Keep tightly closed

#### **Inactive ingredients**

citric acid, D&C Red #33, FD&C Red #40, flavors, glycerin, propylene glycol, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, water.

### package label

NDC 46122-400-43 Compare to Colace® Syrup active ingredient \*

GOOD NEIGHBOR PHARMACY

STOOL SOFTENER SYRUP Docusate Sodium Relieves Constipation 60 mg/15 mL 16 FL OZ (473 mL) NDC 46122-400-43

Con Colac active in

GOOD NEIGHBOR ARMACY

# **STOOL** SOFTENE **SYRUP**

**Docusate Sodium** 

**Relieves** Constipatio

60 mg/15 mL
16 FL OZ (473 mL)

	Active ingredient (in each 15 mL tablespoonful) Purpose Docusate Sodium 60 mgStool Softener Laxative					
	Uses • relieves occasional constipation (irregularity) • generally produces bowel movement in 12 to 72 hours					
	Warnings Do not use for more than one week unless directed by a doctor Ask a doctor before use if you • have abdominal pain, nausea, or vomiting • are taking mineral oil • have noticed a sudden change in bowel habits that lasts more than 14 days • have a sodium-restricted diet Stop use and ask a doctor if • you have rectal bleeding or failure to have a bowel movement within 3 days. These could be signs of a serious condition. • a skin rash occurs • you experience throat irritation If pregnant or breast-feeding, ask a health professional before use.					
	Keep out of reach of children. In case of overdose, get medical help or contact a poison control Center right away.					
<b>Directions</b> • follow dosing directions below or use as directed by a doctor • must be given in a 6 oz to 8 oz glass of milk or fruit juice to prevent throat irritation • may be taken as a single daily dose or in divided doses • take maximum daily dose until first bowel movement, then reduce dose according to individual response • shake well before using						
	Adults and children 12 years and over 1 to 3 tablespoonfuls (15 to 45 mL)					
	Children under 12 years of age ask a doctor					
l	Other information • Each 15 mL tablespoonful contains: sodium 51 mg • Store at room temperature 15'-30' C (59°-86° F) • protect from excessive heat • Keep tightly closed					
	Inactive ingredients citric acid, D&C Red #33, FD&C Red #40, flavors, glycerin, propylene glycol, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, water.					
	Questions or comments? 1-800-540-3765					
	*This product is not manufactured or distributed by the owner of the register trademark Colace® Syrup. REV GC 061 Distributed By 10173730 AmerisourceBergen 1300 Morris Drive					

## STOOL SOFTENER SYRUP

docusate sodium syrup					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (So	urce)	NDC:4	46 122-40 0
Route of Administration	ORAL				
Active Ingredient/Active Moi	ety				
Ingredient Name			Basis of Strei	ıgth	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)			DOCUSATE SOD	IUM	60 mg in 15 mL

Inactive Ingredi	ents						
Ingredient Name					Strength		
ANHYDRO US CITRI	C ACID (UNII: XF417	D3PSL)					
D&C RED NO. 33 (U	NII: 9DBA0SBB0L)						
SODIUM CITRATE,	UNSPECIFIED FOR	<b>M</b> (UNII: 1Q73Q2	JULR)				
SACCHARIN SODIU	M (UNII: SB8ZUX40	ГҮ)					
PROPYLENE GLYCO	<b>DL</b> (UNII: 6DC9Q16	7V3)					
WATER (UNII: 059QF	F0KO0R)						
SODIUM BENZOATI	E (UNII: OJ245FE5EU	J)					
SORBITOL (UNII: 50	6T60A25R)						
FD&C RED NO.40 (	UNII: WZB9127XOA)						
GLYCERIN (UNII: PD	C6A3C0OX)						
Product Charact	teristics						
Color		red	Score				
Shape			Size				
Flavor			Imprint Code				
Contains							
Packaging							
# Item Code Package Description			Marketing Start Date	Marketing End Date			
1NDC:46122-400- 43473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product09/01/20170					09/30/2020		
Marketing In	formation						
Marketing Catego		n Number or M	lonograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final part334				09/01/2017	09/30/2020		

Labeler - AMERISO URCEBERGEN DRUG CORPORATION (007914906)

**Registrant** - GERI-CARE PHARMACEUTICAL CORP (611196254)

Revised: 12/2019

i.

#### AMERISOURCEBERGEN DRUG CORPORATION