

MEMBERS MARK CLEARLAX- polyethylene glycol 3350 powder, for solution
Sam's West Inc

Sam's West, Inc. ClearLax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
 - do not combine with starch-based thickeners used for difficulty swallowing
 - ensure that the powder is fully dissolved before drinking
 - do not drink if there are any clumps
 - do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-809-0469

Principal Display Panel

Member's Mark™

COMPARE TO MIRALAX® ACTIVE INGREDIENT

ClearLax®

POLYETHYLENE GLYCOL 3350 POWDER FOR SOLUTION

Osmotic Laxative

UNFLAVORED POWDER / GRIT FREE

RELIEVES OCCASIONAL CONSTIPATION/IRREGULARITY

90 ONCE-DAILY DOSES

SOFTENS STOOL

3 BOTTLES - NET WT 17.9 OZ (510g) EACH

TOTAL - NET WT 53.7 OZ (1530g)



ClearLax®

POLYETHYLENE GLYCOL 3350
POWDER FOR SOLUTION
OSMOTIC LAXATIVE

Relieves Occasional
Constipation/Irregularity
Softens Stool

Polyethylene Glycol 3350 increases frequency of
bowel movements and softens the stool.

- Dissolves in Any Beverage
- Sugar-Free

Drug Facts	
<p>Active ingredient (in each dose) Polyethylene Glycol 3350, 17 g (cap filled to line)..... Osmotic Laxative</p> <p>Use</p> <ul style="list-style-type: none"> ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days <p>Warnings</p> <p>Allergy alert: Do not use if you are allergic to polyethylene glycol</p> <p>Do not use if you have kidney disease, except under the advice and supervision of a doctor</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome <p>Ask a doctor or pharmacist before use if you are taking a prescription drug</p> <p>When using this product you may have loose, watery, more frequent stools</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week 	<p>Purpose</p> <p>Relieves Occasional Constipation/Irregularity Softens Stool</p> <p>Directions</p> <ul style="list-style-type: none"> ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) ■ adults and children 17 years of age and older: <ul style="list-style-type: none"> ■ use once a day ■ fill scoop of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature); then drink ■ do not combine with starch-based thickeners used for difficult swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store at 20°-25°C (68°-77°F) ■ keep in original container; do not use if printed foil seal under cap is missing, open or broken <p>Inactive ingredients none</p> <p>Questions or comments? 1-800-309-0469</p>

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Distributed by:
SAM'S WEST, INC.
BENTONVILLE, AR 72716

**This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Miralax®.*

MEMBERS MARK CLEARLAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-306
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-306-07	3 in 1 CARTON	10/08/2009	
1	NDC:68196-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/08/2009	

Labeler - Sam's West Inc (051957769)

Revised: 9/2024

Sam's West Inc