

## **SUGAR FREE MENTHOL COUGH DROPS- menthol lozenge Meijer**

-----  
**Menthol 5.8 mg**

### **Active ingredient (in each drop)**

Menthol 5.8 mg

### **Purpose**

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

cough as may occur with a cold

occasional minor irritation and sore throat

### **Warnings**

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

### **Ask a doctor before use if you have:**

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

### **Stop use and consult doctor if**

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

**If pregnant or breast-feeding,** ask a health professional before use.

### **Keep out of reach of children.**

### **Directions**

adults and children 5 years and over - dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor

### **Other information**

- 6 calories per drop
- Excess consumption may cause a laxative effect.
- Do not use if bag is torn or open.

**Inactive ingredients:** acesulfame potassium, corn starch, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, isomalt, maltitol syrup, medium chain triglycerides, natural and artificial flavors, potassium sorbate, soybean oil, sucralose, and water.

**Questions?** Or to report an adverse event call **1-800-245-2898**. Monday - Friday, 9AM to 4PM EST

<<< TEAR HERE TO OPEN. RESEALABLE  
DO NOT USE IF BAG IS TORN OR OPEN

**meijer**<sup>®</sup>

SUGAR-FREE  
**Cough  
Drops**

NDC-41250-168-50

**VALUE SIZE** 150 DROPS

COMPARE TO  
**HALLS**<sup>®</sup>  
ACTIVE INGREDIENT\*

Soothes sore  
throat pain &  
temporarily  
relieves cough

**MENTHOL  
COUGH SUPPRESSANT  
ORAL ANESTHETIC**

**MENTHOL**

**150  
DROPS**

actual size

# SUGAR-FREE Cough Drops

## MENTHOL COUGH SUPPRESSANT ORAL ANESTHETIC

MENTHOL

Gluten-Free  
U



how2recycle.info



\*This product is not manufactured or distributed by Intercontinental Great Brands, owner of the registered trademark Halls®.

**Questions?** Or to report an adverse event call 1-800-245-2898, Monday - Friday, 9AM to 4PM EST

**Inactive ingredients** Acesulfame potassium, corn starch, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, isomalt, maltitol syrup, medium chain triglycerides, natural & artificial flavors, potassium sorbate, soybean oil, sucralose and water.

**Other information** ■ 6 calories per drop  
 ■ Excess consumption may cause a laxative effect.  
 ■ Do not use if bag is torn or open.

**Directions**  
 adults and children dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 5 years and over as needed or as directed by a doctor.  
 children under 5 years ask a doctor

before use. **Keep out of reach of children.**

**If pregnant or breast-feeding, ask a health professional**  
 ■ some mouth does not improve in 7 days or worsens  
 ■ some throat is severe, or irritation, pain or redness lasts These could be signs of a serious condition.  
 ■ cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache.

**Stop use and ask doctor if**  
 ■ cough accompanied by excessive phlegm (mucus) smoking, asthma, or emphysema  
 ■ persistent or chronic cough such as occurs with

**Ask a doctor before use if you have:**  
 symptoms may be serious.  
 in 7 days, see your dentist or doctor promptly. These doctor promptly. If sore mouth symptoms do not improve more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a

**Warnings**  
**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.  
 ■ cough as may occur with a cold  
 ■ occasional minor irritation and sore throat  
**Uses** temporarily relieves:  
 ■ cough as may occur with a cold  
 ■ occasional minor irritation and sore throat



**Drug Facts**  
**Active ingredient (in each drop)** Purpose  
 Menthol 5.8 mg.....Cough suppressant/  
 Oral anesthetic

<<< TEAR HERE TO OPEN, RESEALABLE  
 DO NOT USE IF BAG IS TORN OR OPEN

## SUGAR FREE MENTHOL COUGH DROPS

menthol lozenge

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-168
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5.8 mg

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	blue (light blue with blue flakes)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>	MENTHOL	<b>Imprint Code</b>	B
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-168-50	150 in 1 BAG; Type 0: Not a Combination Product	10/18/2017	



### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/18/2017	

**Labeler** - Meijer (006959555)

**Registrant** - Bestco Inc. (002149136)

### Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(41250-168)