

STOOL SOFTENER LAXATIVE PLUS STIMULANT- docusate sodium and sennosides tablet

Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc* titanium dioxide

Questions or comments?

Call **1-888-309-9030**

Principal Display Panel

Compare to the active ingredients of Colace® 2-IN-1*

Stool Softener Plus Stimulant Laxative

Docusate Sodium 50 mg

Sennosides 8.6 mg

For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable

TABLETS

*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY OLD EAST MAIN CO.
 100 MISSION RIDGE
 GOODLETTSVILLE, TN 37072

Product Label

Compare to the active ingredients of Colace® 2-IN-1*

100 Tablets
Actual Tablet Size

Stool Softener + Stimulant Laxative
 Docusate sodium, 50 mg
 Sennosides, 8.6 mg

For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable

Drug Facts

Active ingredients (in each tablet)
 Docusate sodium 50 mg.....Stool softener
 Sennosides 8.6 mg.....Stimulant laxative

Uses
 ■ relieves occasional constipation (irregularity)
 ■ generally produces bowel movement in 6 to 12 hours

Warnings
Do not use
 ■ laxative products for longer than 1 week unless directed by a doctor
 ■ if you are presently taking mineral oil, unless told to do so by a doctor

Drug Facts (continued under label)

*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

DISTRIBUTED BY OLD EAST MAIN CO.
 100 MISSION RIDGE
 GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed!
(888) 309-9030

PLD-G676A
 LB007971

3 5972628604 6

Lot No.:
 Exp. Date:

PEEL HERE →

Drug Facts (continued)

Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting
 ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information
 ■ each tablet contains: calcium 30 mg
 ■ each tablet contains: sodium 6 mg VERY LOW SODIUM
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?
 Call 1-888-309-9030

DOLLAR GENERAL HEALTH Stool Softener

STOOL SOFTENER LAXATIVE PLUS STIMULANT

docusate sodium and sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-855
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	PSD21
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-855-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	06/30/2020	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 9/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)