
### OXYGEN- oxygen gas Home Medical Equipment Specialists, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

Oxygen, USP

### **Principal for Oxygen Product**



DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. Oxposed Home Heathcare Equipment 2014

Contents	Size
113 Liters	□ M4
165 Liters	□ M6
255 Liters	□С
425 Liters	□ D
680 Liters	ΠE
7080 Liters	ΠН
Liters	□ Other

Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this box

OXYGEN, REFRIGERATED LIQUID



U**O**P UN 1073



CONTENTS:

LITERIO V

## 1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1

**AWARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS** 

EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER

PRESSURE

VIGOROUSLY ACCELERATES COMBUSTION.

NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY

EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills.

Container temperature should not exceed 52°C (125°F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

△FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

**△WARNING:** For emergency use only when administered by properly trained

personnel for oxygen deficiency and resuscitation. For all other

medical applications, Rx Only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL.

Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this area

CAS NO: 7782-44-7

**OXYGEN** 

**COMPRESSED** 

**USP** 

UN 1072

PRODUCED BY AIR LIQUIFICATION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

WARNING: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjuction with resuscitative equipment.

WARNING: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.

DO NOT REMOVE THIS PRODUCT LABEL.



Representative Labeling pursuant to 21 CFR 207.3 (10)

### **OXYGEN**

oxygen gas

<b>Product Information</b>			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:62638-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L	

Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1	NDC:62638-001-04	164 L in 1 CYLINDER; Type 0: Not a Combination Product	05/09/2017	
2	NDC:62638-001-05	41 L in 1 DEWAR; Type 0: Not a Combination Product	05/09/2017	
3	NDC:62638-001-06	31 L in 1 DEWAR; Type 0: Not a Combination Product	05/09/2017	
4	NDC:62638-001-03	248 L in 1 CYLINDER; Type 0: Not a Combination Product	05/09/2017	
5	NDC:62638-001-07	21 L in 1 DEWAR; Type 0: Not a Combination Product	05/09/2017	
6	NDC:62638-001-01	682 L in 1 CYLINDER; Type 0: Not a Combination Product	05/09/2017	
7	NDC:62638-001-02	415 L in 1 CYLINDER; Type 0: Not a Combination Product	05/09/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		05/09/2017	

# Labeler - Home Medical Equipment Specialists, LLC (079266533)

**Registrant** - Home Medical Equipment Specialists, LLC (079266533)

Establishment					
Name	Address	ID/FEI	Business Operations		
Home Medical Equipment Specialists, LLC		079266533	manufacture(62638-001)		

Revised: 12/2019 Home Medical Equipment Specialists, LLC