SUFFUSION K PS MOUSSE- chlorhexidine gluconate, ketoconazole, phytosphingosine salicyloyl liquid

Patters on Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Suffusion K +PS Mousse

ACTIVE INGREDIENTS: Chlorhexidine Gluconate 2%, Ketoconazole 1%, Phytosphingosine salicyloyl 0.05%.

INACTIVE INGREDIENTS: Water, Propylene Glycol, Glycerin, Polysorbate 20, Lactic Acid, Fragrance, Methylisothiazolinone.

PROPERTIES: Suffusion K +PS Mousse is a formulation designed to manage skin infections without bathing. It is soap-free, rubbing alcohol-free and moisturizing. Suffusion K +PS Mousse also contains phytosphingosine, a pro-ceramide to help support a healthy skin barrier.

INDICATIONS: For use on dogs and cats only. For the management of skin infections that are responsive to chlorhexidine and ketoconazole.

DIRECTIONS FOR USE: Shake well before use.

For localized application: Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the targeted area. Massage into the skin until fully penetrated. Do not rinse. Let air dry. Once dry, brush the hair coat again.

For whole body application: Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the skin and hair. Massage into the skin until fully penetrated. Repeat as many times and necessary to cover the whole body, avoiding areas around the eyes and mouth. Do not rinse. Let air dry. Once dry, brush the hair coat again.

Dosage:

Under 11 lbs: 1 pump per 2 lbs

11-88 lbs: 1 pump per 4 lbs

Over 88 lbs: 1 pump per 6 lbs

Dosage may be doubled for long-haired breeds.

Apply every 3 days for 2 to 3 weeks or as directed by your veterinarian. May be used as part of a management plan as recommended by your veterinarian.

CAUTIONS: For external use on dogs and cats only. Avoid contact with eyes. In case of contact with eyes, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian.

WARNINGS: Keep out of reach of children.

STORAGE CONDITIONS: Store at controlled room temperature. Do not freeze.

QUESTIONS? 1-800-999-0297

Distributed by: Patterson Veterinary 822 7th Street, Suite 740 Greeley, CO 80631 www.pattersonvet.com

PRINCIPAL DISPLAY PANEL - 6.8 OUNCE (200 mL) Bottle

NDC 14043-014-07

PATTERSON® VETERINARY

Suffusion K +PS

Mousse

Chlorhexidine Gluconate 2%, Ketoconazole 1%,

Phytosphingosine salicyloyl 0.05%

Antiseptic Mousse

dogs • cats

Phytosphingosine

SHAKE WELL BEFORE USE

6.8 FL. OZ. (200 mL)

NDC 14043-014-07



Suffusion K +PS Mousse

Chlorhexidine Gluconate 2%, Ketoconazole 1%, Phytosphingosine salicyloyl 0.05%

Antiseptic Mousse

dogs • cats



SHAKE WELL BEFORE USE

Net Contents: 6.8 FL. 0Z. (200 mL)

ACTIVE INGREDIENTS: Chlorhexidine Gluconate 2%, Ketoconazole 1%, Phytosphingosine salicyloyl 0.05%.

INACTIVE INGREDIENTS: Water, Propylene Glycol, Glycerin, Polysorbate 20, Lactic Acid, Fragrance, Methylisothiazolinone.

PROPERTIES: Suffusion K +PS Mousse is a formulation designed to manage skin infections without bathing. It is soap-free, rubbing alcohol-free and moisturizing. Suffusion K+PS Mousse also contains phytosphingosine, a pro-ceramide to help support a healthy skin barrier.

INDICATIONS: For use on dogs and cats only. For the management of skin infections that are responsive to chlorhexidine and ketoconazole.

DIRECTIONS FOR USE: Shake well before use.

<u>For localized application:</u> Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the targeted area. Massage into the skin until fully penetrated. Do not rinse. Let air dry. Once dry, brush the hair coat again.

For whole body application: Apply on dry hair. Brush the hair coat. Dispense 1 or 2 pumps in the hand and then apply on the skin and hair. Massage into the skin until fully penetrated. Repeat as many times as necessary to cover the whole body, avoiding areas around the eyes and mouth. Do not rinse. Let air dry. Once dry, brush the hair coat again. Dosage:

Under 11 lbs: 1 pump per 2 lbs

11-88 lbs: 1 pump per 4 lbs

Over 88 lbs: 1 pump per 6 lbs

Dosage may be doubled for long-haired breeds.

Apply every 3 days for 2 to 3 weeks or as directed by your veterinarian. May be used as part of a management plan as recommended by your veterinarian.

CAUTIONS: For external use on dogs and cats only. Avoid contact with the eyes. In case of contact with eyes, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian.

WARNING: Keep out of the reach of children.

STORAGE CONDITIONS: Store at room temperature. Do not freeze.

QUESTIONS? 1-800-999-0297

Distributed by: Patterson Veterinary 822 7th Street, Suite 740 Greeley, CO 80631

www.pattersonvet.com Rev. 01/17 PV113C



F39210F-US 18-L1-v1

SUFFUSION K PS MOUSSE

chlorhexidine gluconate, ketoconazole, phytosphingosine salicyloyl liquid

| Product Information | | | | |
|-------------------------|-----------------|--------------------|---------------|--|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:14043-014 | |
| Route of Administration | TOPICAL | | | |

| Active Ingredient/Active Moiety | | | | |
|---|--------------------------------|-------------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE GLUCONATE | 20 mg in 1 mL | | |
| KETOCONAZOLE (UNII: R9400W927I) (KETOCONAZOLE - UNII:R9400W927I) | KETOCONAZOLE | 10 mg in 1 mL | | |
| SALICYLOYL PHYTOSPHINGOSINE (UNII: U891J4JCNH) (SALICYLOYL PHYTOSPHINGOSINE - UNII: U891J4JCNH) | SALICYLOYL PHYTOSPHINGOSINE | 0.5 mg in 1 mL | | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| WATER (UNII: 059QF0KO0R) | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | |
| LACTIC ACID (UNII: 33X04XA5AT) | | | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | | | |
| METHYLISOTHIAZOLINONE (UNII: 229 D0 E1QFA) | | | |

| P | ackaging | | | |
|---|------------------|-----------------------------|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:14043-014-07 | 200 mL in 1 BOTTLE, PLASTIC | | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved drug other | | 0 4/0 1/20 17 | | |
| | | | | |

Labeler - Patterson Veterinary (006962500)

Registrant - Ceva Sante Animale (261126049)

Revised: 3/2017 Patterson Veterinary