

**HONGO KILLER- undecylenic acid liquid**  
**Efficient Laboratories Inc**

-----  
**Drug Facts**

**Active Ingredient**

**Purpose**

Undecylenic Acid 25% w/v ..... Antifungal

**Purpose**

Antifungal

**Warnings**

**For external use only**

**Flammable:** Keep away from fire or flame.

**When using this product:** avoid with eyes or mucous membrane.

**Stop use and ask a doctor if:**

- irritation occurs
- there is no improvement within 4 weeks

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding,** consult a health care professional before using this product.

**Directions**

Clean the affected area and dry thoroughly.

- Apply a thin layer of Hongo Killer Antifungal Solution over affected area twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product.
- For athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

Uses

For the cure of most:

- athlete's foot (tinea pedis)
- ringworm (tinea corporis)

For the relief of:

- itching
- burning
- scaling
- cracking

- soreness
- irritation

## Questions or comments?

305-805-3456 (M-F 9:00 am-5:00 pm EST) [www.efficientlabs.com](http://www.efficientlabs.com)

## Inactive ingredients

aloe, fragrance, hypromelloses, isopropyl alcohol, tocopherol acetate (Vitamin E), water

Undecylenic Acid 25%

**Antifungal Solution**



EFFICIENT

**Hongo Killer**

EFFICIENT

**Solución Antifungal**

**MAXIMA POTENCIA SIN RECETA**

25% Acido Undecilenico  
Use **Hongo Killer**  
PARA PROTEGER SUS PIES



**DETIENE LA INFECCION DE LOS HONGOS EN LA PIEL ALREDEDOR Y JUNTO A LAS UÑAS**

**Hongo Killer® Solución Antifungal** Para la cura de infección de hongos alrededor, adyacente, y/o debajo de las uñas e incluso cuando se quiebra, se abren brechas, se agrietan o si comienza a separarse del lecho de la uña exponiéndose al hongo subyacente.

**Peso Neto: 1 Oz. Fl. (30 mL)**

Incluye los Datos Farmacológicos en Español adentro.

**Drug Facts**

**Active ingredient Purpose**  
Undecylenic Acid 25% w/v... Antifungal

**Uses** For the cure of most:  
 ■ athlete's foot (tinea pedis)  
 ■ ringworm (tinea corporis)  
 For the relief of:  
 ■ itching ■ burning ■ scaling  
 ■ cracking ■ soreness ■ irritation

**Warnings**  
**For external use only.**  
**Flammable:** Keep away from fire and flame.  
**When using this product:** ■ avoid contact with eyes or mucous membrane

**Stop use and consult a doctor if:**  
 ■ irritation occurs ■ there is no improvement within 4 weeks

**Do not use** ■ on children under 2 years of age unless directed by a doctor

If pregnant or breast-feeding, consult a health care professional before using the product. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean the affected area and dry thoroughly ▶

**MAXIMUM STRENGTH WITHOUT A PRESCRIPTION**

25% Undecylenic Acid  
Use **Hongo Killer**  
TO PROTECT YOUR FEET



**STOPS FUNGAL INFECTION ON SKIN AROUND & ADJACENT TO NAILS**

**Hongo Killer® Antifungal Solution** For the cure of fungus infection around, adjacent to and under nails where nail surfaces are breached, cracked or if it starts to separate from the nail bed exposing it to the underlying fungus.

**Net Weight: 1 Fl. Oz. (30 mL)**

**Drug Facts**  
(continued)

■ apply a thin layer of **Hongo Killer® Antifungal Solution** over affected area twice daily (morning and night) or as directed by a doctor ■ supervise children in the use of this product ■ for athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily ■ for athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor ■ this product is not effective on the scalp or nails

**Other information**  
 ■ store between: 15°-30° C (59°-86° F)  
 ■ protect from freezing, if freezing occurs, warm to room temperature

**TAMPER EVIDENT FEATURE:** Do not accept if safety seal is broken or missing

**Inactive ingredients**  
 aloe, fragrance, hypromelloses, isopropyl alcohol, tocopherol acetate (vitamin E), water

**Questions or Comments?**  
 (305) 805-3456 Monday-Friday (9 am - 5 pm EST).  
[www.efficientlabs.com](http://www.efficientlabs.com)

To restore the color of your nails use **Hongo Killer® Nail Formula**. **Hongo Killer®** is available in: Spray, Cream, Spray Powder, Powder and Nail Formula.

Distributed by:  
**Efficient Laboratories, Inc.**  
 Miami, FL 33166  
[www.efficientlabs.com](http://www.efficientlabs.com)



0 00856 100825 0

Rev: 6/19

**HONGO KILLER**  
undecylenic acid liquid

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58593-826 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>    |
|---|--------------------------|--------------------|
| <b>UNDECYLENIC ACID</b> (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N) | UNDECYLENIC ACID         | 25 mg<br>in 100 mL |

**Inactive Ingredients**

| <b>Ingredient Name</b>                                  | <b>Strength</b> |
|---|-----------------|
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)                |                 |
| <b>HYPROMELLOSE 2208 (100 MPA.S)</b> (UNII: B1QE5P712K) |                 |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)             |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                         |                 |
| <b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)            |                 |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>  | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|---|-----------------------------|---------------------------|
| 1        | NDC:58593-826-01 | 30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product | 07/01/2012                  |                           |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M005  | 07/01/2012                  |                           |

**Labeler** - Efficient Laboratories Inc (969044932)

Revised: 10/2024

Efficient Laboratories Inc