

**MAX TUSSIN COUGH AND CHEST CONGESTION DM SUGAR FREE-
dextromethorphan hbr, guaifenesin liquid
Akron Pharma Inc.**

**MAX Tussin Cough and Chest Congestion DM Sugar Free
Guaifenesin 200mg and Dextromethorphan Hbr 20mg per 10ml
Cherry Flavor
Alcohol-Free**

Active ingredients (in each 10 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

If pregnant or breast-feeding,

ask a health professional before use.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- Phenylketonurics: contains Phenylalanine 30 mg per 10 mL
- store between 20-25°C(68-77°F). Do not refrigerate

Inactive ingredients

anhydrous citric acid, flavor cherry, glycerin, menthol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sodium citrate, sucralose.

Questions or comments?

toll-free 1-877-225-6999

Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com

NDC 71399-0026-4

MAXTussin™

COUGH & CHEST CONGESTION DM

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

SUGAR-FREE

Congestion

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma

4 FL OZ. (118 mL)



Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Cough suppressant
Guaifenesin, USP 200 mg Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. **Ask a doctor before use if you have** ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema. **Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains: Sodium 11.2mg.

■ store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sodium citrate, sucralose.

Questions or comments? toll-free 1-877-225-6999

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough+ Chest Congestion DM

Tamper Evident: Do Not Use if Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Akron Pharma

Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com

REV/06/25



LOT No.:
EXPDate:

N 3 71399-00264 8

Size : 50x130x50mm Lock Bottom

NDC 71399-0026-4

MAXTussin™

COUGH & CHEST CONGESTION DM

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

SUGAR-FREE

Congestion

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma

4 FL OZ. (118 mL)



Drug Facts

Active ingredients (in each 10 mL) **Purposes**
Dextromethorphan HBr, USP 20 mg Cough suppressant
Guaifenesin, USP 200 mg Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

NDC 71399-0026-4

MAXTussin™

COUGH & CHEST CONGESTION DM

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

SUGAR-FREE

Congestion

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma

4 FL OZ. (118 mL)



Drug Facts (Continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains: Sodium 11.2mg.

■ store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sodium citrate, sucralose.

Questions or comments? toll-free 1-877-225-6999

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough+ Chest Congestion DM

Tamper Evident: Do Not Use if Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Akron Pharma
Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com

REV/06/25



N 3 71399-00264 8

NDC 71399-0026-8

MAX Tussin™ COUGH & CHEST CONGESTION DM

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

SUGAR-FREE

Congestion

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma



8 FL OZ (236 mL)

Drug Facts

Active ingredients (in each 10 mL)	Purposes
Dextromethorphan HBr, USP 20 mg	Cough suppressant
Guaifenesin, USP 200 mg	Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be a signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (Continued)

If pregnant or breast-feeding, ask a health professional before use.

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains: Sodium 11.2mg. ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sodium citrate, sucralose.

Questions or comments? toll-free 1-877-225-6999

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

*This Product is not manufactured or distributed by Pfizer, distributor of Roblussin® Sugar-Free Cough+ Chest Congestion DM

Un Warnish Area

Akron Pharma

Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com

REV 06/25



N 3 71399 00268 6

Size : 58x163x58mm Lock Bottom

SUGAR-FREE

MAXTussin™
COUGH & CHEST CONGESTION DM
 Cough Suppressant (Dextromethorphan HBr)
 Expectorant (Guaifenesin)

NDC 71399-0026-8

MAXTussin™
COUGH & CHEST CONGESTION DM
 Cough Suppressant (Dextromethorphan HBr)
 Expectorant (Guaifenesin)

SUGAR-FREE

Congestion

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion



- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma 8 FL OZ . (236 mL)

Drug Facts

Active ingredients (in each 10 mL) **Purposes**
 Dextromethorphan HBr, USP 20 mg Cough suppressant
 Guaifenesin, USP 200 mg Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings
Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

NDC 71399-0026-8

MAXTussin™
COUGH & CHEST CONGESTION DM
 Cough Suppressant (Dextromethorphan HBr)
 Expectorant (Guaifenesin)

SUGAR-FREE

Congestion

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion



- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma 8 FL OZ . (236 mL)

Drug Facts (Continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains: Sodium 11.2mg. ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sodium citrate, sucralose.

Questions or comments? 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough + Chest Congestion DM

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Akron Pharma
 Manufactured for:
 Akron Pharma, Inc.
 Fairfield, NJ 07004
 www.akronpharma.com



N 3 71399 00268 6

NDC 71399-0026-6

MAXTussin™

COUGH & CHEST CONGESTION DM

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

SUGAR-FREE

Congestion

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+



16 FL OZ . (473 mL)

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg ... Cough suppressant
Guaifenesin, USP 200 mg Expectorant

Purposes

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (Continued)

Directions ■ do not take more than 6 doses in any 24-hour period ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains: Sodium 11.2mg.
■ store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sodium citrate, sucralose.

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough+ Chest Congestion DM

Tamper Evident: Do Not Use If foil seal over bottle opening is torn broken or missing.

Un Warnish Area



Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com



MAX TUSSIN COUGH AND CHEST CONGESTION DM SUGAR FREE

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-0026
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0026-4	1 in 1 PACKAGE	05/15/2023	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:71399-0026-8	1 in 1 PACKAGE	05/15/2023	
2		236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:71399-0026-6	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/15/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/15/2023	

Labeler - Akron Pharma Inc. (067878881)

Revised: 10/2025

Akron Pharma Inc.