

**XTREME STICK ANTI-PERSPIRANT AND DEODORANT- aluminum chlorohydrate cream
VOLUME DISTRIBUTORS**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**MARKS FOR MEN XTREME STICK INVISIBLE SOLID ANTI-PERSPIRANT AND
DEODORANT**

Active Ingredient:

Aluminum Chlorohydrate 20%

Antiperspirant

Use: Reduces underarm wetness and perspiration.

Warnings: for external use only.

Do not use on broken or irritated skin.

Stop use and ask a doctor if irritation or rash develops

Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center immediately

Directions: Remove cap. Turn dial to raise product. Apply evenly to underarms only. Replace cap after use.

Inactive Ingredients: Cetyl Alcohol, Talc Powder, Cyclopentasiloxane, Isododecane, Stearic Acid, Isopropyl Myristate, Fragrance, Butylated Hydroxytoluene

Marx for Men

Invisible Solid

Xtreme Stick

Anti-perspirant and deodorant

24 hours protection

Invisible

Net Wt/ 2oz (57g)

Distributed by Marx for Men products

Vernon, CA 90058

Made in China

MARXTM
FOR MEN

Invisible Solid
Xtreme
Stick

Anti-Perspirant &
deodorant

**Desodorante con
Antitranspirante**

24 HOURS PROTECTION
PROTEGE LAS 24 HORAS

INVISIBLE

NET WT/CONTENIDO NETO. 2 OZ (57g)

| | |
|---|----------------------------------|
| Active Ingredient: Aluminum Chlorohydrates 20%..... | Purpose Antiperspirant |
| USE: • Reduces underarm wetness and perspiration. | |
| Warnings: For external use only. Do not use on broken or irritated skin. Stop use and ask a doctor if irritation or rash develops. | |
| Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center immediately. | |
| Directions: Remove cap. Turn dial to raise product. Apply evenly to underarms only. Replace cap after use. | |
| Inactive Ingredients: Cetyl Alcohol, Talc Powder, Cyclopentasiloxane, Isododecane, Stearic Acid, Isopropyl Myristate, Fragrance, Butylated Hydroxytoluene. | |

| | |
|--|--------------------------------|
| Ingrediente Activo: Aluminio Clorohidratado 20%..... | Uso antitranspirante |
| USO: • Reducir el sudor de sus axilas | |
| Advertencia: para uso externo solamente. | |
| Precaucion: No aplique sobre piel cortada. Si ocurre algun tipo de irritacion, pare de usar este producto. Mantengase fuera del alcance de niños. En caso de ingerir acuda atencion medica. | |
| Direcciones: Remueva la tapa, de vuelta a la rueda para sacar la barra de desodorante. Aplique a como sea necesario en sus axilas. Tape cuando termine de usar. | |
| Ingrediente Inactivo: Alcohol Cetil, Talco En Polvo, Ciclopentasiloxan, Isododecan, Acido Estearico, Isopropil Miristate, Fragancia, Butitate Hidroxitoluvene. | |

ITEM/MODELO NO: CHN-8489



DISTRIBUTED BY/DISTRIBUIDO POR:
MARX FOR MEN PRODUCTS
VERNON, CA 90058
MADE IN CHINA/HECHO EN CHINA

XTREME STICK ANTI-PERSPIRANT AND DEODORANT

aluminum chlorohydrate cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:50523-489

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|------------------------|---------------|
| ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZW13M) | ALUMINUM CHLOROHYDRATE | 20 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| TALC (UNII: 7SEV7J4R1U) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PC10R) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:50523-489-57 | 57 g in 1 CONTAINER | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part350 | 01/07/2011 | |

Labeler - VOLUME DISTRIBUTORS (002029544)

Revised: 8/2014

VOLUME DISTRIBUTORS