

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM FAIR- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM LIGHT- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM MED- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM MED/DEEP- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM PORCELAIN- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM GOLDEN LIGHT- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM GOLDEN MEDIUM- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM GOLDEN ALMOND- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM DEEP ALMOND- octinoxate, octisalate, oxybenzone, and titanium dioxide cream
Bluemercury

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

COVER plus CORRECT/TINTED MOISTURIZER

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Octinoxate 7.5%	sunscreen
Octisalate 5%	sunscreen
Oxybenzone 3%	sunscreen
Titanium Dioxide 6.74%	sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water (Aqua), Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, Glycerin, C20-40 Pareth-3, Caprylyl Methicone, Steareth-21, Glycereth-26, Dipropylene Glycol, PEG-8 Dimethicone, Silica, Tocopheryl Acetate, Sodium Hyaluronate, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Dimethicone, Phenoxyethanol, Potassium Cetyl Phosphate, Stearyl Alcohol, Trimethylsiloxysilicate, Caprylyl Glycol, Mica, PEG-32, Polypropylsilsesquioxane, VP/Eicosene Copolymer, Polyethylene, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydrolyzed Wheat Protein/PVP Crosspolymer, Sorbitol, Decylene Glycol, Isohexadecane, Steareth-21, Cellulose Gum, Allantoin, Dipotassium Glycyrrhizate, Disodium EDTA, Polysorbate 60, Adenosine, Aminomethyl Propanol, Aminoethylphosphinic Acid, Hippophae Rhamnoides oil, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Ethylhexylglycerin, Lecithin, Ammonium Polyacrylate, Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499), Titanium Dioxide (CI 77891)

Other Information

- Protect the product in this container from excessive heat and direct sun.

PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM FAIR

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/

tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
FAIR

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%sunscreen
Octisalate 5%sunscreen
Oxybenzone 3%sunscreen
Titanium Dioxide 6.6%sunscreen

Uses

- Helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water, Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Glycerin, Steareth-21, Glycereth-26, Silica, Dipropylene Glycol, PEG-8 Dimethicone, Tocopheryl Acetate, Tocopherol, Sodium Hyaluronate, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Hippophae Rhamnoides Oil, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Aminoethylphosphinic Acid, Stearyl Alcohol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Caprylyl Glycol, Lecithin, Trimethylsiloxysilicate, Dipotassium Glycyrrhizate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, PEG-32, Polypropylsilsesquioxane, VP/Eicosene Copolymer, Dimethicone, Sorbitol, Decylene Glycol, Isohexadecane, Polysorbate 60, Steareth-2, Cellulose Gum, Allantoin, Disodium EDTA, Adenosine, Aminomethyl Propanol, Ammonium Polyacrylate, Sodium Benzoate, Mica, Potassium Cetyl Phosphate, Phenoxyethanol | May Contain Titanium Dioxide, Iron Oxides

Other Information

- Protect the product in this container from excessive heat and direct sun.


Marla and Barry Beck, *Founders*

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com
MADE IN U.S.A.

CC

Never underestimate the value of a 10 minute walk!

- MARLA

lune+aster[®]
COVER + CORRECT / TINTED MOISTURIZER BROAD SPECTRUM SUNSCREEN SPF 50+/PA+++
Breathable CC cream/ tinted moisturizer protects and evens skin tone with vitamin E, hyaluronic acid and seabuckthorn
protect+go

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

○ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 oz





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM LIGHT

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING

PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
LIGHT

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%sunscreen
Octisalate 5%sunscreen
Oxybenzone 3%sunscreen
Titanium Dioxide 6.6%sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water, Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Glycerin, Steareth-21, Glycereth-26, Silica, Dipropylene Glycol, PEG-8 Dimethicone, Tocopheryl Acetate, Tocopherol, Sodium Hyaluronate, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Hippophae Rhamnoides Oil, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Aminoethylphosphinic Acid, Stearyl Alcohol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Caprylyl Glycol, Lecithin, Trimethylsiloxysilicate, Dipotassium Glycyrrhizate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, PEG-32, Polypropylsilsesquioxane, VP/Eicosene Copolymer, Dimethicone, Sorbitol, Decylene Glycol, Isohexadecane, Polysorbate 60, Steareth-2, Cellulose Gum, Allantoin, Disodium EDTA, Adenosine, Aminomethyl Propanol, Ammonium Polyacrylate, Sodium Benzoate, Mica, Potassium Cetyl Phosphate, Phenoxethanol | May Contain Titanium Dioxide, Iron Oxides

Other Information

- Protect the product in this container from excessive heat and direct sun.

Marla and Barry Beck
Marla and Barry Beck, *Founders*

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.

CC

Never underestimate the value of a 10 minute walk!

- MARLA

lune+aster[®]
COVER + CORRECT / TINTED MOISTURIZER BROAD SPECTRUM SUNSCREEN SPF 50+/PA+++
Breathable CC cream/ tinted moisturizer protects and evens skin tone with vitamin E, hyaluronic acid and seabuckthorn

protect+go

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

○ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM MED

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING

PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
MEDIUM

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%sunscreen
Octisalate 5%sunscreen
Oxybenzone 3%sunscreen
Titanium Dioxide 6.6%sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water, Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Glycerin, Steareth-21, Glycereth-26, Silica, Dipropylene Glycol, PEG-8 Dimethicone, Tocopheryl Acetate, Tocopherol, Sodium Hyaluronate, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Hippophae Rhamnoides Oil, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Aminoethylphosphinic Acid, Stearyl Alcohol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Caprylyl Glycol, Lecithin, Trimethylsiloxysilicate, Dipotassium Glycyrrhizate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, PEG-32, Polypropylsilsesquioxane, VP/Eicosene Copolymer, Dimethicone, Sorbitol, Decylene Glycol, Isohexadecane, Polysorbate 60, Steareth-2, Cellulose Gum, Allantoin, Disodium EDTA, Adenosine, Aminomethyl Propanol, Ammonium Polyacrylate, Sodium Benzoate, Mica, Potassium Cetyl Phosphate, Phenoxyethanol | May Contain Titanium Dioxide, Iron Oxides

Other Information

- Protect the product in this container from excessive heat and direct sun.


Marla and Barry Beck, *Founders*

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.

CC

Never underestimate the value of a 10 minute walk!

- MARLA

lune+aster[®]
COVER + CORRECT / TINTED MOISTURIZER BROAD SPECTRUM SUNSCREEN SPF 50+/PA+++
Breathable CC cream/ tinted moisturizer protects and evens skin tone with vitamin E, hyaluronic acid and seabuckthorn
protect+go

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

○ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM MED/DEEP

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING

PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
MEDIUM/DEEP

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%sunscreen
Octisalate 5%sunscreen
Oxybenzone 3%sunscreen
Titanium Dioxide 6.6%sunscreen

Uses

- Helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water, Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Glycerin, Steareth-21, Glycereth-26, Silica, Dipropylene Glycol, PEG-8 Dimethicone, Tocopheryl Acetate, Tocopherol, Sodium Hyaluronate, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Hippophae Rhamnoides Oil, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Aminoethylphosphinic Acid, Stearyl Alcohol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Caprylyl Glycol, Lecithin, Trimethylsiloxysilicate, Dipotassium Glycyrrhizate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, PEG-32, Polypropylsilsesquioxane, VP/Eicosene Copolymer, Dimethicone, Sorbitol, Decylene Glycol, Isohexadecane, Polysorbate 60, Steareth-2, Cellulose Gum, Allantoin, Disodium EDTA, Adenosine, Aminomethyl Propanol, Ammonium Polyacrylate, Sodium Benzoate, Mica, Potassium Cetyl Phosphate, Phenoxethanol | May Contain Titanium Dioxide, Iron Oxides

Other Information

- Protect the product in this container from excessive heat and direct sun.

Marla and Barry Beck
Marla and Barry Beck, Founders

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.

CC

Never underestimate the value of a 10 minute walk!

- MARLA

lune+aster[®]
COVER + CORRECT / TINTED MOISTURIZER BROAD SPECTRUM SUNSCREEN SPF 50+/PA+++
protect+go

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

○ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM PORCELAIN

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING

PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
PORCELAIN

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%	sunscreen
Octisalate 5%	sunscreen
Oxybenzone 3%	sunscreen
Titanium Dioxide 6.74%	sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water (Aqua), Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Steareth-21, Glycereth-26, Glycerin, Dipropylene Glycol, Silica, PEG-8 Dimethicone, Tocopheryl Acetate, Sodium Hyaluronate, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Dimethicone, Phenoxyethanol, Potassium Cetyl Phosphate, Stearyl Alcohol, Trimethylsiloxysilicate, Caprylyl Glycol, Mica, VP/Eicosene Copolymer, Polypropylsilsesquioxane, PEG-32, Polyethylene, Sorbitol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Decylene Glycol, Steareth-21, Isohexadecane, Cellulose Gum, Allantoin, Dipotassium Glycyrrhizate, Disodium EDTA, Polysorbate 60, Adenosine, Aminoethylphosphonic Acid, Hippophae Rhamnoides oil, Aminomethyl Propanol, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Ethylhexylglycerin, Ammonium Polyacrylate, Lecithin, Titanium Dioxide, Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.


Marla and Barry Beck, Founders

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.



CC

Never underestimate the value of a 10 minute walk!

- MARLA

lune+aster[®] COVER + CORRECT / TINTED MOISTURIZER BROAD SPECTRUM SUNSCREEN SPF 50+/PA+++

Breathable CC cream/ tinted moisturizer protects and evens skin tone with vitamin E, hyaluronic acid and seabuckthorn

protect+go

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

● medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM GOLDEN LIGHT

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/

tinted moisturizer

protects and evens skin

tone with vitamin E,

hyaluronic acid and

seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING

PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
GOLDEN LIGHT

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%sunscreen
Octisalate 5%sunscreen
Oxybenzone 3%sunscreen
Titanium Dioxide 6.74%sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water (Aqua), Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Steareth-21, Glycereth-26, Glycerin, Dipropylene Glycol, Silica, PEG-8 Dimethicone, Tocopheryl Acetate, Sodium Hyaluronate, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Dimethicone, Phenoxyethanol, Potassium Cetyl Phosphate, Stearyl Alcohol, Trimethylsiloxysilicate, Caprylyl Glycol, Mica, VP/Eicosene Copolymer, Polypropylsilsesquioxane, PEG-32, Polyethylene, Sorbitol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Decylene Glycol, Steareth-21, Isohexadecane, Cellulose Gum, Allantoin, Dipotassium Glycyrrhizate, Disodium EDTA, Polysorbate 60, Adenosine, Aminoethylphosphinic Acid, Hippophae Rhamnoides oil, Aminomethyl Propanol, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Ethylhexylglycerin, Ammonium Polyacrylate, Lecithin, Titanium Dioxide, Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Marla Beck
Marla and Barry Beck, Founders

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.



CC

lune+aster[®]
COVER +
CORRECT
/TINTED
MOISTURIZER
BROAD SPECTRUM
SUNSCREEN
SPF 50+/PA+++
Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn
protect+go

Never underestimate the value of a 10 minute walk!

- MARLA

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

○ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM GOLDEN MEDIUM

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING

PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
GOLDEN MEDIUM

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5% sunscreen
Octisalate 5% sunscreen
Oxybenzone 3% sunscreen
Titanium Dioxide 6.74% sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water (Aqua), Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Steareth-21, Glyceth-26, Glycerin, Dipropylene Glycol, Silica, PEG-8 Dimethicone, Tocopheryl Acetate, Sodium Hyaluronate, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Dimethicone, Phenoxyethanol, Potassium Cetyl Phosphate, Stearyl Alcohol, Trimethylsiloxyethylsilicate, Caprylyl Glycol, Mica, VP/Eicosene Copolymer, Polypropylsilsesquioxane, PEG-32, Polyethylene, Sorbitol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Decylene Glycol, Steareth-21, Isohexadecane, Cellulose Gum, Allantoin, Dipotassium Glycyrrhizate, Disodium EDTA, Polysorbate 60, Adenosine, Aminoethylphosphonic Acid, Hippophae Rhamnoides oil, Aminoethyl Propanol, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Ethylhexylglycerin, Ammonium Polyacrylate, Lecithin, Titanium Dioxide, Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.


Marla and Barry Beck, Founders

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.



CC

Never underestimate the value of a 10 minute walk!

— MARLA

lune+aster[®]
COVER + CORRECT / TINTED MOISTURIZER
BROAD SPECTRUM SUNSCREEN
SPF 50+ / PA+++
Breathable CC cream / tinted moisturizer protects and evens skin tone with vitamin E, hyaluronic acid and seabuckthorn

protect+go

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

☉ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM GOLDEN ALMOND

CC

lune+aster®

COVER +

CORRECT

/TINTED

MOISTURIZER

BROAD SPECTRUM

SUNSCREEN

SPF 50+/PA+++

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING

PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
GOLDEN ALMOND

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5% sunscreen
Octisalate 5% sunscreen
Oxybenzone 3% sunscreen
Titanium Dioxide 6.74% sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water (Aqua), Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, C20-40 Pareth-3, Caprylyl Methicone, Steareth-21, Glycerin, Glycereth-26, Dipropylene Glycol, Silica, PEG-8 Dimethicone, Tocopheryl Acetate, Sodium Hyaluronate, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Dimethicone, Phenoxyethanol, Potassium Cetyl Phosphate, Stearyl Alcohol, Trimethylsiloxysilicate, Caprylyl Glycol, Mica, PEG-32, Polypropylsilsesquioxane, VP/Eicosene Copolymer, Polyethylene, Hydrolyzed Wheat Protein/PVP Crosspolymer, Sorbitol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Decylene Glycol, Isohexadecane, Steareth-21, Cellulose Gum, Allantoin, Dipotassium Glycyrrhizate, Disodium EDTA, Polysorbate 60, Adenosine, Aminoethylphosphinic Acid, Hippophae Rhamnoides Oil, Aminomethyl Propanol, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Ethylhexylglycerin, Ammonium Polyacrylate, Lecithin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.


Marla and Barry Beck, Founders

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.



Never underestimate the value of a 10 minute walk!

- MARLA

CC
lune+aster[®]
COVER + CORRECT / TINTED MOISTURIZER BROAD SPECTRUM SUNSCREEN SPF 50+/PA+++
Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

○ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ





PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CC CRM DEEP ALMOND

CC

lune+aster®
COVER +
CORRECT
/TINTED
MOISTURIZER
BROAD SPECTRUM
SUNSCREEN
SPF 50+/PA+++

Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn

protect+go

medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ

CC CREAM
DEEP ALMOND

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%sunscreen
Octisalate 5%sunscreen
Oxybenzone 3%sunscreen
Titanium Dioxide 6.74%sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am - 2pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water (Aqua), Phenyl Trimethicone, Neopentyl Glycol Dicaprate, Butylene Glycol, Glycerin, C20-40 Pareth-3, Caprylyl Methicone, Steareth-21, Glycereth-26, Dipropylene Glycol, PEG-8 Dimethicone, Silica, Tocopheryl Acetate, Sodium Hyaluronate, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Dimethicone, Phenoxyethanol, Potassium Cetyl Phosphate, Stearyl Alcohol, Trimethylsiloxysilicate, Caprylyl Glycol, Mica, PEG-32, Polypropylsilsesquioxane, VP/Eicosene Copolymer, Polyethylene, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydrolyzed Wheat Protein/PVP Crosspolymer, Sorbitol, Decylene Glycol, Isohexadecane, Steareth-21, Cellulose Gum, Allantoin, Dipotassium Glycyrrhizate, Disodium EDTA, Polysorbate 60, Adenosine, Aminomethyl Propanol, Aminoethylphosphinic Acid, Hippophae Rhamnoides oil, Palmaria Palmata Extract, Cichorium Intybus (Chicory) Root Extract, Ethylhexylglycerin, Lecithin, Ammonium Polyacrylate, Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499), Titanium Dioxide (CI 77891)

Other Information

- Protect the product in this container from excessive heat and direct sun.


Marla and Barry Beck, Founders

LUNE+ASTER BEAUTY, Dist.
1010 Wisconsin Ave., Suite 700
Washington, DC 20007
800-914-6000 | luneandaster.com

MADE IN U.S.A.



Never underestimate the value of a 10 minute walk!

- MARLA

CC
lune+aster[®] COVER + CORRECT / TINTED MOISTURIZER BROAD SPECTRUM SUNSCREEN SPF 50+/PA+++
Breathable CC cream/
tinted moisturizer
protects and evens skin
tone with vitamin E,
hyaluronic acid and
seabuckthorn
protect+go

This medium coverage breathable moisturizing tint covers imperfections and evens skin tone. SPF 50 protects from UVA and UVB rays while vitamin E, hyaluronic acid and seabuckthorn hydrate and moisturize.

DIRECTIONS
Smooth on with fingertips after moisturizer and/or primer.

CAUTION
Avoid eyes and eye area.

○ medium coverage | normal to dry skin

DERMATOLOGIST TESTED | NO ANIMAL TESTING
PARABEN & PHTHALATE FREE

50 g e 1.7 OZ



COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM FAIR

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprato (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y10)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
High Density Polyethylene (UNII: UG00KM4WR7)	

Sorbitol (UNII: 506T60A25R)
Decylene Glycol (UNII: S57M60MI88)
Isohexadecane (UNII: 918X1OUF1E)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
Allantoin (UNII: 344S277G0Z)
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
Polysorbate 60 (UNII: CAL22UVI4M)
Adenosine (UNII: K72T3FS567)
Aminomethylpropanol (UNII: LU49E6626Q)
Aminoethylphosphinic Acid (UNII: G4888SY0QO)
Ethylhexylglycerin (UNII: 147D247K3P)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferrosoferric Oxide (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-005-01	1 in 1 CARTON	08/20/2015	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM LIGHT

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y10)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Sorbitol (UNII: 506T60A25R)	
Decylene Glycol (UNII: S57M60M88)	
Isohexadecane (UNII: 918X1OUF1E)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
Allantoin (UNII: 344S277G0Z)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Adenosine (UNII: K72T3FS567)	
Aminomethylpropanol (UNII: LU49E6626Q)	
Aminoethylphosphinic Acid (UNII: G4888SY0QO)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Ferrosoferric Oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-006-01	1 in 1 CARTON	08/20/2015	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM MED

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y1O)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Sorbitol (UNII: 506T60A25R)	

Decylene Glycol (UNII: S57M60M88)
Isohexadecane (UNII: 918X1OUF1E)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
Allantoin (UNII: 344S277G0Z)
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
Polysorbate 60 (UNII: CAL22UVI4M)
Adenosine (UNII: K72T3FS567)
Aminomethylpropanol (UNII: LU49E6626Q)
Aminoethylphosphinic Acid (UNII: G4888SY0QO)
Ethylhexylglycerin (UNII: 147D247K3P)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferrosoferric Oxide (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-007-01	1 in 1 CARTON	08/20/2015	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM MED/DEEP

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y1O)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Sorbitol (UNII: 506T60A25R)	
Decylene Glycol (UNII: S57M60MI88)	
Isohexadecane (UNII: 918X1OUF1E)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
Allantoin (UNII: 344S277G0Z)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Adenosine (UNII: K72T3FS567)	
Aminomethylpropanol (UNII: LU49E6626Q)	
Aminoethylphosphinic Acid (UNII: G4888SY0QO)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Ferrosoferric Oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-008-01	1 in 1 CARTON	08/20/2015	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM PORCELAIN

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y1O)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Sorbitol (UNII: 506T60A25R)	

Decylene Glycol (UNII: S57M60MI88)
Isohexadecane (UNII: 918X1OUF1E)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
Allantoin (UNII: 344S277G0Z)
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
Polysorbate 60 (UNII: CAL22UVI4M)
Adenosine (UNII: K72T3FS567)
Aminomethylpropanol (UNII: LU49E6626Q)
Aminoethylphosphinic Acid (UNII: G4888SY0QO)
Ethylhexylglycerin (UNII: 147D247K3P)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferrosoferric Oxide (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-009-01	1 in 1 CARTON	08/20/2015	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM GOLDEN LIGHT

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y1O)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Sorbitol (UNII: 506T60A25R)	
Decylene Glycol (UNII: S57M60MI88)	
Isohexadecane (UNII: 918X1OUF1E)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
Allantoin (UNII: 344S277G0Z)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Adenosine (UNII: K72T3FS567)	
Aminomethylpropanol (UNII: LU49E6626Q)	
Aminoethylphosphinic Acid (UNII: G4888SY0QO)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Ferrosoferric Oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-010-01	1 in 1 CARTON	08/20/2015	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM GOLDEN MEDIUM

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y10)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	

High Density Polyethylene (UNII: UG00KM4WR7)
Sorbitol (UNII: 506T60A25R)
Decylene Glycol (UNII: S57M60MI88)
Isohexadecane (UNII: 918X1OUF1E)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
Allantoin (UNII: 344S277G0Z)
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
Polysorbate 60 (UNII: CAL22UVI4M)
Adenosine (UNII: K72T3FS567)
Aminomethylpropanol (UNII: LU49E6626Q)
Aminoethylphosphinic Acid (UNII: G4888SY0QO)
Ethylhexylglycerin (UNII: 147D247K3P)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferrosoferric Oxide (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-011-01	1 in 1 CARTON	08/20/2015	07/01/2020
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	07/01/2020

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM GOLDEN ALMOND

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g

Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g
---	------------------	----------------

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y10)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Mica (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Sorbitol (UNII: 506T60A25R)	
Decylene Glycol (UNII: S57M60MI88)	
Isohexadecane (UNII: 918X1OUF1E)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
Allantoin (UNII: 344S277G0Z)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Adenosine (UNII: K72T3FS567)	
Aminomethylpropanol (UNII: LU49E6626Q)	
Aminoethylphosphinic Acid (UNII: G4888SY0QO)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Ferrosoferric Oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-012-01	1 in 1 CARTON	08/20/2015	07/01/2020
1		50 g in 1 TUBE; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	07/01/2020

COVER PLUS CORRECT/TINTED MOISTURIZER CC CRM DEEP ALMOND

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72203-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	30 mg in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	67.4 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Dicaprate (UNII: 77T908SE82)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
C20-40 Pareth-3 (UNII: 68103A23TQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Steareth-21 (UNII: 53J3F32P58)	
Glycereth-26 (UNII: NNE56F2N14)	
Dipropylene Glycol (UNII: E107L85C40)	
PEG-8 Dimethicone (UNII: GIA7T764OD)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Bitter Orange Oil (UNII: 9TLV70SV6I)	
Dimethicone (UNII: 92RU3N3Y10)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Stearyl Alcohol (UNII: 2KR89I4H1Y)	
Caprylyl Glycol (UNII: 00YIU5438U)	

Mica (UNII: V8A1AW0880)
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)
High Density Polyethylene (UNII: UG00KM4WR7)
Sorbitol (UNII: 506T60A25R)
Decylene Glycol (UNII: S57M60MI88)
Isohexadecane (UNII: 918X1OUF1E)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
Allantoin (UNII: 344S277G0Z)
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
Polysorbate 60 (UNII: CAL22UUI4M)
Adenosine (UNII: K72T3FS567)
Aminomethylpropanol (UNII: LU49E6626Q)
Aminoethylphosphinic Acid (UNII: G4888SY0QO)
Ethylhexylglycerin (UNII: 147D247K3P)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferrosoferric Oxide (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72203-013-01	1 in 1 CARTON	08/20/2015	07/01/2020
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/20/2015	07/01/2020

Labeler - Bluemercury (097435361)

Revised: 7/2023

Bluemercury