# PRECAINE B CHOCOLATE MINT- benzocaine topical anesthetic gel Pas cal Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### **Precaine B Chocolate Mint**

### **Directions:**

Application Directions:

For topical use only

For best results apply to previously dried oral mucosa with cotton swab or similar applicator for adequate control of pain

Removal of excess saliva during application minimizes dilution of the anesthetic and permits maximum penetration

Not more than 1.2 mg per Kg body weight per patient should be applied during a 24 hour period

### Warnings

Warning:

Recommended dosage should not be exceeded due to possible side effects.

Keep out of the reach of children.

For professional use only.

Do not use in the eye.

Avoid swallowing.

Not for home or unsupervised consumer use.

Not for use on children 2 and younger or pregnant or nursing women.

### **Contraindications**

Precaine B is contraindicated in patients with known hypersensitivity to benzocaine or PABA

### Other Information:

For product SDS information, please go to www.pascaldental.com or contact Pascal directly.

Store product between 60 degrees F (16 degrees C) and 86 degrees F (30 degrees C).

Rx only is USA

Made in USA

### Precaine B

### **Application Directions:**

- For topical use only.
- For best results apply to previously dried oral mucosa with cotton swab or similar
- applicator, for adequate control of pain.

   Removal of excess saliva during application minimizes dilution of the anesthetic and permits maximum penetration.
- Not more than 1.2mg per Kg body weight per patient should be applied during a 24-hour period.



Warnings:
Recommended dosage should not be exceeded due top osables die effects. Keep out of the reach of children. For professional use only. Do not use in the eyes. Avoid swallowing. Not for home or unsupervised consumer use. Not for use on children 2 and younger, or pregnant or nursing women.



Precaine-B is contraindicated in patients with known hypersensitivity to benzocaine or PABA.

For product SDS information please go to www.pascaldental.comor contact Pascal directly. Serf (15 °C)





Precaine B

Topical Anesthetic Gel for Oral Use

Chocolate Mint

Contains: Benzocaine 20% in a flavored aqueous base

Net Contents: 30g

Pascal International

2929 Northup Way

Bellevue, WA 98004

425-827-4694

REF 15-350

SN72507/0217

### PRECAINE B CHOCOLATE MINT

benzocaine topical anesthetic gel

D۲	ha	net	Info	rmat	ion
РΙ	w			пинан	w

Product Type		HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10866-0090
	Route of Administration	DENTAL		

## **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZO CAINE (UNII: U3RS Y48 JW5) (BENZO CAINE - UNII: U3RS Y48 JW5)	BENZOCAINE	221 mg in 1 g

### **Product Characteristics**

Color	green	Score		
Shape		Size		
Flavor	CHOCOLATE, MINT	Imprint Code		
Contains				

### **Packaging**

# Item Cod	e	Package Description		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1 NDC:10866-009	90-1 30	g in 1 JAR; Type 0: Not a Combinatio	n Product	08/16/2017	
Marketing Information					
Marketing Cate	gory A	Application Number or Monogra	ph Citation	Marketing Start Date	Marketing End Date
unapproved drug o	ther			08/16/2017	

## Labeler - Pascal Company, Inc. (009260217)

Establishment					
Name	Address	ID/FEI	Business Operations		
Pascal Company, Inc.		009260217	manufacture(10866-0090)		

Revised: 1/2020 Pascal Company, Inc.