TOPCARE ALLERGY RELIEF- loratadine capsule, liquid filled Topco Associates LLC

Topco Associates LLC. Allergy Relief Liquid-Gels Drug Facts

Active ingredient (in each capsule)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 6 years and over	1 capsule daily; not more than 1 capsule in 24
	hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- protect from freezing

Inactive ingredients

FD&C blue no.1, gelatin, glycerin, hydrolyzed collagen, hypromellose, isopropyl alcohol, mannitol, medium chain mono- & di-glycerides, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

TopCare® health COMPARE TO CLARITIN® LIQUI-GELS® ACTIVE INGREDIENT NON-DROWSY* ORIGINAL PRESCRIPTION STRENGTH Allergy Relief Liquid-Gels LORATADINE CAPSULES, 10 mg • ANTIHISTAMINE INDOOR & OUTDOOR ALLERGIES 24 HOUR RELIEF OF: • Sneezing • Runny Nose

- Itchy, Watery Eyes
- Itchy Throat or Nose

30 LIQUID-FILLED CAPSULES

*When taken as directed.

See Drug Facts Panel. actual size



	roduct Infor							
Ρ	roduct infor	mation						
Ρ	roduct Type		HUMAN OTC DRUG	ltem	Code (Source)	NDC:36	800-755	
R	oute of Admini	istration	ORAL					
Λ.	ctive Ingredi	ont/Activo	Moioty					
~	ctive ingredi				Decis of	Ctwoweth	Chuonath	
			dient Name (LORATADINE - UNII:7AJ		LORATADINE	Strength	Strengtl	
			(LORATADINE - UNII. 7A)	03807QN)	LONATADINE		TO HIG	
Ir	nactive Ingre	dients						
			Ingredient Nam	e		S	trength	
FC	D&C BLUE NO. 1	(UNII: H3R47K3	TBD)					
GI	ELATIN, UNSPEC	IFIED (UNII: 2G	86QN327L)					
GI	LYCERIN (UNII: PE	DC6A3C0OX)						
H١	YPROMELLOSE,	UNSPECIFIED	(UNII: 3NXW29V3WO)					
IS	OPROPYL ALCO	HOL (UNII: ND21	4416302)					
M	ANNITOL (UNII: 3	OWL53L36A)						
PF	ROPYLENE GLYC	OL (UNII: 6DC90	Q167V3)					
w	ATER (UNII: 059Q	F0KO0R)						
s	ORBITAN (UNII: 60	O92ICV9RU)						
SORBITOL (UNII: 506T60A25R)								
TI	TANIUM DIOXIDI	E (UNII: 15FIX9V	2JP)					
Ρ	roduct Chara	acteristics						
С	olor	BLUE (d	clear) Score			no scor	no score	
Shape OVAL		Size			10mm	10mm		
	avor			Imprint Code		446	446	
	ontains							
P	ackaging							
#		Package Description		n	Marketing Star Date		Marketing End Date	
1	NDC:36800-755- 39	30 in 1 CARTON			08/02/2020			
		1 in 1 BLISTER PACK; Type 0: Not a Combination Product						
1	NDC:36800-755-	10 in 1 CARTON			08/02/2020			
1 2	52							

Marketing I	arketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ANDA	ANDA202538	08/02/2020				

Labeler - Topco Associates LLC (006935977)

Revised: 2/2022

Topco Associates LLC