

BERKLEY AND JENSEN ANTI ITCH- hydrocortisone cream BJWC

BJWC Anti-Itch Cream Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **for itching of skin irritation, inflammation, and rashes:**
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- **for external anal and genital itching, adults:**
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

water, cetearyl alcohol, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, cetareth-20, diazolidinyl urea, sorbic acid, aloe barbadensis leaf juice, BHT, sodium hydroxide

Questions or comments?

1-800-BJS-CLUB

Principal Display Panel

Relieves Itch Fast

LASTS FOR HOURS

- PSORIASIS
- POISON IVY
- INSECT BITES

INFLAMMATION & REDNESS

SOOTHES ITCH, IRRITATION & RASHES

#1 DOCTOR RECOMMENDED Anti-Itch active ingredient

Calming Aloe Vera

2-2 OZ TUBES INSIDE

COMPARE TO THE ACTIVE INGREDIENT IN CORTIZONE•10®

berkly jensen®

MAXIMUM STRENGTH

ANTI-ITCH CREAM

1% HYDROCORTISONE

Two - 2 OZ Tubes

Total Net Wt 4 OZ (112g)

VALUE 2 PACK

Relieves Itch Fast

- PSORIASIS
- POISON IVY
- INSECT BITES

INFLAMMATION & REDNESS
SOOTHES ITCH, IRRITATION & RASHES

Calming Aloe Vera

LASTS FOR HOURS



2-2 OZ TUBES INSIDE

ANTI-ITCH CREAM FOR FAST COMFORT

Compare to the Active Ingredient
in Cortizone-10[®]**



MAXIMUM STRENGTH
ANTI-ITCH CREAM
1% HYDROCORTISONE

Two - 2 OZ Tubes
Total Net Wt 4 OZ (112 g)

Compare to the Active Ingredient
in Cortizone-10[®]**



MAXIMUM STRENGTH
ANTI-ITCH CREAM
1% HYDROCORTISONE

Two - 2 OZ Tubes
Total Net Wt 4 OZ (112 g)

VALUE 2 PACK

MAXIMUM STRENGTH
ANTI-ITCH CREAM
1% HYDROCORTISONE

Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-Itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
 - eczema
 - psoriasis
 - poison ivy, oak, sumac
 - insect bites
 - detergents
 - jewelry
 - cosmetics
 - soaps
 - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

- Do not use
- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

- Stop use and ask a doctor if:
 - condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor
 - rectal bleeding occurs

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- For itching of skin irritation, inflammation, and rashes:
 - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
 - children under 2 years of age: do not use, ask a doctor
- For external anal and genital itching, adults:
 - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
 - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
 - apply to affected area not more than 3 to 4 times daily
 - children under 12 years of age: ask a doctor

Other information

store at 20-25°C (68-77°F)

Inactive ingredients: water, cetyl alcohol, cetyl palmitate, glycerin, isopropyl myristate, isobutyl neopentanoate, cetyltrimethyl-20, discolindyl urea, sorbic acid, also birtadenine leaf juice, BHT, sodium hydroxide

Questions or comments? 1-800-838-CLUB

*This product is not manufactured or distributed by Chatham, Inc., distributor of Cortizone-10[®].

**Of U.S. Physicians surveyed by an independent market research firm.

Distributed by: BJ's Wholesale Club, Inc.
350 Campus Drive
Marlborough, MA 01752



12 03 0 000 07



BERKLEY AND JENSEN ANTI ITCH

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68391-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
SORBIC ACID (UNII: X045WJ989B)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-100-16	2 in 1 CARTON	12/09/2014	
1		56 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/09/2014	

Labeler - BJWC (159082692)

