

ISOPROPYL ALCOHOL- isopropyl alcohol liquid
Amerisource Bergen

GNP Decolorized Iodine

Drug Facts

Active Ingredients

Ethyl Alcohol 48%

Purpose

First Aid Antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Ask a doctor before use if you have

deep or puncture wounds, animal bites, serious burns.

Stop use and ask a doctor if:

The condition persists or gets worse, or if using this product for longer than 1 week.

When using this product:

Do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. Do not apply over large areas of the body.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away..

Directions

Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let it dry first.

Inactive Ingredient:

Ammonium Hydroxide, iodine, potassium iodide, purified water.

Other Information:

Flammable. Keep away from fire or flame.

Store at room temperature.

Label

GOOD NEIGHBOR PHARMACY NDC 24385-207-46

Decolorized Iodine
First Aid Antiseptic

Alcohol 48%

FLAMMABLE: Keep away from spark, heat & flame.

2 FL OZ (59 mL)

Drug Facts

Active ingredient Purpose
Ethyl Alcohol 48%.....First aid antiseptic

Use First aid to help prevent skin infection in minor cuts, scrapes and burns

Warnings
For external use only

When using this product ■ do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.

Stop use and consult a doctor if the condition persists or gets worse. Do not use this product for longer than 1 week unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Continued ▶

(Drug facts continued)

Directions
■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily. ■ may be covered with a sterile bandage. ■ If bandaged, let dry first.

Other information
■ Flammable: Keep away from fire or flame. ■ Store at room temperature.

Inactive ingredients
ammonium hydroxide, iodine, potassium iodine, and purified water

Questions or Comments? ☎1-800-662-3435

0 87701 40097 1
MADE IN USA

ABC# 003-261
Dist. by: AmerisourceBergen • 1300 Morris Dr., Chesterbrook, PA 19087
Questions or Comments? ☎1-800-662-3435 • www.goodneighborpharmacy.com
R062614RLG

ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24385-207
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

AMMONIA (UNII: 5138Q19F1X)	
IODINE (UNII: 9679TC07X4)	
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-207-46	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/25/1998	

Labeler - Amerisource Bergen (007914906)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(24385-207) , analysis(24385-207) , pack(24385-207) , label(24385-207)

Revised: 12/2023

Amerisource Bergen