

**PAIN RELIEVER PM- acetaminophen, diphenhydramine hcl tablet, coated**  
**Strategic Sourcing Services LLC**

-----  
**Drug Facts**

**Active ingredients (in each gelta)**

**Acetaminophen 500 mg**

Diphenhydramine HCl 25 mg

**Purposes**

**Pain reliever**

Nighttime sleep-aid

**Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away: Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: take 2 gels at bedtime. Do not take more than 2 gels of this product in 24 hours.
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients**

corn starch, croscarmellose sodium, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, stearic acid,

titanium dioxide

### **Questions or comments?**

Call **1-833-358-6431** Monday to Friday 9:00am to 7:00pm EST

### **Principal Display Panel**

COMPARE TO EXTRA STRENGTH TYLENOL PM® ACTIVE INGREDIENTS†  
EXTRA STRENGTH

### **Pain Reliever PM**

**Acetaminophen, 500 mg**

**Diphenhydramine HCl, 25 mg**

PAIN RELIEVER

NIGHTTIME SLEEP-AID

For Ages 12 Years and Over

GELTABS

†This product is not manufactured or distributed by Kenvue Brands LLC., distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT  
INFORMATION.**


Distributed by McKesson Corp., via Strategic

Sourcing Services LLC. Memphis, 38141

[www.fosterandthrive.com](http://www.fosterandthrive.com)

### **Product Label**

Exp. Date:  
 Lot No.:  
 P/LD-B30V FC009366 Rev 01/25  
 5 109396958100



www.fosterandthrive.com  
 Money Back Guarantee  
 Distributed by: McKesson Corp., Via Strategic  
 Sourcing Services LLC, Memphis, TN 38141  
 ©2023 McKesson Corporation

Foster & Thrive™

EXTRA STRENGTH  
**Pain Reliever PM**

Acetaminophen, 500 mg  
Diphenhydramine HCl, 25 mg

PAIN RELIEVER  
NIGHTTIME SLEEP-AID

For Ages 12 Years and Over

50 GELTABS  
ACTUAL SIZE

COMPARE TO EXTRA STRENGTH  
TYLENOL® PM ACTIVE INGREDIENTS

**Drug Facts**

**Active ingredients (in each geltab)**

Acetaminophen 500 mg.....Pain reliever  
Diphenhydramine HCl 25 mg.....Nighttime sleep-aid

**Purposes**

**Uses** Temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Drug Facts (continued)**

**Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Drug Facts (continued)**

**Directions**

- do not take more than directed (see Overdose warning)
- adults and children 12 years and over: take 2 geltabs at bedtime. Do not take more than 2 geltabs of this product in 24 hours.
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients** corn starch, croscarmellose sodium, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, stearic acid, titanium dioxide

**Questions or comments?** Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

<sup>†</sup>This product is not manufactured or distributed by Kenvue Brands LLC., distributor of Extra Strength Tylenol® PM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

## FOSTER & THRIVE Extra Strength Pain Reliever PM

### PAIN RELIEVER PM

acetaminophen, diphenhydramine hcl tablet, coated

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70677-1149
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	

<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)
<b>GELATIN</b> (UNII: 2G86QN327L)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)
<b>POVIDONE</b> (UNII: FZ989GH94E)
<b>WATER</b> (UNII: 059QF0K00R)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)

### Product Characteristics

<b>Color</b>	white, blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	BP50
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1149-1	1 in 1 BOX	04/01/2023	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/01/2023	

**Labeler** - Strategic Sourcing Services LLC (116956644)