

## **MATTIFYING PERFECTOR SPF 20 SUNSCREEN- titanium dioxide and zinc oxide liquid Colorescience**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Mattifying Perfectioner SPF 20 Sunscreen**

### ***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide 2.8%	Sunscreen
Zinc Oxide 5.3%	Sunscreen

### **Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months: ask a doctor.
- **Sun Protection Measures**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.– 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

### **Inactive ingredients**

Cyclopentasiloxane, Dimethicone Crosspolymer, Ethylhexyl Hydroxystearate Benzoate, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Water, Salicylic Acid, Dimethicone, Tocopheryl Acetate, Hydrolyzed Rice Protein, Avena Sativa (Oat) Kernel Protein, Spirulina Maxima Extract, Aloe Barbadensis Leaf Extract, Palmaria Palmata Extract, Camellia Sinensis Leaf Extract, Beta-Glucan, Avena Sativa (Oat) Kernel Extract, Simmondsia Chinensis (Jojoba) Seed Oil, Melissa Officinalis Leaf Powder, Stearic Acid, Dimethiconol, Cyclohexasiloxane, Triethoxycaprylylsilane, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Citrus

Aurantium Amara (Bitter Orange) Flower Oil, Cananga Odorata Flower Oil, Cymbopogon Schoenanthus Oil, Cupressus Sempervirens Oil, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Mica, Aluminum Hydroxide, Citral, Farnesol, Geraniol, Limonene, Linalool, Bismuth Oxychloride (CI 77163), Iron Oxides (CI 77491, CI 77492, CI 77499)

**Other information**

- Protect this product from excessive heat and direct sun.

**Questions or comments?**

Call toll free 866.426.5673

Distributed in USA by  
Colorescience®  
Carlsbad, CA 92011

**PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton**

**colorescience®**

**MATTIFYING  
PERFECTOR**

3-IN-1 FACE PRIMER

Helps control oil

Shine-free

Minimizes pore  
appearance

20  
Broad Spectrum  
SPF 20  
Sunscreen

1 fl. oz. / 30 mL



MATTIFYING PERFECTOR  
SPF 20

colorescience®

MATTIFYING  
PERFECTOR

3-IN-1 FACE PRIMER

Helps control oil

For USA only

**Drug Facts** (continued)

**Inactive ingredients:**

Cyclopentasiloxane, Dimethicone Crosspolymer, Ethylhexyl Hydroxystearate Benzoate, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Water, Salicylic Acid, Dimethicone, Tocopheryl Acetate, Hydrolyzed Rice Protein, Avena Sativa (Oat) Kernel Protein, Spirulina Maxima Extract, Aloe Barbadensis Leaf Extract, Palmaria Palmata Extract, Camellia Sinensis Leaf Extract, Beta-Glucan, Avena Sativa (Oat) Kernel Extract, Simmondsia Chinensis (Jojoba) Seed Oil, Melissa Officinalis Leaf Powder, Stearic Acid, Dimethiconol, Cyclohexasiloxane, Triethoxycaprylylsilane, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Cananga Odorata Flower Oil, Cymbopogon Schoenanthus Oil, Cupressus Sempervirens Oil, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Mica, Aluminum Hydroxide, Citral, Farnesol, Geraniol, Limonene, Linalool, Bismuth Oxychloride (CI 77163), Iron Oxides (CI 77491, CI 77492, CI 77499)

**Other information:**

- Protect this product from excessive heat and direct sun.

**Questions or comments?**

Shine-free  
Minimizes pore  
appearance

20 Broad Spectrum  
SPF 20  
Sunscreen

1 fl. oz. / 30 mL

Call toll free 866.426.5673

#### Ingredients (EU)

Cyclopentasiloxane, Dimethicone Crosspolymer, Ethylhexyl Hydroxystearate Benzoate, Zinc Oxide, Glycerin, Titanium Dioxide, Dimethicone/Vinyl Dimethicone Crosspolymer, Aqua, Salicylic Acid, Dimethicone, Tocopheryl Acetate, Hydrolyzed Rice Protein, Avena Sativa Kernel Protein, Spirulina Maxima Extract, Aloe Barbadensis Leaf Extract, Palmaria Palmata Extract, Camellia Sinensis Leaf Extract, Beta-Glucan, Avena Sativa Kernel Extract, Simmondsia Chinensis Seed Oil, Melissa Officinalis Leaf Powder, Stearic Acid, Dimethiconol, Cyclohexasiloxane, Triethoxycaprylsilane, Melaleuca Alternifolia Leaf Oil, Lavandula Angustifolia Oil, Citrus Reticulata Peel Oil, Citrus Aurantium Flower Oil, Cananga Odorata Flower Oil, Cymbopogon Schoenanthus Oil, Cupressus Sempervirens Oil, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Mica, Aluminum Hydroxide, Citral, Farnesol, Geraniol, Limonene, Linalool, [+/- CI 77163, CI 77491, CI 77492, CI 77499] Contains Salicylic Acid as a skin conditioning agent.

813419021630

For USA only

## Drug Facts

Active ingredients	Purpose
Titanium Dioxide 2.8%	Sunscreen
Zinc Oxide 5.3%	Sunscreen

### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Back In Matte

Help control shine and blur imperfections of acne-prone skin while zinc oxide and titanium dioxide deliver non-chemical UVA/UVB sunscreen and environmental protection. Colorescience® Mattifying Perfector helps absorb oil and primes in a whipped, silky universal nude shade.

Discover our full line of uncompromising, health-forward formulas designed to fit your life at [colorescience.com](http://colorescience.com)

### How to Use

Apply over face ensuring even coverage. Can be worn alone or under your favorite foundation.

### How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs.

Distributed in USA by  
Colorescience®  
Carlsbad, CA 92011  
Made in USA

BIORIUS  
Rue de la Croÿere, 10A  
BE-7170 MANAGE  
1709039



### Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months: ask a doctor.
- **Sun Protection Measures**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

Continued on opposite side panel ▶

# MATTIFYING PERFECTOR SPF 20 SUNSCREEN

titanium dioxide and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68078-018
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	28 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	53 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Cyclomethicone 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>Ethylhexyl Hydroxystearate Benzoate</b> (UNII: 3W8F25684B)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>Water</b> (UNII: 059QF0K00R)	
<b>Salicylic Acid</b> (UNII: O414PZ4LPZ)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>.Alpha.-Tocopherol Acetate</b> (UNII: 9E8X80D2L0)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>Oat</b> (UNII: Z6J799EAJK)	
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>DULSE</b> (UNII: 7832HOY4ZQ)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>POLYSACCHARIDE-K</b> (UNII: 3X48A86C8K)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>MELISSA OFFICINALIS LEAF</b> (UNII: 50D2ZE9219)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>Triethoxycaprylsilane</b> (UNII: LDC331P08E)	
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	

<b>MANDARIN OIL</b> (UNII: NJO720F72R)
<b>CITRUS AURANTIUM FLOWER OIL</b> (UNII: D4BGE910XH)
<b>CANANGA OIL</b> (UNII: 8YOY78GNNX)
<b>Cymbopogon Schoenanthus Oil</b> (UNII: XE7K568ILO)
<b>CUPRESSUS SEMPERVIRENS LEAF OIL</b> (UNII: M7QUY89S4O)
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>Sodium Benzoate</b> (UNII: OJ245FE5EU)
<b>Mica</b> (UNII: V8A1AW0880)
<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)
<b>Citral</b> (UNII: T7EU0O9VPP)
<b>Farnesol</b> (UNII: EB41QIU6JL)
<b>Geraniol</b> (UNII: L837108USY)
<b>Limonene, (+)-</b> (UNII: GFD7C86Q1W)
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-018-19	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2017	

**Labeler** - Colorescience (128731929)

Revised: 11/2018

Colorescience