PAIN RELIEVER EXTRA STRENGTH- acetaminophen tablet EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to
 - headache
 - the common cold
 - backache
 - minor arthritis pain
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks ever day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

• if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- adults and children 12 years and over
 - take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

Other information

store between 20-25°C (68-77°F)

Inactive ingredients

corn starch, croscarmellose sodium*, hypromellose*, lactose monohydrate*, magnesium stearate*, maltodextrin*, medium-chain triglycerides*, mineral oil*, polydextrose*, polyethylene glycol*, polyvinyl alcohol*, povidone, purified water*, sodium starch glycolate*, stearic acid*, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-888-287-1915**

Principal Display Panel

†Compare to the active ingredient in Tylenol® Extra Strength

Extra Strength

Pain Reliever

Acetaminophen 500 mg

Pain reliever/Fever reducer

CAPLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.


†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® Extra Strength.

DISTRIBUTED BY:

Wal-Mart Inc.,

Bentonville, AR 72716

Product Label



	Questions or comments? 1-888-287-1915	Inactive ingredients con starch, croscarmellose sodium*, hyporneliose*, lactose monoflydrate*, magnesium stearate*, mattodextrin*, medium-chain triglycerides*, mineral oil*, polydextrose*, polyethylene glycol*, polyvinyl alcohol*, povidone, purified water*, sodium starch glycolate*, stearic acid*, tate*, titanium dioxide *contains one or more of these ingredients	Other information store between 20-25°C (68-77°F)	Directions do not take more than directed (see Overdose warming) adults and children 12 years and over take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours do not take for more than 10 days unless directed by a doctor children under 12 years: do not use	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	Stop use and ask a doctor if a pain gets worse or lasts more than 10 days a fever gets worse or lasts more than 3 days a new symptoms occur a redness or swelling is present. These could be signs of a serious condition.	Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.	Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are allergic to acetaminophen or any of the inactive ingredients in this product	Drug Facts (continued)
--	--	---	--	---	--	---	--	---	------------------------

EQUATE Extra Strength Pain Reliever

PAIN RELIEVER EXT	RASIRENGIH					
acetaminophen tablet						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:490	IDC:49035-514	
Route of Administration	ORAL					
.						
Active Ingredient/Active	Molety					
Ingredient Name Basis of Str			rength	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINO			ACETAMINOPHI	EN	500 mg	
Inactive Ingredients						
	Ingredient Name			5	Strength	
STARCH, CORN (UNII: 08232NY35	J)					
CROSCARMELLOSE SODIUM (UN	II: M28OL1HH48)					
HYPROMELLOSES (UNII: 3NXW29V	/3WO)					
LACTOSE MONOHYDRATE (UNII:	EWQ57Q8I5X)					
MAGNESIUM STEARATE (UNII: 700	097M6I30)					
MALTODEXTRIN (UNII: 7CVR7L4A2	D)					
MEDIUM-CHAIN TRIGLYCERIDES	(UNII: C9H2L21V7U)					

POLYDEXTROSE (UNII: VH2XOU12IE)									
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)									
PO	IYVINYL ALCO	HOL, UNS	PECIFIED (UNII: 532B59	J990)					
PO	VIDONE (UNII: F	Z 989GH9	4E)						
WATER (UNII: 059QF0KO0R)									
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)									
STEARIC ACID (UNII: 4ELV7Z65AP)									
TALC (UNII: 7SEV7J4R1U)									
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)									
			-						
Pr	roduct Char	acteris	tics						
Color			white	Score	no score				
Shape			CAPSULE	Size		18mm			
Flavor				Imprint Code	AV;0821				
Contains									
Pa	ackaging								
#	ltem Code		Package Descrip	otion	Marketing Start Date	Marketing End Date			
1	NDC:49035- 514-01	100 in 1 BOTTLE, PLASTIC; Type 0 Combination Product		: Not a	01/31/2021	12/31/2025			
		Marketing Information							
Μ	larketing	Inform	mation						
Μ	arketing Marketing Category		nation plication Number or Citation	Monograph	Marketing Start Date	Marketing End Date			

Labeler - EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC) (051957769)

Revised: 10/2022

EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)