FIRST AID RESEARCH BACITRAYCIN PLUS MAXIMUM VERTICAL- bacitracin lidocaine ointment

First Aid Research Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients Purpose

Bacitracin 500 unites..... First Aid Antibiotic

Lidocaine 40 mg...... Pain Reliever

Uses

First aid to help prevent infection in

- minor cuts
- scrapes burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- the condition persits or gets worse
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poision Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be convered with a sterile bandage

Other information

- Store at 15° to 25°C (59° to 77°F)
- Lot. No. & Exp. Date: see box or see crimp of tube

Inactive ingredients

aloe vera gel, mineral oil, petrolatum

DISTRIBUTED BY:

FIRST AID RESEARCH CORP.

WANTAGH, NY 11793 USA






Scrapes, and Cuts

<u>6</u> **NET WT 1 OZ (28**

With Moisturizing Aloe



Drug Facts

Active ingredients Purpose

(each gram contains)
Bacitracin 500 units First Aid Antibiotic Lidocaine 40mg

Uses

first aid to help prevent infection in
• minor cuts • scrapes • burns

Warnings For external use only.

Do not use

- in the eyesover large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if the condition persists or gets worse

- · a rash or other allergic reaction
- develops Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 15° to 25° C (59° to 77° F) lot no. & exp. date: see box or see
- crimp of tube

Inactive ingredients

aloe vera gel, mineral oil, petrolatum





and Cuts

NET WT 1 OZ (28 g)







Distributed by: FIRST AID RESEARCH CORP. Jupiter, FL 33478 Made in Korea

FIRST AID RESEARCH BACITRAYCIN PLUS MAXIMUM VERTICAL

bacitracin lidocaine ointment

חיים ק	4	T-G-		
Prou	IUCL	1111101	rmatio	Ш

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75983-555
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength BACITRACIN (UNII: 58 H6 RWO521) (BACITRACIN - UNII:58 H6 RWO521) BACITRACIN 500 [USP'U] in 1 g

LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII: 98 PI200987) LIDO CAINE 40 mg in 1 g

Inactive Ingredients

macuve ingredients		
Ingredient Na	me	Strength
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)		
MINERAL O IL (UNII: T5L8T28FGP)		
PETROLATUM (UNII: 4T6H12BN9U)		

Ш	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:75983-555-28	1 in 1 BOX	09/15/2016		
	1	28 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/06/2014	

Labeler - First Aid Research Corp. (089405927)

Revised: 5/2017 First Aid Research Corp.