

**CAREONE ACID REDUCER COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable**  
**American Sales Company**

-----  
**American Sales Company Acid Reducer Complete Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purposes**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Compare to the active ingredients in Pepcid Complete®

ACID REDUCER COMPLETE

Famotidine 10 mg/Calcium Carbonate 800 mg/Magnesium Hydroxide 165 mg Tablets (Chewable)

Acid Reducer + Antacid

Berry Flavor

Actual Size

Just One Tablet! Relieves Heartburn Due to Acid Indigestion

Dual-Action

See New Warnings

OUR PHARMACISTS RECOMMEND

25 CHEWABLE TABLETS

3  
4 15201 31894  
8  
PEEL BACK HERE

**CAREone**<sup>TM</sup> NDC 41520-409-63  
Compare to the active ingredients in Pepcid Complete®\*

**ACID REDUCER COMPLETE**  
Famotidine 10 mg/Calcium Carbonate 800 mg/  
Magnesium Hydroxide 165 mg Tablets (Chewable)  
Acid Reducer + Antacid

**Berry Flavor** Actual Size  
Just One Tablet! Relieves Heartburn  
Due to Acid Indigestion  
Dual-Action  
See New Warnings

**25 CHEWABLE TABLETS**

**Drug Facts**  
**Active ingredients (in each chewable tablet)**  
Famotidine 10 mg..... Acid reducer  
Calcium carbonate 800 mg..... Antacid  
Magnesium hydroxide 165 mg..... Antacid

**Purposes**  
Use relieves heartburn associated with acid indigestion and sour stomach

**Warnings**  
**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers  
**Do not use** ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. ■ with other acid reducers

**Ask a doctor before use if you have** ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ heartburn with lightheadedness, sweating, or dizziness ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness ■ frequent chest pain ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain ■ kidney disease

**Ask a doctor or pharmacist before use if you are taking a prescription drug, Antacids and acid reducers may interact with certain prescription drugs.**

**Stop use and ask a doctor if** ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days

**If pregnant or breast-feeding, ask a health professional before use.**

**DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts (continued)**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions** ■ adults and children 12 years and over: ■ **do not swallow tablet whole; chew completely** ■ to relieve symptoms, **chew 1 tablet before swallowing** ■ do not use more than 2 chewable tablets in 24 hours ■ children under 12 years: ask a doctor

**Other information** ■ each tablet contains: calcium 330 mg; magnesium 80 mg ■ Phenylketonurics: Contains Phenylalanine 2 mg per tablet ■ read the directions and warnings before use ■ read the bottle. It contains important information. ■ store at 20-25°C (68-77°F) ■ protect from moisture

**Drug Facts** (continued)

**Inactive ingredients** anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?** 1-800-719-9260

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete®. U.S. Pat. No. D801,175

**Gluten Free**

DISTRIBUTED BY FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785 · 1-877-846-9949  
© 2019 S&S Brands, LLC

Quality guaranteed or your money back.

No Copy Area

No Copy Area

No Copy Area

No Copy Area

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

TABLE OF CONTENTS

## CAREONE ACID REDUCER COMPLETE

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41520-409
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
ASPARTAME (UNII: Z0H242BBR1)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DEXTRATES (UNII: G263M44RU)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

## Product Characteristics

Color	PINK (mottled)	Score	no score
Shape	ROUND (bi-layered)	Size	17mm
Flavor	BERRY	Imprint Code	L321
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-409-63	25 in 1 BOTTLE; Type 0: Not a Combination Product	09/29/2016	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	09/29/2016	

**Labeler** - American Sales Company (809183973)

Revised: 4/2020

American Sales Company