

**DDM CALAGESIC- zinc acetate and pramoxine hydrochloride lotion**  
**Discount Drug Mart**

-----  
**DDM Calagesic Lotion**

**Drug Facts**

**Active Ingredients**

Zinc Acetate 8%

Pramoxine HCl 1%

**Purpose**

Skin Protectant

External analgesic

**Uses**

Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other skin irritations.

**Warnings**

For external use only. Use only as directed.

When using this product. Avoid contact with eyes and mucous membranes.

Ask a doctor before using on children 2 years of age.

**Stop use and ask a doctor if**

condition worsens. Symptoms last for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

Adults and children 2 yr. of age and older. Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

Children under 2 yrs. of age. Consult a doctor before use.


## Inactive Ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methycelulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

## Other information


Store at room temperature 15-30C (59-86F)

## Label



# Calamine Lotion

## Medicated



**Topical Analgesic • Skin Protectant**

**• Medicated Pain & Itch Relief Lotion**

\*Compare to the Active Ingredients of Caladryl® Lotion

6 fl oz (177 mL)

**Drug Facts**

**Active Ingredients**  
 Calamine 8% .....Skin protectant  
 Pramoxine HCl 1% .....External analgesic

**Use** Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.

**Warnings For External Use Only.** Use only as directed.

- When using this product avoid contact with eyes.

**Stop use and ask a doctor if** ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**  
 ■ **Adults and children 2 yrs. of age and older:** Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort.  
 ■ **Children under 2 yrs. of age:** Consult a doctor.


**Other information** ■ Store at room temperature 15° - 30°C (59° - 85°F).

**Inactive ingredients** ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

\* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.

**Satisfaction guaranteed** - if dissatisfied, return unused portion and package to store where purchased. If unable to return to store, send reason for dissatisfaction, name, address and empty package to: discount drug mart, 211 Commerce Drive, Medina, Ohio 44026

DISTRIBUTED BY:  
**DRUG MART-FOOD FAIR**  
 211 Commerce Dr.  
 MEDINA, OHIO Zip 44026  
 Questions or Comments? 1-800-633-6278  
 WWW.DISCOUNT-DRUGMART.COM



R041013R1G  
 93351 01302 8

## DDM CALAGESIC

zinc acetate and pramoxine hydrochloride lotion

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:53943-420 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength          | Strength         |
|---|----------------------------|------------------|
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)            | ZINC CATION                | 80 mg<br>in 1 mL |
| <b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056) | PRAMOXINE<br>HYDROCHLORIDE | 10 mg<br>in 1 mL |

### Inactive Ingredients

| Ingredient Name                             | Strength |
|---|----------|
| <b>ALCOHOL</b> (UNII: 3K9958V90M)           |          |
| <b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941) |          |
| <b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)          |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)     |          |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)    |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)  |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)             |          |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:53943-420-96 | 177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/26/2017           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016                                     | 03/25/1998           |                    |

**Labeler** - Discount Drug Mart (047741335)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

| Name              | Address | ID/FEI    | Business Operations   |
|-------------------|---------|-----------|---|
| Pharma Nobis, LLC |         | 118564114 | analysis(53943-420) , manufacture(53943-420) , pack(53943-420) , label(53943-420) |

Revised: 12/2023

Discount Drug Mart