

ALLERGY RELIEF- loratadine tablet
Rite Aid Corporation

Rite Aid Corporation Allergy Relief Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments?

1-800-719-9260

Principal Display Panel

FREE FROM

GLUTEN FREE

24 HOUR

Compare to the active ingredient of Claritin® Tablets

ORIGINAL PRESCRIPTION STRENGTH

ALLERGY RELIEF

LORATADINE TABLETS, 10 mg

ANTIHISTAMINE

NON-DROWSY*

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF

Sneezing • Runny nose

Itchy, watery eyes

Itchy throat or nose

ACTUAL SIZE

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

30 TABLETS



ALLERGY RELIEF

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0612
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q815X)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	8mm
Flavor		Imprint Code	L612
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0612-2	1 in 1 CARTON	10/21/2004	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0612-1	3 in 1 CARTON	11/18/2004	
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11822-0612-3	1 in 1 CARTON	07/08/2005	
3		60 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:11822-0612-4	1 in 1 CARTON	04/15/2005	
4		120 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:11822-0612-5	1 in 1 CARTON	01/23/2014	
5		45 in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:11822-0612-6	2 in 1 CARTON	05/19/2020	05/19/2020
6		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
7	NDC:11822-0612-7	1 in 1 CARTON	05/19/2020	
7		300 in 1 BOTTLE; Type 0: Not a Combination Product		
8	NDC:11822-0612-8	1 in 1 CARTON	04/25/2023	
8		70 in 1 BOTTLE; Type 0: Not a Combination Product		
9	NDC:11822-0612-9	1 in 1 CARTON	06/14/2023	
9		30 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076301	10/21/2004	

