# TITRALAC- calcium carbonate tablet iNova Pharmaceuticals Pty, Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

#### Active ingredients

(in each tablet) Calcium carbonate 420 mg (168 mg elemental calcium)

## Purpose

Antacid

## Uses

relieves:

- heartburn
- sour stomach
- acid indigestion

#### Warnings

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last for more than 2 weeks.

#### Keep out of reach of children.

#### Directions

- chew, swallow or let melt in mouth two tablets every two or three hours as symptoms occur or as directed by a physician
- do not take more than 19 tablets in a 24 hour period or use maximum dosage for more than two weeks

# Other information

- sugar free
- very low sodium content (0.5 mg/tablet)
- low aluminum content (1.0 mg/tablet)

#### **Inactive ingredients**

glycine, magnesium state, saccharin, spearmint oil, starch

For your protection this bottle has a printed foil seal under the cap.

For Information: 1-800-537-2191 Made in Australia for 3M 3M Consumer Health Care St. Paul, MN 55144-1000 © 3M 2008 Cat. 355-10 3M and Titralac are trademarks of 3M. T7567

Principal Display Panel – Bottle Label SPEARMINT FLAVOR NDC 055298-038-10 FAST RELIEF Titralac™ ANTACID Calcium Rich Sugar Free • Low Aluminum Very Low Sodium 100 TABLETS 3M

Drug Facts Active ingre Calcium carbonate (168 mg elementa	edients (in each tablet) Purpose 420 mgAntacid I calcium)			
Uses relieves:	heartburn • sour stomach • acid indigestion			
Warnings Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs. Stop use and ask a doctor if symptoms last for more than 2 weeks.				
Keep out of reach of children. Directions • chew, swallow or let melt in mouth two tablets every two or three hours as symptoms occur or as directed by a physician • do not take more than 19 tablets in a 24 hour period or use maximum dosage for more than two weeks				
K7001				



TITRALAC					
calcium carbonate tablet					
Product Information					
Product T ype	HUMAN OTC DRUG	Item Code (Sour	Item Code (Source)		
Route of Administration	ORAL				
Active Ingredient/Active I	Moiety				
Ingredient Name Basis of S					Strength
Calcium Carbonate (UNII: H0G9379FGK) (Calcium - UNII:SY7Q814VUP)			Calcium Carbonate		420 mg
Inactive Ingredients					
Ingredient Name				Strength	
glycine (UNII: TE7660XO1C)					
magnesium stearate (UNII: 7009	7M6I30)				
saccharin (UNII: FST467XS7D)					

ana armint ail (UNI	T. COM0 1						
•	spearmint oil (UNII: C3M81465G5)						
starch, corn (UNII:	08232N	¥3SJ)					
<b>Product Chara</b>	cterist	ics					
Color	white (White)		Scor	Score		no score	
Shape	ROUNI	ROUND (Round)		Size		12mm	
Flavor	SPEARMINT (SPEARMINT)		Imp	Imprint Code		3M;TITRALAC	
Contains							
Packaging							
# Item Coc	1.0	Declarge Description	Marka	ting Start Data	Мал	whating End Data	
		Package Description	Marketing Start Date		IVIAI	Marketing End Date	
1 NDC:55298-038-	DC:55298-038-10 100 in 1 BOTTLE, PLASTIC						
Marketing L	nform	action					
Marketing Information							
Marketing Categ	ory	Application Number or Monograph Citation		Marketing Start Date		Marketing End Date	
OTC monograph fin	al pa	rt331		0 1/0 1/20 0 4			

Labeler - iNova Pharmaceuticals Pty, Ltd (750581035)

# Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
iNova Pharmaceuticals Pty, Ltd		750581035	MANUFACTURE

Revised: 5/2011

iNova Pharmaceuticals Pty, Ltd