

SALICYLIC ACID- corn and callus remover kit liquid
CVS Pharmacy

Corn & Callus Remover Kit

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

CVS Health

Medicated

Corn & Callus Remover Kit

17% SALICYLIC ACID LIQUID &

NON-MEDICATED CUSHIONS

- Removes corns & calluses safely & effectively
- Supersoft foam cushions & protects

3 CUSHIONS | REMOVER 0.5 FL OZ (15mL)



NDC 59779-139-15

Medicated

Corn & Callus Remover Kit

17% SALICYLIC ACID LIQUID & NON-MEDICATED CUSHIONS

- Removes corns & calluses safely & effectively
- Supersoft foam cushions & protects

FPO

Blister and Product Covers This Area

3 CUSHIONS | REMOVER 0.5 FL OZ (15 mL)



Only use product on feet & hands

Drug Facts

Active Ingredient Salicylic acid 17% w/w **Purpose** Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- carefully apply one drop at a time with applicator to sufficiently cover each corn/callus
- do not apply to face or neck
- let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other Information

- store between 20°–25°C (68°–77°F)
- close tightly to prevent solidification
- store in a cool place

Inactive Ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? call 1-866-964-0939

Care

- Wipe top of bottle clean after each use
- Avoid surrounding skin when applying product

#139231

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2020 CVS/pharmacy
CVS.com* 1-800-SHOP CVS
Made in U.S.A. with U.S. and imported parts V-13698

CVS Quality Money Back Guarantee

41-030CV-03 X XXXXXX XXXXXX X

FPO 85%
UPC# 050428350850

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

SALICYLIC ACID

corn and callus remover kit liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-139
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 151 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-139-15	15 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	01/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	01/01/2014	

Labeler - CVS Pharmacy (062312574)

Revised: 10/2025

CVS Pharmacy