

**M-NATAL PLUS- vitamin a, vitamin c, vitamin d, vitamin e, thiamine, riboflavin, niacin, vitamin b6, folic acid, vitamin b12, calcium, iron, zinc, copper tablet  
REMEDYREPACK INC.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**M-Natal Plus**

**M-Natal Plus tablet**

<b>Supplement Facts</b>		
Serving Size: 1 Tablet		
	Amount Per Serving	% Daily Value for Pregnant and Lactating Women
Vitamin A (as Acetate and Beta Carotene)	4000 IU	50%
Vitamin C (Ascorbic Acid)	120 mg	200%
Vitamin D (Vitamin D3 as cholecalciferol)	400 IU	100%
Vitamin E (dl-Alpha Tocopheryl Acetate)	22 IU	73%
Thiamine (Vitamin B1 from Thiamine Mononitrate)	1.84 mg	108%
Riboflavin (Vitamin B2)	3 mg	150%
Niacin (Niacinamide)	20 mg	100%
Vitamin B6 (as Pyridoxine HCl)	10 mg	400%
Folic Acid	1 mg	125%
Vitamin B12 (Cyanocobalamin)	12 mcg	150%
Calcium	200 mg	15%
Iron (Ferrous Fumarate)	27 mg	150%
Zinc (Zinc Oxide)	25 mg	167%
Copper (Cupric Oxide)	2 mg	100%

Other Ingredients: Microcrystalline Cellulose, Croscarmellose Sodium, Polyvinyl Alcohol, Stearic Acid, Titanium Dioxide, Polyethylene Glycol, Talc, Magnesium Stearate, Silicon Dioxide, Beet Powder, Caramel, Carnauba Wax.

**DESCRIPTION**

M-Natal Plus Tablet is an orally administered prenatal/postnatal prescription folic acid-containing dietary supplement and should be administered under the supervision of a licensed medical practitioner.

## **DOSAGE AND ADMINISTRATION**

Before, during and/or after pregnancy, one tablet daily, with a meal, or as directed by a licensed healthcare practitioner regardless of lactation status.

### **WARNING:**

**Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.**

### **CAUTION**

High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that can cause nerve damage.

Store at 15° – 30°C (59° – 86°F). [See USP Controlled Room Temperature.] Protect from light and moisture. Dispense in a tight, light-resistant container. Notice: Contact with moisture may produce surface discoloration or erosion.

**Call your licensed medical practitioner about side effects. You may report side effects by calling Method at 1-877-250-3427 or FDA at 1-800-FDA-1088.**

Supplied as beige tablet, imprinted "M170" dispensed in

NDC: 70518-3579-00

PACKAGING: 30 in 1 BLISTER PACK

Store at 15° – 30°C (59° – 86°F). [See USP Controlled Room Temperature.] Protect from light and moisture. Dispense in a tight, light-resistant container. Notice: Contact with moisture may produce surface discoloration or erosion.

Repackaged and Distributed By:

Remedy Repack, Inc.

625 Kolter Dr. Suite #4 Indiana, PA 1-724-465-8762

DRUG: M-Natal Plus

GENERIC: Vitamin A, Vitamin C, Vitamin D, Vitamin E, Thiamine, Riboflavin, Niacin, Vitamin B6, Folic Acid, Vitamin B12, Calcium, Iron, Zinc, Copper

DOSAGE: TABLET

ADMINISTRATION: ORAL

NDC: 70518-3579-0

COLOR: brown

SHAPE: RECTANGLE

SCORE: No score

SIZE: 19 mm

IMPRINT: M170

PACKAGING: 30 in 1 BLISTER PACK

ACTIVE INGREDIENT(S):

- VITAMIN A 4000[iU] in 1
- ASCORBIC ACID 120mg in 1
- VITAMIN D 400[iU] in 1
- .ALPHA.-TOCOPHEROL ACETATE 22[iU] in 1
- THIAMINE 1.84mg in 1
- RIBOFLAVIN 3mg in 1
- NIACIN 20mg in 1
- PYRIDOXINE HYDROCHLORIDE 10mg in 1
- FOLIC ACID 1mg in 1
- CYANOCOBALAMIN 12ug in 1
- CALCIUM 200mg in 1
- FERROUS FUMARATE 27mg in 1
- ZINC 25mg in 1
- COPPER 2mg in 1

INACTIVE INGREDIENT(S):

- MICROCRYSTALLINE CELLULOSE
- CROSCARMELLOSE SODIUM
- POLYVINYL ALCOHOL, UNSPECIFIED
- STEARIC ACID
- TITANIUM DIOXIDE
- POLYETHYLENE GLYCOL, UNSPECIFIED
- TALC
- MAGNESIUM STEARATE
- SILICON DIOXIDE
- CAMEL
- CARNAUBA WAX

## M-Natal Plus

PRENATAL / POSTNATAL

**Multi Strength**

Tablet

**QTY: 30 Tablets**



**RX ONLY**

NDC #: 70518-3579-00

Expires:

LOT #:

Source NDC: 58657-0170-01

MFG: Method Pharma, Fort Worth, TX 76118

Keep this and all medication out of the reach of children

**WARNING:** High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency, a condition that can cause nerve damage.

**Directions For Use:** See Package Insert

Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F) [See USP]

Repackaged by: RemedyRepack Inc., Indiana, PA 15701, 724.465.8762



# M-NATAL PLUS

vitamin a, vitamin c, vitamin d, vitamin e, thiamine, riboflavin, niacin, vitamin b6, folic acid, vitamin b12, calcium, iron, zinc, copper tablet

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:70518-3579(NDC:58657-170)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>VITAMIN A</b> (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	4000 [iU]
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	120 mg
<b>VITAMIN D</b> (UNII: 9VU1KI44GP) (CHOLECALCIFEROL - UNII:1C6V77QF41)	VITAMIN D	400 [iU]
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1)	.ALPHA.-TOCOPHEROL ACETATE	22 [iU]
<b>THIAMINE</b> (UNII: X66NSO3N35) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.84 mg
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	3 mg
<b>NIACIN</b> (UNII: 2679MF687A) (NIACIN - UNII:2679MF687A)	NIACIN	20 mg
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	10 mg
<b>FOLIC ACID</b> (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
<b>CYANOCOBALAMIN</b> (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	12 ug
<b>CALCIUM</b> (UNII: SY7Q814VUP) (CALCIUM - UNII:SY7Q814VUP)	CALCIUM	200 mg
<b>FERROUS FUMARATE</b> (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	27 mg
<b>ZINC</b> (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	25 mg
<b>COPPER</b> (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	2 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CARAMEL</b> (UNII: T9D99G2B1R)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	

## Product Characteristics

<b>Color</b>	brown (baige)	<b>Score</b>	no score
--------------	---------------	--------------	----------

<b>Shape</b>	RECTANGLE (oblong)	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	M170
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70518-3579-0	30 in 1 BLISTER PACK; Type 0: Not a Combination Product	11/05/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/05/2022	

**Labeler** - REMEDYREPACK INC. (829572556)

Revised: 3/2024

REMEDYREPACK INC.