

**ANTACID ANTIGAS NTA- aluminum hydroxide, magnesium hydroxide,  
simethicone liquid  
AMERISOURCEBERGEN DRUG CORPORATION**

-----  
**GNP Antacid Anti-Gas max cherry**

**Active ingredients (in each 5 mL, 1 teaspoon)**

Aluminum hydroxide (equivalent to dried gel, USP) 800 mg

Magnesium hydroxide 800 mg

Simethicone 80 mg

**Purposes**

Antacid

Antigas

**Uses**

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach due to these symptoms
- symptoms of gas

**Warnings**

**Do not take** more than 40 mL (4 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

**Directions**

- shake well before use
- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) two times a day, or as directed by a doctor
- do not exceed 8 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor

**Other information**

- **each 10 mL dose contains:** magnesium 340 mg, sodium 10 mg
- do not freeze
- store at room temperature tightly closed

**Inactive ingredients**

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or Comments?**

1-800-540-3765

**package label**



Compare To Maalox<sup>®</sup>  
Maximum Strength  
active ingredients\*

NDC 46122-432-40

**MAXIMUM STRENGTH**

# Antacid Anti-Gas

**Alumina, Magnesia, and  
Simethicone Oral Suspension**

Fast Relief of:

- Acid Indigestion
- Heartburn
- Sour Stomach
- Pressure and Bloating

Cherry Creme Flavor



12 FL OZ (355 mL)

297-11322-0 REV0917

## Drug Facts

**TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.**

### Active ingredients (in each 10 mL dose)

Active ingredients	Purposes
Aluminum hydroxide 800 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 800 mg	Antacid
Simethicone 80 mg	Antigas

**Uses** relieves • heartburn • sour stomach  
• acid indigestion • symptoms referred to as gas  
• upset stomach due to these symptoms

### Warnings

Do not take more than 40 mL (4 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

### Directions

• shake well before use

- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) two times a day, or as directed by a doctor
- children under 12 years of age: ask a doctor

### Other information

- each 10 mL dose contains: magnesium 340 mg, sodium 10 mg
- do not freeze • store at room temperature tightly closed

**Inactive ingredients** benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments?** 1-800-540-3765

\*This product is not manufactured or distributed by the owner of the registered trademark Maalox<sup>®</sup>.

10181242 997-11322-2 REV0821



Distributed By  
AmerisourceBergen  
1 West First Avenue  
Conshohocken, PA 19428  
Questions or Concerns?  
[www.mygrp.com](http://www.mygrp.com)



## ANTACID ANTIGAS NTA

aluminum hydroxide, magnesium hydroxide, simethicone liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-432
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	800 mg in 10 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-432-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/31/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2017	

**Labeler** - AMERISOURCEBERGEN DRUG CORPORATION (007914906)

**Registrant** - GCP Laboratories (965480861)

### Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(46122-432)

Revised: 11/2023

AMERISOURCEBERGEN DRUG CORPORATION