

**ALLERGY RELIEF CHILDRENS- diphenhydramine hcl tablet, chewable**  
**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Meijer 44-599**

***Active ingredient (in each chewable tablet)***

Diphenhydramine HCl 12.5 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- find right dose on chart below
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Age (yr)	Dose (chewable tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

**Inactive ingredients**

D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

**Questions or comments?**

1-800-426-9391

**Principal Display Panel**

meijer®

NDC 41250-599-44

**Compare to Children's Benadryl® Chewables**  
active ingredient\*

CHILDREN'S  
**allergy relief**

Diphenhydramine HCl | 12.5 mg Chewable Tablets  
Antihistamine

Relieves: Sneezing, Itchy Throat, Runny Nose & Itchy, Watery Eyes

Cherry Flavored

**18 Chewable Tablets** Actual Size

Chew or crush tablets completely before swallowing.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS  
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544**

[www.meijer.com](http://www.meijer.com)

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl® Chewables.

50844 REV1218A59944

**meijer** CHILDREN'S allergy relief  
 Diphenhydramine HCl | 12.5 mg Chewable Tablets  
 Antihistamine  
 18 Chewable Tablets

B-1214-599-44-R  
 REV1218A59944

**meijer** CHILDREN'S allergy relief  
 Diphenhydramine HCl | 12.5 mg Chewable Tablets  
 Antihistamine  
 Relieves: Sneezing, Itchy Throat, Runny Nose & Itchy, Watery Eyes

NDC 41250-599-44

Compare to Children's Benadryl® Chewables active ingredient\*



Cherry Flavored

18 Chewable Tablets



Actual Size

Chew or crush tablets completely before swallowing.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com

**Drug Facts** (continued)

**Active ingredient** (in each chewable tablet) Diphenhydramine HCl 12.5 mg  
**Purpose** Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, itchy, watery eyes, sneezing, itching of the nose or throat

**Warnings** Do not use to make a child sleepy with any other product containing diphenhydramine, even one used on skin. Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis, difficulty in urination due to enlargement of the prostate gland, or if pregnant or breast-feeding, ask a health professional before use.

**Other information** When using this product, marked drowsiness may occur. Alcohol, sedatives, and tranquilizers may increase drowsiness. Use caution when driving a motor vehicle or operating machinery. Avoid alcoholic beverages. Excitability may occur, especially in children.

**Directions** Find right dose on chart below. Chew or crush tablets completely before swallowing; do not swallow tablets whole. Take every 4 to 6 hours, or as directed by a doctor. Do not take more than 6 times in 24 hours.

**Drug Facts** (continued)  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.  
 Age (yr) | Dose (chewable tablets)  
 children under 2 years | do not use  
 children 2 to 5 years | do not use unless directed by a doctor  
 children 6 to 11 years | 1 to 2 chewable tablets (12.5 mg to 25 mg)  
 adults and children 12 years and over | 2 to 4 chewable tablets (25 mg to 50 mg)

**Drug Facts** (continued)  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.  
 Directions find right dose on chart below. Chew or crush tablets completely before swallowing; do not swallow tablets whole. Take every 4 to 6 hours, or as directed by a doctor. Do not take more than 6 times in 24 hours.  
 Other information When using this product, marked drowsiness may occur. Alcohol, sedatives, and tranquilizers may increase drowsiness. Use caution when driving a motor vehicle or operating machinery. Avoid alcoholic beverages. Excitability may occur, especially in children. If pregnant or breast-feeding, ask a health professional before use.  
 Active ingredient (in each chewable tablet) Diphenhydramine HCl 12.5 mg  
 Purpose Antihistamine  
 Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, itchy, watery eyes, sneezing, itching of the nose or throat  
 Warnings Do not use to make a child sleepy with any other product containing diphenhydramine, even one used on skin. Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis, difficulty in urination due to enlargement of the prostate gland, or if pregnant or breast-feeding, ask a health professional before use.  
 Other information When using this product, marked drowsiness may occur. Alcohol, sedatives, and tranquilizers may increase drowsiness. Use caution when driving a motor vehicle or operating machinery. Avoid alcoholic beverages. Excitability may occur, especially in children.  
 Directions find right dose on chart below. Chew or crush tablets completely before swallowing; do not swallow tablets whole. Take every 4 to 6 hours, or as directed by a doctor. Do not take more than 6 times in 24 hours.  
 Drug Facts (continued)  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.  
 Age (yr) | Dose (chewable tablets)  
 children under 2 years | do not use  
 children 2 to 5 years | do not use unless directed by a doctor  
 children 6 to 11 years | 1 to 2 chewable tablets (12.5 mg to 25 mg)  
 adults and children 12 years and over | 2 to 4 chewable tablets (25 mg to 50 mg)

**Drug Facts** (continued)  
 Inactive ingredients D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose  
 (Questions or comments? 1-800-426-9391)  
 \*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl® Chewables.  
 50844  
 REV1218A59944

7 08820 15978 5  
 PID 3335585

No Print/No Varnish Lot and Expiration No.

# ALLERGY RELIEF CHILDRENS

diphenhydramine hcl tablet, chewable

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-599
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg

## Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTRATES (UNII: G263M44RU)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
SUCROSE (UNII: C151H8M554)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	

## Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	12mm
Flavor	CHERRY	Imprint Code	44;599
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-599-44	3 in 1 CARTON	04/25/2011	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	04/25/2011	

**Labeler** - Meijer Distribution Inc (006959555)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		038154464	PACK(41250-599)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867894	MANUFACTURE(41250-599)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		868734088	PACK(41250-599)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	PACK(41250-599)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	PACK(41250-599)