#### BAREMINERALS BAREPRO MADE-2-FIT PERFORMANCE WEAR FOUNDATION BROAD SPECTRUM SPF 15- titanium dioxide liquid Bare Escentuals Beauty, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### bare Minerals $^{\circledast}$ BarePRO $^{\circledast}$ Made-2-Fit Performance Wear Liquid Foundation Broad Spectrum SPF 15

#### **Drug Facts**

#### **Active ingredients**

Titanium Dioxide 3.32%

#### Purpose

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

#### Do not use on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### **Inactive Ingredients**

water, cyclopentasiloxane, trimethylsiloxysilicate, butylene glycol, silica, peg-10 dimethicone, bis-

butyldimethicone polyglyceryl-3, bambusa arundinacea stem extract, sodium glutamate, disteardimonium hectorite, sorbitan sesquiisostearate, hydrogenated lecithin, methicone, papain, aluminum hydroxide, stearic acid, 1,2-hexanediol, caprylyl glycol, carbomer, algin, tocopherol, sodium dehydroacetate, phenoxyethanol. may contain (+/-): titanium dioxide, iron oxides.

#### Other information

Protect this product in this container from excessive heat and direct sun.

#### Questions or comments?

Call toll free 1-800-795-4747 Dist. by bareMinerals, New York, NY 10022, USA

#### PRINCIPAL DISPLAY PANEL - 30 mL Tip Card

bareMinerals®

BAREPRO®

PERFORMANCE WEAR LIQUID FOUNDATION SPF 15 24 HOUR WEAR • FULL COVERAGE • SKIN IMPROVING

MEET YOUR PERFECT MATCH

CUSTOMIZED BY MATCH C<sup>o</sup>

WE WOULD LOVE TO SEE YOUR PERFECT MATCH SHARE AND TAG — #MADE2FIT

## bareMinerals

# BAREPRO®

PERFORMANCE WEAR LIQUID FOUNDATION SPF 15 24 HOUR WEAR · FULL COVERAGE · SKIN IMPROVING



HOW TO USE

..........

For a smooth, professional application, we recommend using the Luxe Performance Brush. Developed to mimic the shape of fingertips, the short, curved synthetic fibers allow for fast and easy blending around hard to reach areas, like the nose and eyes, for a seamless finish.

Pump foundation on the back of your hand or directly to a brush. Apply using short downward strokes, working from center of face outward, and blending into hairline and down jawline.

### CUSTOMER SERVICE

100% shade match guarantee.

If you are unhappy with your product for any reason, we will accept returns or a rematch within 30 days of delivery. Please contact made2fit@bareminerals.com or (800) 605-8816 to arrange for a rematch or return. In order to expedite your refund, please kindly complete the feedback survey prior to contacting us. Please note returns are not accepted in-store.

BAREPRO® PERFORMANCE WEAR LIQUID FOUNDATION SPF 15: (30 ml / 1 fl. oz.)

Drug Facts	Drug Facts (continued)		
Active ingredient(s)         Purpose           Titanium dioxide 3.32%         Sunscreen	skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m.		
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer	<ul> <li>wear long-sleeved shirts, pants, hats, and sunglasses.</li> <li>children under 6 months: ask a doctor.</li> </ul>		
and early skin aging caused by the sun	Inactive ingredients		
Warnings         For external use only         Do not use on damaged or broken skin         When using this product keep out of eyes. Rinse with water to remove.         Stop use and ask a doctor if rash occurs         Keep out of reach of children. If product is swallowed, get medical help	water, cyclopentasiloxane, trimethylsiloxysilicate, butylene glycol, silica, peg-10 dimethicone, bis-butyldimethicone polyglyceryl-3, bambusa arundinacea stem extract, sodium glutamate, disteardimonium hectorite, sorbitan sesquiisostearate, hydrogenated lecithin, methicone, papain, aluminum hydroxide, stearic acid, 1,2-hexanediol, caprylyl glycol, carbomer, algin, tocopherol, sodium dehydroacetate, phenoxyethanol. may contain: titanium dioxide, iron oxides.		
or contact a Poison Control Center right away. <b>Directions</b> For sunscreen use: • apply liberally 15 minutes before	<b>Other information</b> Protect the product in this container from excessive heat and direct sun.		
sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early •	Questions or comments? Call toll free 1-888-795-4747		

MADE IN USA.

Dist. by bareMinerals, New York, NY 10022, USA · London W1F 8ZU · BE91762

#### **BAREMINERALS BAREPRO MADE-2-FIT PERFORMANCE WEAR FOUNDATION BROAD SPECTRUM SPF 15**

titanium dioxide liquid

Product Inform	ation							
Product T ype		HUMAN OTC DRUG	Item Code (So	item Code (Source) NDO		OC:98132-253		
Route of Administr	ration	TOPICAL						
Active Ingredie	nt/Active Moie	ety						
	Ingro	edient Name		Basis of Streng	gth Str	Strength		
Titanium Dioxide (UNII: 15FIX9 V2JP) (Titanium Dioxide - UNII:15FIX9 V2JP)       Titanium Dioxide					33.2 mg	in 1 mL		
Inactive Ingred	ients							
		Ingredient Name			Stre	ength		
Water (UNII: 059QF0	KO0R)							
CYCLOMETHICON	E <b>5</b> (UNII: 0 THT5PC	CIOR)						
Butylene Glycol (UN	III: 3XUS85K0RA)							
SILICON DIOXIDE (	UNII: ETJ7Z6 XBU	4)						
PEG-10 DIMETHICO	NE (600 CST) (U	NII: 8PR7V1SVM0)						
BAMBUSA BAMBOS	<b>S STEM</b> (UNII: NRA	A4497HC5)						
MONOSODIUM GL	UTAMATE (UNII: V	W8 1N5U6 R6 U)						
Disteardimonium H	ectorite (UNII: X68	37XDK09L)						
Sorbitan Sesquiisos	tearate (UNII: VUS	97D01BF9)						
HYDRO GENATED S	O YBEAN LECITH	<b>IIN</b> (UNII: H1109Z9J4N)						
METHICONE (20 CS	<b>6T)</b> (UNII: 6777U11	MKT)						
<b>Papain</b> (UNII: A236A	.06Y32)							
Aluminum Hydroxic	le (UNII: 5QB0T2I	JN0)						
Stearic Acid (UNII: 4	ELV7Z65AP)							
1,2-Hexanediol (UNII: TR046 Y3K1G)								
Caprylyl Glycol (UN	III: 00YIU5438U)							
CARBO XYPO LYMETHYLENE (UNII: 0 A5MM307FC)								
SODIUM ALGINATE (UNII: C269C4G2ZQ)								
Tocopherol (UNII: R0ZB2556P8)								
Sodium Dehydroacetate (UNII: 8W46YN971G)								
Phenoxyethanol (UN								
FERRIC OXIDE RED	(UNII: 1K09F3G67	75)						
Packaging								
# Item Code		Package Description	Ν	Marketing Start Date	Marketi Da	-		
<b>1</b> NDC:98132-253- 30	1 in 1 BOX		0 1/0	) 1/20 19				
1	30 mL in 1 BOTTI Product	LE, GLASS; Type 0: Not a Comb	inatio n					

Marketing Information							
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	OTC monograph not final	part352	0 1/0 1/20 19				

Labeler - Bare Escentuals Beauty, Inc. (087008363)

Revised: 2/2019

Bare Escentuals Beauty, Inc.