

**DAYTIME COLD AND FLU- acetaminophen, dextromethorphan hbr,  
phenylephrine hcl capsule, liquid filled  
Family Dollar (FAMILY WELLNESS)**

-----  
**Drug Facts**

**Active ingredients (in each softgel)**

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purpose**

**Pain reliever/fever reducer**

Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves common cold and flu symptoms:
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - fever
  - cough due to minor throat and bronchial irritation

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is

accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product,**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

- **do not take more than directed (see Overdose warning)**
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to insure correct dosing**

## **Other information**

- store between 15-30°C (59-86°F)
- avoid excessive heat

## **Inactive ingredients**

FD&C red #40, FD&C yellow#6, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, white ink

## **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® DAYQUIL® COLD & FLU LIQUICAPS®†

### **DAYTIME**

### **COLD & FLU RELIEF**

Acetaminophen 325 mg Pain reliever/ Fever reducer

Dextromethorphan HBr 10 mg Cough suppressant

Phenylephrine HCl 5 mg Nasal decongestant

### **RELIEVES**

- Aches, fever, Sore Throat
- Cough
- Nasal Congested

Alcohol-free • Antihistamine-free

SOFTGELS\*\*

(\*\*LIQUID-FILLED CAPSULES)

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® , DayQuil® , and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWING ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY  
MIDWOOD BRANDS, LLC  
500 VOLVO PKWY  
CHESAPEAKE, VA 23320

**Package Label**

DISTRIBUTED BY:  
MIDWOOD BRANDS, LLC  
500 VOLVO PKWY  
CHESAPEAKE, VA 23320 USA  
PRODUCT OF CHINA

NOT FOR RESALE  
This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

www.StipMedicineShare.org

**FAMILY Wellness™**

COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® DAYQUIL® COLD & FLU LIQUICAPS®†

**DAYTIME COLD & FLU RELIEF**

NON-DROWSY

**Acetaminophen 325 mg** Pain reliever/Fever reducer  
**Dextromethorphan HBr 10 mg** Cough suppressant  
**Phenylephrine HCl 5 mg** Nasal decongestant

RELIEVES  
• Aches, Fever, Sore Throat • Cough • Nasal Congestion

Alcohol-Free • Antihistamine-Free

**8 SOFTGELS\*\***  
(\*LIQUID-FILLED CAPSULES)

NDC 53319-967-08

0 52251 92095 0

SKU 9978769

**PARENTS:**  
Learn about these medicines share  
www.StipMedicineShare.org

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

PLD-B584B FCD08840 KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

**FAMILY WELLNESS Daytime Cold & Flu Relief**

**DAYTIME COLD AND FLU**

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

**Product Information**

<p><b>Drug Facts (continued)</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>■ temporarily relieves common cold and flu symptoms:</li> <li>■ minor aches and pains</li> <li>■ headache</li> <li>■ sore throat</li> <li>■ nasal congestion</li> <li>■ fever</li> <li>■ cough due to minor throat and bronchial irritation</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ pain, cough, or nasal congestion gets worse or lasts more than 7 days</li> <li>■ nervousness, dizziness, or sleeplessness occur</li> <li>■ fever gets worse or lasts more than 3 days</li> <li>■ redness or swelling is present</li> <li>■ new symptoms occur</li> <li>■ cough turns back or occurs with rash or headache that lasts. These could be signs of a serious condition.</li> </ul> <p><b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b></p> <p><b>Overdose warning:</b> Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ do not take more than directed (see Overdose warning)</li> <li>■ do not take more than 4 doses in 24 hours</li> <li>■ adults and children 12 years and over: take 2 softgels with water every 4 hours</li> <li>■ swallow whole; do not crush, chew, or dissolve</li> <li>■ children under 12 years: do not use</li> <li>■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store between 15-30°C (59-86°F)</li> <li>■ avoid excessive heat</li> </ul> <p><b>Inactive ingredients:</b> FD&amp;C red #40, FD&amp;C yellow #6, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, polydioxane, propylene glycol, purified water, sorbitan, sorbitol, white ink</p> <p><b>Questions or comments?</b> Call 1-877-755-5858 Monday-Friday 9AM-5PM EST</p>
<p><b>Drug Facts</b></p> <p><b>Active Ingredients (in each softgel)</b></p> <p>Acetaminophen 325 mg.....Pain reliever/fever reducer</p> <p>Dextromethorphan HBr 10 mg.....Cough suppressant</p> <p>Phenylephrine HCl 5 mg.....Nasal decongestant</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Warnings</b></p> <p><b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none"> <li>■ more than 4,000 mg of acetaminophen in 24 hours</li> <li>■ with other drugs containing acetaminophen</li> <li>■ 3 or more alcoholic drinks every day while using this product</li> </ul> <p><b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash</p> <p><b>Sore throat warning:</b> If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</li> <li>■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ liver disease</li> <li>■ diabetes</li> <li>■ heart disease</li> <li>■ thyroid disease</li> <li>■ high blood pressure</li> <li>■ trouble urinating due to an enlarged prostate gland</li> <li>■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema</li> <li>■ cough that occurs with too much phlegm (mucus)</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</b></p> <p><b>When using this product, do not exceed recommended dosage.</b></p>

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-967
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	PC9
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-967-24	24 in 1 CARTON	07/01/2023	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:55319-967-08	8 in 1 CARTON	07/01/2023	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:55319-967-16	16 in 1 CARTON	07/01/2023	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2023	

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 3/2024

Family Dollar (FAMILY WELLNESS)